

# LogiLink®

## Ultra Slim 4K Pro 1x4 HDMI™ Switch with Remote Control

Art. No.: HD0035



This 4-Port HDMI Ultra HD switch with HDCP 2.2 is an advanced solution for switching four HDMI sources to one HDMI screen with remote control.

It provides high performance audio and video output up to 4K2K@60Hz resolution and delivers up to 18Gbps of bandwidth, ensuring the best 4K picture quality.

Its ultra-sleek design with a thickness of 15mm and a length of 130mm fits in the palm of your hand, and can easily be discreetly hidden behind monitors or TVs.

### 4 Inputs to 1 Output

Easily switch for HDMI to one HDMI screen with remote control.



### Mounting Bracket

Securely install on most surfaces.



5V/1A power adapter included



HD0035



Made in China



RoHS compliant



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.

Best Connectivity

# LogiLink®



## Ultra Slim 4K Pro 1x4 HDMI™ Switch with Remote Control

Art. No.: HD0035

### Feature:

- » Compliant with HDMI 2.0b and HDCP™ 2.2 specifications
- » Supports video formats up to 4K@30Hz with 24-bit RGB/YCbCr 4:4:4/YCbCr 4:2:2, and up to 4K@60Hz with 12-bit YCbCr 4:4:4
- » Supports 3D frame sequential video formats up to 1080p@60Hz
- » Supports high resolution VESA® mode video formats up to QSXGA@60Hz
- » Supports LPCM 7.1-channel, Dolby TrueHD™, DTS-HD Master Audio™, and HDR (High Dynamic Range)
- » Supports Auto EDID analysis mode, equipped with EDID emulation
- » Full YCbCr 4:4:4 Chroma Sampling at 4K
- » LED indicators for power status and source devices
- » Plug-n-Play, no drivers required

### Specifications:

Input	HDMI, female x 4
Output	HDMI, female x 1
Output Resolution	480i~1080P@50/60, 4K2K@30, up to 4K2K@60Hz
Video Bandwidth	600MHz/18Gbps
Operating Temperature	0°C~45°C
Operating Humidity	10%~85% RH (non-condensing)
Storage Temperature	-10°C~80°C
Storage Humidity	5%~90% RH (non-condensing)
Power Supply	DC 5V/1A
Chassis Material	Aluminum
Power Consumption (Max)	1.65W
Product Dimension	130 x 75 x 15mm
Product Weight	236.4g

### Package Contents:

- » 1 x HDMI Switch
- » 1 x IR Remote Control
- » 1 x 5V/1A Power Adapter
- » 1 x User Manual

### Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg



HD0035



4 052792 058017

Made in China



RoHS  
compliant



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [HDMI Cables](#) category:*

*Click to view products by [Logilink](#) manufacturer:*

Other Similar products are found below :

[426301400-3](#) [cab-DP to HDMI Passive](#) [HD2003 010S1](#) [68783-0055](#) [PND400](#) [UA0329](#) [50472](#) [50586](#) [HD0003](#) [HD0102](#) [31888](#) [31889](#)  
[31893](#) [31897](#) [31907](#) [31908](#) [31911](#) [31913](#) [31914](#) [31915](#) [31919](#) [31920](#) [31921](#) [31923](#) [31925](#) [31926](#) [31929](#) [31935](#) [31936](#) [31937](#) [31941](#)  
[31943](#) [31944](#) [CV0036B](#) [CV0038](#) [CV0055](#) [CV0057](#) [CV0057B](#) [CV0058](#) [CV0058B](#) [CV0059B](#) [50580](#) [50581](#) [50582](#) [50989](#) [50992](#) [51579](#)  
[51586](#) [51724](#) [51758](#)