



Keystone Coupler USB3.1 Type-C

Part no.: NK0032

Technical Features

USB3.1 Gen 2 Type C female to female adapter


Suitable for standard keystone panels and outlets


 10 ± 0.5


Nickel-plated contact, thermoplastic housing


Color: Black

Technical Drawings









PIN OUT

A1 A12 B1 B12— — A1 A12 B1 B12 A4 A9 B4 B9 -- A4 A9 B4 B9 B5 -— B5 A6 B6 -— A6 B6 A7 B7 -B10 - A2 -A11 -A10 A11-— B2 A8 -—B8

Electrical Test:

- 100% open short & miss wire test Insulation resistance:DC 300V 10M Ω Min
- Contactor resistance:3Ω Max
- Support for data and video transmission (only TYPE C single-sided output is supported)
- Data Transfer: 10Gbps
- Voltages:5-20V
- Current:3A
- Support: 3840 x 2160@60Hz







Made in China

www.logilink.com



Package Contents

Keystone Coupler USB3.1 Type-C x 1

Packing Dimension 100 x 70mm Packing Weight 0.007kg Carton Dimension 280 x 265 x 220mm Carton Q'ty 250pcs Carton Weight 2.2kg









X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for USB Connectors category:

Click to view products by Logilink manufacturer:

Other Similar products are found below:

65-647-8-BK-BU 950 952 E8144-B01021-L A-USB A-LP-SMT-C A-USB B-TOP-C MUSBA511N5 MUSBD11135 217450-1 KMBVX-TH-5S-B30 896-30-004-00-000000 KUSBVX-BS1N-W30 KUSBX-AP-KIT-SCBLK KUSBX-AS2N-W KUSBX-SMT2AP1S-W30 935 957 30-498-6 SK-60A-2 17-210051 1734082-1 30-1574 30-470 30-489 30-541 30-572-3 A-USB A-2P-C MIKROE-1451 USBFTV2PEM2G USBFTVC6ZN KUSBX-AS2N-W30 KUSBX-SLAS1N-W KUSBX-SMT-AS1N-W30 4689-1 1-1734084-2 E8110-001-01 33UBARS1-04SW11 33UBAR-04SW11 USBF21ZNSCC USBBFTV6ZC 10135326-001LF M9177/3-1 USB-A-S-F-B-VT 925 4198 690-024-633-031 KUSBX-BSFS1N-W USBFTVC6MRG UA-20BMFA-SL8001 17-200011