

LogiLink_®

USB-C™ 4-Port Wall Charger 27W

Art. No.: PA0221

Compact design makes charger perfect for your traveling.



1 Charger for 4 Devices

Charge your power-hungry devices with one 15W USB-C port and three 2.4A fast charging USB-A port.



Multiple Protection

Supports overcurrent, overvoltage, overheating and short circuit protection.










LogiLink_®

USB-C™ 4-Port Wall Charger 27W

Art. No.: PA0221



Simultaneous Charging

Charge 4 devices at the optimal speeds at the same time; provides up to 27W in total.



Travel-Ready

The portable size fits easily in your laptop bag or backpack, making it the perfect mobile accessory for traveling.











LogiLink_®

USB-C™ 4-Port Wall Charger 27W

Art. No.: PA0221

Specifications:

Input	100-240V AC 50/60Hz 0.5A
Output	USB-A: 5V 2.4A (12W) max. USB-C: 5V 3A (15W) max. *Max. Output 27W
Efficiency	Level V
Operating Temperature	0~40°C
Storage Temperature	-40°C~85°C
Relative Humidity	25%~90% non-condensing
Storage Humidity	10%~90% non-condensing
Dimension	98 x 50 x 29mm
Weight	72g











Package Contents:

- » 1 x USB Wall Charger
- » 1 x User Manual

Package Information:

- » Packing Dimension: 138 x 75 x 45mm
- » Packing Weight: 0.097kg
- » Carton Dimension: 465 x 315 x 167mm
- » Carton Q'ty: 40pcs» Carton Weight: 4.85kg







X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Logilink manufacturer:

Other Similar products are found below:

CV0036A FA01SC4 FA02LC3 FA04LC3 BP0002 NK0021 NK0023 NP0021 NP0048 NP0057 LPS219 CHB3105 CP0141 CQ2091U CQ2096U CQ2099S CV0058 UA0131 UA0216 NK0024 NP0017A NP0019B NP0053 CHB1115 CQ2102U CA1022 CHA0010 CHA0030 CHB003 CQ4049S CQ4102S CQ5067S CU0072 CV0021 CV0041 CV0054A CV0093 CV0094 ID0135 ID0137 FB0001B FB2401B FB2402B FB3001 FL0LC02 FL2LC02 FL2SC02 FL3LC02 FL4LC02 FL4SC02