

LogiLink®



Compact 48W USB-C™
GaN 2-Port Wall Charger
1 x USB-A & 1 x USB-C™

Art. No.: PA0230

High Efficiency USB-C wall charger with GaN technology to charge your smartphones, tablets and laptops at full speed; compact size to carry anywhere.



Built-in GaN Technology

By replacing the silicon wafer with gallium nitride (GaN), it takes performance to new heights with faster speeds and greater efficiency.



Up to 45W with USB-C Port

Up to 45W when only charging through the USB-C port, and up to 48W when charging through both ports.



Made in China



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Best Connectivity

LogiLink®



Compact 48W USB-C™
GaN 2-Port Wall Charger
1 × USB-A & 1 × USB-C™

Art. No.: PA0230



Compact Design, Ultra-Powerful

Easy to carry with high output for laptops/ smartphones, simplify and save space in your luggage while traveling.



Multiple Protection

Supports overcurrent, overvoltage, overheating and short circuit protection.

Best Connectivity



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Made in China

LogiLink®



Compact 48W USB-C™ GaN 2-Port Wall Charger

1 x USB-A & 1 x USB-C™

Art. No.: PA0230



Wide Compatibility

Compatible with most mobile devices: smartphones, tablets, laptops and much more.

Specification:

Input	100-240V AC 50/60Hz 1A max.
Output Power	USB-A: 5V 3A (15W) / 9V 2A (18W) / 12V 1.5A (18W) max. USB-C: 5V 3A (15W) / 9V 3A (27W) / 15V 2A (30W) 20V 1.5A (30W) max. USB-C: 5V 3A (15W) / 9V 3A (27W) / 15V 3A (45W) 20V 2.25A (45W) max. *USB-A: no load
Protections	Overcurrent, overvoltage, overheating and short circuit
Operating Temperature	0~25°C
Storage Temperature	-20~85°C
Operating Relative Humidity	20%~90% (non-condensing)
Storage Relative Humidity	5%~95% (non-condensing)
Dimension	92 x 36.4 x 40mm
Weight	120g



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Made in China


Best Connectivity

LogiLink®



Compact 48W USB-C™
GaN 2-Port Wall Charger
1 x USB-A & 1 x USB-C™

Art. No.: PA0230



Package Contents:

- » 1 x USB-C GaN Wall Charger
- » 1 x User Manual

Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: 0mm
- » Carton Q'ty: pcs
- » Carton Weight: kg



Made in China



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Best Connectivity

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Logilink](#) manufacturer:

Other Similar products are found below :

[CV0036A](#) [FA01SC4](#) [FA02LC3](#) [FA04LC3](#) [BP0002](#) [NK0021](#) [NK0023](#) [NP0021](#) [NP0048](#) [NP0057](#) [LPS219](#) [CHB3105](#) [CP0141](#) [CQ2091U](#)
[CQ2096U](#) [CQ2099S](#) [CV0058](#) [UA0131](#) [UA0216](#) [NK0024](#) [NP0017A](#) [NP0053](#) [CHB1115](#) [CQ2102U](#) [CA1022](#) [CHA0010](#) [CHA0030](#)
[CHB003](#) [CQ4049S](#) [CQ4102S](#) [CQ5067S](#) [CU0072](#) [CV0021](#) [CV0041](#) [CV0054A](#) [CV0093](#) [CV0094](#) [ID0135](#) [ID0137](#) [FB0001B](#) [FB2401B](#)
[FB2402B](#) [FB3001](#) [FL0LC02](#) [FL2LC02](#) [FL2SC02](#) [FL3LC02](#) [FL4LC02](#) [FL4SC02](#) [FP1LS05](#)