LogiLink_®



USB-C[™] 20 W PD Car Charger

Art. No.: PA0260











Multiple Protection

Built-in overcurrent and short circuit protection for safety and reliability you can trust.

Sleek & Compact

Small design, perfectly fits with any car power outlet, which frees up more space and looks visually appealing.

Wide Compatibility

All USB-C enabled devices can be charged such as smartphones, tablets, headsets and more.



5.5 cm



Ø 2.5 cm

20W **#**, USB-C PD **Fast Charging**





LogiLink_®



USB-C[™] 20 W PD Car Charger

Art. No.: PA0260

Specifications:

Input	DC 12 V/24 V
Output	5 V/3 A (15 W), 9 V/2.22 A (20 W), 12 V/1.67 A (20 W) Max. total output: 20 W
Ripple And Noise	≤120 mV
Operating Temperature	0–40 °C
Storage Temperature	-40–85 °C
Operating Relative Humidity	25–90 % (Non-condensing)
Storage Relative Humidity	10–90 % (Non-condensing)
Standby Power Loss	0.1 W
Dimensions	Ø25x55 mm
Weight	20 g









Package Contents:

- » 1x USB-C 20W PD Car Charger
- » 1x User Manual

Package Information:

- » Packing Dimension: 73x50x28 mm
- » Packing Weight: 0.04 kg
- » Carton Dimension: 325x245x170 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 2 kg



Remove any device attached on the adaptor before starting the car to avoid damage to the electronic device.

Please check your gadget power requirement and compatibility

*The specifications and pictures are subject to change without prior notice *All trade names referenced are the registered trademarks of their respective owners.







X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Logilink manufacturer:

Other Similar products are found below:

AA0031 AA0035 AA0039W AA0063 AA0065 AA0069 AA0089 AA0103 AA0104 AA0105 AA0113 AA0120 AA0121 AA0122

AA0153 AD0001 AD0002 AD0009 AD0010 AD0011 AD0013 AD0014 AD0016 AD0017 AD0019 AD0021 AD0022 AH0002 AH0005

AH0006 AH0007 AH0008 AH0009 AH0010 AH0011 AH0012 AH0015 AU0003C AU0004A AU0011A AU0012A AU0025 AU0028A

AU0030 AU0031 AU0032 AU0033 AU0037 AU0040 AU0041