

LogiLink®

LL1 Conference USB Webcam

120° with Dual-Microphone


Art. No.: UA0377



The Perfect Video Conferencing Solution

This LL1 conference webcam has a 120° ultra-wide-angle lens ensuring that everyone is seen in Full HD resolution. It also features dual high-quality microphones, designed to pick up everyone's voice. Ideal for enhancing your video conferencing experience.






Discover the Best Webcam for Online Class and Video Conferencing



Spectacular Video Quality

1080p HD video at 30 frames per second provides true-to-life clarity on Android TVs, PCs or laptops. Comes with an 8-layer coated lens provides high precision and no image distortion; smooth and precise for consistent definition and fluid video.





Ultra Wide Angle

The Full HD webcam with a 120° super wide angle field of view allows everyone in the room to be seen. Great for business video meetings in huddle rooms and other small workspaces.

Automatic Low Light Correction

Equipped with auto low light correction, adjusts the lighting to produce better quality and brighter images even when you are in a dim environment.





Built-in Dual Noise Reduction Mics

It is specifically optimized for ultra-clear conversations in the room; making sound purer and clearer.

360° Adjustable Rotation

360° rotation left/right and 90° tilt forward/backward to show your best side on every video call, wherever you are.

Plug-and-Play through USB Connection

Supports USB Video Device Class (UVC); making it easy to get it up and running.

360° Rotation



90° Tilt



Versatile Mounting Choices

Effortlessly mount the camera wherever you like; clamp on LCD screens, laptops, desktops or mount on your tripod.



*tripod not included



All-around Platform Compatibility

Compatible with Windows, Mac OS, Linux, Chrome OS and Android. Works with Skype, Microsoft Teams, Google Meet, Zoom, FaceTime, Facebook Messenger, OBS, XSplit, Twitch and more.

Specification:

Image Sensor	1/2.7" 2.0 M
View Angle	120°
Focus Mode	Manual Focus
Lens	8-Element (7 + 1IR)
f/N	f/2.4
Focal Length	7cm~∞
Microphone	35 dB + high sensitivity, 2-channel stereo noise reduction double mic
Cable Length	1.6 m
Power Consumption	DC 5 V (through USB 2.0 type-A)
Encoding Format	MJPEG
Still Picture Resolution	1920x1080, 1280x720, 640x480
Video Resolution	1920x1080@30fps, 1280x720@30fps, 640x480@30fps
Conference Applications	Zoom, Teams, OBS, Facebook, Youtube, Xbox one, XSplit, Skype, Twitch, Google Meet
System Requirement	2.4 GHz Intel Core2 Duo I3 processor or higher, 4 GB memory or higher for storing recorded video
Operation System	Windows 7/8/10, Windows XP2, Mac OS 10.6, Linux 2.6.24, Chrome OS, XBox One Android 5.0, Ubuntu Linux 10.04 or above
Functions	Auto Exposure (AE) Auto White Balance (AWB) Auto Flicker Correction Color Correction Gamma Correction Dark Level Compensation Auto Edge enhancement Automatic frame rate adjustment when exposure in low light environments
Tripod screw hole specifications	1/4 inch screw thread, 6 mm diameter
Dimensions	8.6x5.3x7.2 cm (Including base)
Weight	150 g

Package Contents:

- » 1x USB Webcam
- » 1x Cleaning Cloth
- » 1x User Manual

Package Information:

- » Packing Dimension: 114x115x67 mm
- » Packing Weight: 0.21 kg
- » Carton Dimension: 475x355x250 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 9.27 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



UA0377



Made in China

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Mounting Fixings](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[5912235-1 REV - 007541](#) [627](#) [M3783-7001](#) [75-69224-5S](#) [7717-8DAP](#) [85048GBESR](#) [FPK-02-R10](#) [PMS27488-001-01](#) [1-18023-0](#) [H-118-2](#)
[DB1](#) [1302030464](#) [1302010957](#) [1302263564](#) [1302340393](#) [1404-0016-78](#) [14540](#) [1561-60](#) [1566](#) [1566](#) [BR16A](#) [NT20SATT01](#)
[201C5058-01-201 REV E](#) [22594-8](#) [KBB-141](#) [89078GBEPR](#) [89078GBESR](#) [915060](#) [SF4011-60101](#) [97-CS-50](#) [1671](#) [1855-54](#) [T-2085-SP](#)
[20800240002](#) [21899-4](#) [2193](#) [2518](#) [25745-1](#) [H-118-1](#) [354467](#) [37184](#) [4658](#) [4665](#) [4731](#) [BRACKET-RA-30](#) [5500083](#) [HS5659MB98SN](#) [561-](#)
[T001](#) [4222522019-542](#)