

LogiLink

USB 3.2 Gen 1 Hub with Switch

7 Ports + 1 Fast Charging Port

Art. No.: UA0387



The Best Travel Companion

This USB 3.2 Gen 1 Hub with 7 ports and 1 fast charging port is for laptops, desktops, and more. Small and lightweight crafted to slide smoothly into any bag for greater portability and convenience.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



UA0387




4 052792 065510

Made in China

5 Gbps Data Transfer

7x USB 3.2 Gen 1
5 V/2 A (10 W)

Fast Charging Port
5 V/2,4 A (12 W)



12 V/3 A (36 W)
Power Adapter

Aluminum

Over Charging Protection

Individual Switches

Individual LEDs

Fast Charging

Multiple USB Ports

Instantly adds 7 USB ports to your laptop, desktop or smart TV; enjoy data transfer speeds of up to 5 Gbps for faster sync time; plug and play, no driver required.

Safety Protection

Extremely safe and reliable, the USB hub provides overcurrent, overvoltage, and short circuit protection.

Convenient Fast Charging

Comes with a fast charging port; allows you to charge mobile phones, tablets, cameras, speakers, and more. Automatically detects and delivers the optimal charging current up to a maximum of 12 W.

Individual Power Switches

Equipped with 8 individual ON/OFF switches to control each USB port; easily save the trouble of unplugging devices when they are not in use.

Small & Lightweight



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Specifications:

USB Version	USB 3.2 Gen 1
Input Port	USB-B female
Output Port	8x USB-A female
USB-A Power Output	Fast Charging Port: 5 V/ 2,4 A (12 W) max. Data Port: 5 V/ 2 A (10 W) max.
Max. Power Consumption	12 V/5 A (60 W)
Data Transmission Speed	Up to 5 Gbps
ON/OFF Switch	Power switch for each port
LED Indicators	Red for one fast charging port; Blue for seven data ports
Power By	External power supply 12 V/ 3 A
Compatible Operating Systems	Windows XP/7/8/10/11, Mac OS and Linux
Operating Temperature	0–70 °C
Operating Humidity	10–90% RH (no condensation)
Storage Temperature	-40–85 °C
Storage Humidity	10–90% RH (no condensation)
Material	Aluminum Alloy
Dimensions	13,6x5,2x2,4 cm
Weight	140 g

Specification of External Power Supply:

Input Voltage	100–240 V, 50/60 Hz 0,9 A max.
Output Power	12 V/3 A, 36 W
DC Plug	5,5x2,1 mm
Dimensions	84x46x72 mm
Cable Length	1,2 m
Weight	0,15 kg



Package Contents:

- » 1x USB Hub
- » 1x USB Cable
- » 1x Power Supply
- » 1x User Manual

Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Logilink manufacturer](#):

Other Similar products are found below :

[AA0031](#) [AA0035](#) [AA0039W](#) [AA0063](#) [AA0065](#) [AA0069](#) [AA0089](#) [AA0103](#) [AA0104](#) [AA0105](#) [AA0113](#) [AA0120](#) [AA0121](#) [AA0122](#)
[AA0153](#) [AD0001](#) [AD0002](#) [AD0009](#) [AD0010](#) [AD0011](#) [AD0013](#) [AD0014](#) [AD0016](#) [AD0017](#) [AD0019](#) [AD0021](#) [AD0022](#) [AH0002](#) [AH0005](#)
[AH0006](#) [AH0007](#) [AH0008](#) [AH0009](#) [AH0010](#) [AH0011](#) [AH0012](#) [AH0015](#) [AU0003C](#) [AU0004A](#) [AU0011A](#) [AU0012A](#) [AU0025](#) [AU0028A](#)
[AU0030](#) [AU0031](#) [AU0032](#) [AU0033](#) [AU0037](#) [AU0040](#) [AU0041](#)