

LogiLink®

USB 3.2 Gen 2x1 Enclosure

for M.2 NVMe (PCIe) and SATA (NGFF) SSDs


Art. No.: UA0389



Designed for M key or M+B key with 22x30, 22x42, 22x60 and 22x80 mm sizes.

Features:

- » Provides an easy way to connect M.2 SSD to your laptop, PS5 and Xbox to enable ultra-fast data transfer, storage expansion, file backup, data recovery, system update and clone hard drives
- » Compliant with USB 3.2 Gen 2x1 specification, data transfer rate up to 10 Gbps
- » Specially designed for M key and M + B key (including size 22x30/22x42/22x60/22x80 mm)
- » Tool free installation allows you to install SSDs quickly
- » Supports plug & play and hot swap, no driver required
- » Lightweight and made with high quality aluminum alloy
- » Supports Windows, Mac OS, iPad OS, Linux, Android, Chrome OS



Support dual protocols NGFF (SATA)/NVMe (PCIe) M.2 SSD with tool-free installation.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

LogiLink®



USB 3.2 Gen 2x1 Enclosure

for M.2 NVMe (PCIe) and SATA (NGFF) SSDs

Art. No.: UA0389

Specification:

USB Version	USB 3.2 Gen 2
Data Rate	PCIe NVMe up to 10 Gbps and SATA M.2 up to 5 Gbps
Backward Compatible	USB 2.0 & USB 3.0
Hot Plug/Plug & Play	Yes
LED Illumination	LED for working status
Supporting SSD Type	B+M key M.2(NGFF) & M key M.2 PCIE(NVME)
Supporting SSD Size	22x30 mm, 22x42 mm, 22x60 mm, 22x80 mm
Supporting SSD Capacity	Up to 4 TB
Works With	Computer, Laptop, XBOX and PS5 etc.
Compatible Operating Systems	Windows 7/8/10/11, Mac OS, iPad OS, Linux, Android and Chrome OS
Housing Material	Aluminum alloy
Included Cable Type	USB-C to USB-C
Operating Temperature	0–70°C
Operating Humidity	10–80% RH (no condensation)
Dimensions	11 x 3.75 x 1.25 cm
Weight	40 g



Package Contents:

- » 1x USB-C Enclosure
- » 1x USB-C Cable
- » 3x Silicone Pads
- » 1x User Manual

Package Information:

- » Packing Dimension: 133 x 90 x 30 mm
- » Packing Weight: 0.103 kg
- » Carton Dimension: 480 x 286 x 176 mm
- » Carton Q'ty: 50 pcs
- » Carton Weight: 7 kg



UA0389



4 052792 066340

Made in China



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Mounting Fixings](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[5912235-1 REV](#) - [71-215091-8S](#) [75-69211-3P](#) [75-69214-6P](#) [75-69220-27S](#) [7717-8DAP](#) [85048GBESR](#) [PMS27488-001-01](#) [1-18023-0](#) [H-118-2](#) [1301790551](#) [BR16A](#) [NT20SATT01](#) [22594-8](#) [89078GBEPR](#) [89078GBESR](#) [9150700000](#) [SF4011-60101](#) [1671](#) [1855-54](#) [1996901-1](#) [2079844-1](#) [2193](#) [2518](#) [H-118-1](#) [BACC47CN2S](#) [LF9Z-1SB22](#) [WMLX-109](#) [364202K01V167](#) [ELXA051G1](#) [2547](#) [1453315-11](#) [71-452350-8S](#) [71-572965-8S](#) [75-69214-7J](#) [75-69811-3S](#) [H373247-15](#) [81517301](#) [P954-1](#) [860099-1](#) [1189-90](#) [1106352-2](#) [5D0515-20S REV A](#) [M39014/01-1570](#) [30809-700](#) [6024](#) [734032001](#) [197-007](#) [BRKT-ND](#) [197-003](#)