

# LogiLink®


## USB-C™ 3.2 Gen 1 to HDMI™ Multiport Adapter with PD

Art. No.: UA0390



This USB 3.2 Gen 1 to HDMI multiport adapter allows you to connect your USB-C equipped laptop, tablet or computer to a HDMI display; and use the USB-C PD or USB 3.0 port for for sync and charging.

- » Compliant to USB 3.2 Gen 1 specification and backward compatible with earlier USB versions
- » Works for source devices with USB-C or Thunderbolt 3™ port interfaces that support the alternative DisplayPort mode (DP Alt mode)
- » Compliant to HDMI 2.0 specification, supports video and audio output
- » Allows you to extend the screen of your USB-C device to a 4K HD TV, tablet, projector or HD display, with resolution up to 4K@60 Hz
- » USB-C port with power delivery up to 100 W providing fast charging your smartphones, laptops or other devices
- » Supports USB high-speed transmission up to 5 Gbps for both USB-A & USB-C ports
- » Made of aluminum housing to give you better stiffness and heat dissipation
- » Plug and play, no drivers or software required
- » Compatible with HDMI-enabled TVs, monitors, projectors for video and audio transmission
- » Supports Windows, Mac OS, iPadOS, Android and Chrome OS



**0.15 m**  
Cable Length



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



## Specifications:

Connection 1	USB-C, male
Connection 2	1x HDMI, female 1x USB-A, female 1x USB-C, female
Power Delivery	USB-C PD 3.0 (100 W)
HDMI Version	HDMI 2.0
HDCP Version	1.3/2.3
Max. Video Resolution	4K@60 Hz
Data Transfer Rate	Up to 5 Gbps
Display Modes	Main/Extended/Mirror
3D Support	Yes
EDID Management	Yes
HDR (High-Dynamic Range)	Yes
Support Uncompressed Audio	Yes
Support Compressed Audio	Yes
LED Indicator	Blue LED
Power By	USB bus powered
Housing Material	Aluminum and plastic
Operating Temperature	-10–70°C
Operating Humidity	5–90% RH (non-condensing)
Dimensions	21.3 x 6.2 x 1.5 cm
Weight	55.5 g
Cable Length	0.15 m

## Compatible Devices:


Apple	iMac 2020–2021 iPad Pro 11" 2019 iPad Pro 12.9" 2021 MacBook Pro 2019–2021
ASUS	C214MA
Microsoft	Surface Pro 7
Samsung	S8

## Package Contents:

- » 1x USB-C to HDMI Multiport Adapter
- » 1x User Manual

## Package Information:

- » Packing Dimension: 193 x 176 x 15 mm
- » Packing Weight: 0.069 kg
- » Carton Dimension: 410 x 320 x 280 mm
- » Carton Q'ty: 100 pcs
- » Carton Weight: 7.6 kg

 Proper use of the PD function can only be guaranteed in combination with certified USB cables with E-Mark chipset.



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



UA0390



4 052792 066388

Made in China

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:*

*Click to view products by [Logilink](#) manufacturer:*

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)  
[DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#) [CA-MINIDP-](#)  
[VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#) [DISPLAYPORT TO](#)  
[VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#)  
[Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COEHG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAB-](#)  
[S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#) [BCNBI](#) [A-CM-COMBO5-03](#)