

LogiLink®

USB-C™ to 3.5 mm Audio Jack Adapter


Art. No.: UA0398




Allows you to connect devices that use a standard 3.5 mm audio plug like headphones or speakers to your USB-C devices.

Features:

- » Works with most USB-C devices without 3.5 mm headphone jack
- » Built-in DAC high resolution audio output
- » Supports inline control
- » Compact and lightweight
- » Plug and play
- » Widely compatible with iPad/iPad Pro/iPad Air, MacBook Pro, iMac/iMac Pro, Mac mini, Samsung S21/S21 Plus/S21 Ultra, OnePlus 9 Pro, Google Pixel 5 and many more devices with USB-C connector



3.5 mm TRRS jack



USB-C male

Connect USB-C device with traditional 3.5 mm headphone

13 cm
Cable Length

Premium fabric cable ensures max. durability and flexibility.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



UA0398



Made in China

Specifications:

Connection 1	USB-C, male
Connection 2	3.5 mm TRRS audio jack
Sampling Rate	48 kHz
Housing Material	Aluminum housing + nylon braided cable
Operating Temperature	0–45°C
Operating Humidity	25–60% RH (non-condensing)
Cable Color	Black
Cable Length	13 cm
Dimensions	13 x 1 x 0.7 cm
Weight	4.3 g

Package Contents:

- » 1 x USB-C to 3.5 mm Audio Jack Adapter
- » 1 x User Manual

Package Information:

- » Packing Dimension: 150 x 137 x 8 mm
- » Packing Weight: 0.014 kg
- » Carton Dimension: 425 x 300 x 170 mm
- » Carton Q'ty: 250 pcs
- » Carton Weight: 3.85 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



UA0398



4 052792 068795

Made in China

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Logilink](#) manufacturer:

Other Similar products are found below :

[1-3737-600-3216](#) [LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32-3766](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#)
[DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [CA-MINIDP-DVIM-6FT](#) [CA-MINIDP-DVIM-3FT](#) [CA-MINIDP-DVIM-10FT](#)
[CA-MINIDP-VGAF-3FT](#) [CA-MINIDP-HDMIF-6FT](#) [MDC8P53](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [cab-DP to HDMI Passive](#) [VGA CABLE](#)
[DISPLAYPORT TO VGA CABLE](#) [TT3GNX](#) [1700021831-01](#) [Audio Cable](#) [427491690-3](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE](#)
[L=300mm](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [BANHF](#) [BAPHG](#) [COQBI](#) [COQBG](#) [COEHG](#) [COJBI](#) [DAEBK](#)
[51771](#) [39448](#) [VAB-S04-L](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [KABADA USBC/JACK OEM-C11](#)