

# LogiLink®



## WLAN 802.11ac Mini USB Adapter

with External Antenna

Art. No.: WL0238

Fast data transfer rates up to 433 Mbps, compatible to 802.11ac/a/b/g/n.

### Feature:

- » Complies with IEEE802.11 ac/a/b/g/n standards
- » Tilttable and detachable 3 dBi antenna
- » Data transfer rate up to 150Mbps (2,4GHz) or up to 433Mbps (5GHz)
- » Supports 64/128-bit WEP, WPA, WPA2, WPA-PSK, TKIP, AES Encryption
- » Supports USB 2.0/1.1 interface
- » Supports Windows XP/Vista/7/8/8.1/10  
Linux Kernel 2.6.18~2.6.38 and 3.8.2  
MAC OS X 10.4/10.5/10.6/10.7/10.8/10.10  
Android 1.6~2.3/4.0~4.2

### Specification:

Chipset Solution	Realtek 8811AU
Interface Type	USB 2.0 /1.1
LED	Link/Activity
Standard	IEEE802.11 ac/a/b/g/n
Antenna	3dBi detachable antenna
Frequency Band	2,4000~2,4835GHz (varies according to different regions)
Data Rate	150Mbps (2,4GHz) 433Mbps (5GHz)
Transmit Power	18dBm (EIRP)
Security	64/128-bit WEP, WPA, WPA2, WPA-PSK, TKIP, AES
Supported OS	Windows XP/Vista/7/8/8.1/10 Linux Kernel 2.6.18~2.6.38 and 3.8.2 MAC OS X 10.4/10.5/10.6/10.7/10.8/10.10 Android 1.6~2.3/4.0~4.2
Temperature	Operating Temperature: 0°C~40°C Storage Temperature: -20~60°C

Best Connectivity



\* The specifications and pictures are subject to change without notice.  
\*All trade names referenced are the registered namework of their respective owners.



WL0238



Made in China

# LogiLink®


## WLAN 802.11ac Mini USB Adapter

with External Antenna

Art. No.: WL0238



Humidity	Operating Humidity: 10%~85% non-condensing Storage Humidity: 5%~95% non-condensing
Voltage Range	4,6-5,2V
Dimension	79 x 113 x 12mm
Weight	34g



Please download the driver online at: <http://www.2direct.de/media/driver/WL0238.zip>



### Package Contents:

- » 1 x WLAN 802.11ac Mini USB Adapter
- » 1 x Quick Installation Guide

### Package Informations:

- » Packing Dimension: 107 x 164 x 25mm
- » Packing Weight: 0,05kg
- » Carton Dimension: 600 x 260 x 335mm
- » Carton Q'ty: 200pcs
- » Carton Weight: 11,5kg



WL0238



Made in China



RoHS  
compliant



\* The specifications and pictures are subject to change without notice.  
\* All trade names referenced are the registered trademark of their respective owners.

Best Connectivity

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Specialised Cables category](#):*

*Click to view products by [Logilink manufacturer](#):*

Other Similar products are found below :

[GP-IE515546DS-002](#) [7810SB-010-1000](#) [96CB-L2020PIB2](#) [1200740161](#) [R88ACAKA0015SRE](#) [R88ACAWL005SDE](#) [R88ACRGD0R3C](#)  
[1300660042](#) [1300660201](#) [1971465-2](#) [22733-8](#) [2R7004A20F060](#) [SSL009PC2DC012N](#) [FC2A-KC6C](#) [CCSFCBF2](#) [R7ACAB005S](#)  
[XS2WM12PUR4SA10M](#) [XS2WM12PVC4SA10M](#) [05AU05](#) [UCABLE](#) [10114734-2010LF](#) [XW2Z010H3](#) [XW2Z010H1](#) [5-1589827-8](#) [5-](#)  
[1589827-4](#) [861084-1](#) [XW2Z200JB24](#) [5-1589956-8](#) [CR4000A76M020](#) [1201140211](#) [1300140039](#) [CR4000A76M005](#) [CR4006A76M005](#)  
[10077488-N0550FDLF](#) [XW2ZRY150C](#) [I4JPBJLUXX100](#) [I4JPBJLUXX50](#) [CM06](#) [CM06W](#) [POE004](#) [0243 009 05](#) [0243 009 20](#) [0243 009 36](#)  
[0243 009 26](#) [0243 009 33](#) [0243 009 23](#) [0243 009 01](#) [0243 009 30](#) [0243 008 05](#) [0243 008 20](#)