

LogiLink®



Ultra Fast 1200Mbps 11ac Dual Band Wireless Adapter

Art. No.: WL0243

Ultra Fast 1200Mbps 11ac Dual Band (5G+2.4G) wireless, perfect for smooth HD streaming gaming & social networking.

Feature:

- » Support MU-MIMO function
- » Complies with IEEE802.11ac/a/b/g/n standards
- » Dual Band connections for lag-free HD video streaming, gaming and social networking
- » Simultaneous connection with 5GHz 867Mbps and 2.4GHz 300Mbps
- » Advanced security supporting 64/128-bit WEP, WPA, WPA2, WPA-PSK, TKIP, AES Encryption
- » Support WiFi Protection Setup (WPS)
- » Support SuperSpeed USB 3.0/2.0/1.1 interface
- » Support Windows Vista/7/8/8.1/10, Linux and MAC OS



Specification:

Chipset Solution	Realtek 8812BU
Standard	IEEE802.11 ac/a/b/g/n
Interface Type	USB 3.0
Frequency Range	2.4-2.4835GHz/5.15-8.825GHz
Wireless Signal Rates With Automatic Fallback	11ac: Up to 867Mbps(Dynamic) 11n: Up to 300Mbps (Dynamic) 11g: Up to 54Mbps (Dynamic) 11b: Up to 11Mbps (Dynamic)
Wireless Transmit Power	20dBm (EIRP)
Modulation Type	DBPSK,DQPSK,CCK, OFDM
Receiver Sensitivity	867M: -53dBm@10%PER 300M: -68dBm@10% PER 54M: -72dBm@10% PER 11M: -85dBm@8% PER

Best Connectivity



RoHS
compliant



* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.



WL0243



4 052792 042825

Made in China


LogiLink®



Ultra Fast 1200Mbps 11ac Dual Band Wireless Adapter

Art. No.: WL0243

Work Mode	Ad-Hoc Infrastructure
Wireless Security	WPS, 64/128bit WEP, WPA/WPA2, WPA-PSK, WPA2-PSK(TKIP/AES)
Supported OS	Windows Vista/7/8/8.1/10, Linux, MAC OS
Antenna Type	Internal PIFA Antenna
Antenna Gain	2dBi
Dimension	37.5 x 16.5 x 7.3mm
Weight	10g
Temperature	Operating Temperature: 0°C~40°C Storage Temperature: 0°C~60°C
Humidity	Relative Humidity: 10%~90% non-condensing Storage Humidity: 5%~95% non-condensing



Please download the driver online at: <http://www.2direct.de/media/driver/WL0243-Win.zip>

[/WL0243-Mac.zip](#)
[/WL0243-Linux.zip](#)



Package Contents:

- » 1 x WLAN 802.11ac USB3.0 Adapter
- » 1 x User Manual

Package Informations:

- » Packing Dimension: 75 x 125 x 15mm
- » Packing Weight: 0.03kg
- » Carton Dimension: 510 x 310 x 145mm
- » Carton Q'ty: 120pcs
- » Carton Weight: 3.85kg



WL0243



Made in China



RoHS
compliant



* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

Best Connectivity

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialised Cables category](#):

Click to view products by [Logilink manufacturer](#):

Other Similar products are found below :

[GP-IE515546DS-002](#) [7810SB-010-1000](#) [96CB-L2020PIB2](#) [1200740161](#) [R88ACAKA0015SRE](#) [R88ACAWL005SDE](#) [R88ACRGD0R3C](#)
[1300660042](#) [1300660201](#) [1971465-2](#) [22733-8](#) [2R7004A20F060](#) [SSL009PC2DC012N](#) [FC2A-KC6C](#) [CCSFCBF2](#) [R7ACAB005S](#)
[XS2WM12PUR4SA10M](#) [XS2WM12PVC4SA10M](#) [05AU05](#) [UCABLE](#) [10114734-2010LF](#) [XW2Z010H3](#) [XW2Z010H1](#) [5-1589827-8](#) [5-](#)
[1589827-4](#) [861084-1](#) [XW2Z200JB24](#) [5-1589956-8](#) [CR4000A76M020](#) [1201140211](#) [1300140039](#) [CR4000A76M005](#) [CR4006A76M005](#)
[10077488-N0550FDLF](#) [XW2ZRY150C](#) [I4JPBJLUXX100](#) [I4JPBJLUXX50](#) [CM06](#) [CM06W](#) [POE004](#) [0243 009 05](#) [0243 009 20](#) [0243 009 36](#)
[0243 009 26](#) [0243 009 33](#) [0243 009 23](#) [0243 009 01](#) [0243 009 30](#) [0243 008 05](#) [0243 008 20](#)