



DeviceNet Field Attachable Connectors, 7/8"


0936 DMC 301 | 0936 DMC 303



5-Pole, Male

DeviceNet, 5-pole, male field attachable 7/8" connector with screw terminal connection, cable outlet suitable for THIN and THICK DeviceNet cable.

0936 DMC 301 I 0936 DMC 303




0936 DFC 301 | 0936 DFC 303



5-Pole, Female

DeviceNet, 5-pole, female field attachable 7/8" connector with screw terminal connection, cable outlet suitable for THIN and THICK DeviceNet cable.

0936 DFC 301 I 0936 DFC 303



Pin Assignments

Face Views / 7/8"

5 pole





DeviceNet

Be Certain with Belden

DeviceNet Field Attachable Connectors, M12

0936 DMC 301 | 0936 DMC 303 | 0936 DFC 301 | 0936 DFC 303

Technical Data

Environmental

Degree of protection IP 67 / NEMA 6P

Operating temperature range -40°C (-40°F) / +90°C (+194°F)

Materials

Housing / Molded body PA

Insert TPU, self-extinguishing Contact CuZn, pre-nickeled and 0.8

microns gold-plated

Coupling nunt Aluminum, black anodized

O-ring NBI

Mechanical

Mode of connection Screw terminals
Connectable conductor max. 1.5 mm²

Electrical

Current rating 8 A
Voltage rating 250 V

Part Numb	er		Pins	Cable Type	Characteristics
0936 DMC	301		5	Thin	UL 👝
0936 DMC	303		5	Thick	UL 🖦
		0936 DFC 301	5	Thin	UL 🛑
		0936 DFC 303	5	Thick	UL 🛑

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Lumberg manufacturer:

Other Similar products are found below:

600X518037X 6STD15PCR99B70A 8R4000A16M020 8R5000A16M005 1200910002 1203580030 1200910008 1200910011 1300140094 130203-0054 1300140026 1300150099 RF-12S1N8A90DU 1-3637-600-5205 1612618 21036836414 8R4006A16M010 8R5006A18A120 1604232 1R3006A20M005 RF-12P1N8A80DU RF-12P1N8A90DU 41-40011 42-01015 4-22279-4 4-22281-1 4-22284-9 43-00113 43-01088 43-01203 41-40013 42-00008 43-00343 43-01032 43-01162 43-10000 600X518050X SACC-DSI-FS-5P-PG9-L180 SC 8R5006A16M020 8R5006A16M005 8R4000A16M010 6-22279-3 1605332 N03FA03144 1300140077 43-01338 XS2RD4265 XS2R-D426-1 XS8A-0441 859RD04-103R004