




EtherNet/IP Double-Ended Cord Sets

CAT5e, High-Flex, 2 Twisted Bonded Pair, Stranded/Unshielded, 24 AWG, TPE Jacket

Type	<p>0985 806 500</p> 										
Product Description	<p>Ethernet I/P, high-flex, double-ended cord set, RJ45 male to RJ45 male, 24 AWG, teal TPE jacket, stranded/unshielded cable with 2 twisted bonded pairs.</p>										
Technical Illustration											
Wiring diagram	<table border="1"> <thead> <tr> <th>Color</th> <th>RJ45</th> </tr> </thead> <tbody> <tr> <td>White Orange</td> <td>1</td> </tr> <tr> <td>White Green</td> <td>3</td> </tr> <tr> <td>Orange</td> <td>2</td> </tr> <tr> <td>Green</td> <td>6</td> </tr> </tbody> </table>	Color	RJ45	White Orange	1	White Green	3	Orange	2	Green	6
Color	RJ45										
White Orange	1										
White Green	3										
Orange	2										
Green	6										
Face views											
Part number	<p>0985 806 500/...M</p>										
Standard cable lengths	<p>0.5 M / 1 M / 2 M / 5 M / 10 M / 15 M / 20 M / 25 M / 30 M / 35 M / 40 M / 45 M / 50 M / 60 M / 70 M / 80 M</p>										



EtherNet/IP Double-Ended Cord Sets

CAT5e, High-Flex, 2 Twisted Bonded Pair, Stranded/Unshielded, 24 AWG, TPE Jacket

Type	0985 806 500
Degree of protection	IP20
Temperature	-20°C to 60°C
Mechanical	
RJ45	
Plug	Polycarbonate
Contacts	Phosphor Bronze, gold plated
Boot	Elastomer Polyolefin
Electrical	
Current rating	1.5 A
Voltage rating	30VAC / 42 VDC
Performance	CAT5e, Belden bonded twisted pair cable
Cable specifications	
Cable jacket	TPE
Color	Teal
Overall diameter	.275 "
Conductor	24 AWG stranded tinned copper
Temperature	<u>Operating</u> : -40°C to 75°C / <u>Installation</u> : -25°C to 75°C
Flame test	UL: CMR / CSA: CMG
Continuous Flex	2 million cycles @ 10X, 10 million cycles @ 20X bend radius
Characteristics	

The application of these products in harsh environments should always be checked before use.
 Specifications subject to alteration.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Ethernet Cables / Networking Cables](#) category:

Click to view products by [Lumberg](#) manufacturer:

Other Similar products are found below :

[73-6670-7](#) [73-6680-15](#) [73-7797-25](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [1200700174](#) [1200860368](#) [E16A06002M030](#) [E200102-009-S1](#)
[AX105346-EW](#) [MT14-187L](#) [17-103530](#) [ERWPAB3002M005](#) [190-038045-01](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#)
[NK5EPC1GRY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#) [C501106007](#)
[C501106015](#) [C501106025](#) [C601102010](#) [C601104010](#) [C601106007](#) [C601106015](#) [2142758-2](#) [2168427-2](#) [CAT1106007](#) [21949-1](#) [2J1866A](#)
[RJF SFTP 5E 0500](#) [AX100351](#) [MN14CEC/ST](#) [C501100015](#) [C501106004](#) [C501106010](#) [C5F1108007](#) [C601104004](#) [C601106004](#)
[CA21106004](#) [CA21106010](#) [CA21106015](#) [CA21109007](#)