

97 HZ-M357

Tools and harnessing machines



Modular manual tongs for termination of RAST 2.5 Power connectors in insulation displacement technology

Range of application

Connector	3570, 357099, 3575
Pole number	2-10
State of delivery of connectors	in chain
Processable conductor	discrete conductor, notched flat cable 5.0 mm

Features

Application	laboratory and sample production, harness repair
Stroke capacity	ca. 370/h
Scope of functions and delivery	- Fixation of inserted discrete conductors until pressing - Separation of connectors from chain during pressing - In transport case
Options	- Table clamp TK-M - Connector support RS-M

Dimensions and supply data

Dimensions (H x W x D)	130 mm x 250 mm x 30 mm
Weight	ca. 1,5 kg

97

HZ-M357

Designation	Pole Number	PU (Pieces)	MDQ (Pieces)
HZ-M357	-		1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Crimpers](#) category:

Click to view products by [Lumberg](#) manufacturer:

Other Similar products are found below :

[576771-1](#) [576788-2](#) [010-0041](#) [010-0055](#) [010-0096](#) [604228-1](#) [M225202-37](#) [CT150-2-D02](#) [CT150-4-LY2](#) [CT150-6-RH07](#) [M322](#) [63484-3701](#)
[63800-0140](#) [63800-8355](#) [63811-3275](#) [63811-3376](#) [63811-6375](#) [63811-6475](#) [63811-7875](#) [63811-8175](#) [63811-8875](#) [63819-0475](#) [63819-1875](#)
[63819-2875](#) [63819-4375](#) [63819-4475](#) [63823-3475](#) [63823-5175](#) [63823-6375](#) [63823-8375](#) [63827-5375](#) [64001-0975](#) [64001-2175](#) [64001-4175](#)
[662903-2](#) [690142-4](#) [690602-6](#) [D38999/20WA98JB-LC](#) [7-1633664-2](#) [7-22278-0](#) [7-22280-5](#) [7-240641-3](#) [762637-1](#) [808714-1](#) [8-1633117-3](#)
[853721-6](#) [91362-1](#) [995-0001-187](#) [1-1633932-5](#) [999-50-020083](#)