

#### M12-Receptacle Connectors In Accordance With IEC 61076-2-101

#### RSF 5 TB | RKF 5 TB




#### Male, 5-Pole to Terminal Block

Receptacle, 5-pole, male to terminal block receptacle.

- especially suitable for panel-mount/ feedthrough applications -


#### RSF 5 TB






Front View

Side View









**Rear View** 





#### Female, 5-Pole to Terminal Block


Receptacle, 5-pole, female to terminal block

- especially suitable for panel-mount/ feedthrough applications -

#### **RKF 5 TB**




Front View




Side View

RECOMMENDED PANEL CUT-OUT: Ø15.4 [Ø.61\*] PANEL THICKNESS = 6.35 [.25"] MAX.

Recommended Panel Cut-Out



**Panel Nut Dimensions** 



Rear View

#### **Pin Assignments**

Face Views / M12	Wiring Diagram
Male / Female	M12 TERMINAL BLOCK  1

## Be Certain with Belden



### M12-Receptacle Connectors In Accordance With IEC 61076-2-101

RSF 5 TB | RKF 5 TB

#### **Technical Data**

**Environmental** 

Degree of protection IP 67 / NEMA 6P

Operating temperature range -25°C (-13°F) / +90°C (+194°F)

Mechanical

M12 Connector

Shell CuZn, nickel plated
Panel Nut CuZn, nickel plated
Contacts CuZn, gold plated
Insert Polyurethane, black

Sealing Viton

Terminal Block Receptacle

Header Body
Pins
CuZn, tin plated
Overmold
Polyamide, black

**Electrical** 

Current rating 4 A Voltage rating 250 V

#### **Recommended Mating Terminal Block**

(Lumberg Part Numbers)

MC 200-508-06 90° wire exit (included))

Part Number		Pins	Characteristics
RSF 5 TB	RKF 5 TB	5	

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular Metric Connectors category:

Click to view products by Lumberg manufacturer:

Other Similar products are found below:

600X518037X MA1EAF1200 6STD15PCR99B70A 8R4000A16M020 8R4A00A18M020 8R5000A16M005 1200910008 1200910011 1300140094 130203-0054 1300150099 RF-12S1N8A90DU 1-3637-600-5205 1612618 8R4006A16M010 8R5006A18A120 1604232 1R3006A20M005 RF-12P1N8A80DU RF-12P1N8A90DU 41-01016 41-40011 41-40017 42-01015 4-22279-4 4-22281-1 4-22284-9 43-00002 43-01166 41-40005 41-40016 43-00161 43-01191 XS3P-M421-2 600X518050X SACC-DSI-FS-5P-PG9-L180 SC 8R4006A16A120 8R4000A16M010 RKC 50/16 1R3004A20A1201 6-22279-3 N03FA03144 1300140077 XS8A-0441 859RD04-103R004 860RD04-113R004 860RD04-213R004 860-X08-213R004 1-213245-2 2273142-2