







## Actuator/Sensor Connectors

### Double-ended Overmolded Cordset, M12 to Valve Connectors as per DIN EN 175301-803, Type C


#### Technical Information

Product Description		
Order Designation	RST-VCD	RST-VC
		
<b>Description</b>	Actuator cordset, M12 male, with self-locking screw coupling to valve connector as per DIN EN 175301-803, type C (8.0 mm), 3-pin, protection circuit using varistor (yellow LED)	Actuator cordset, M12 male, with self-locking screw coupling to valve connector based on DIN EN 175301-803, industrial type (9.4 mm), 3-pin, protection circuit using varistor (yellow LED)
<b>RoHS-Compliant (2011/65/EU)</b>	Yes	
<b>(Construction Type) Standard</b>	IEC 61076-2-101 (M12), DIN EN 175301-803 (valve connector)	
<b>Approvals</b>	-	
Technical Data		
<b>Ambient Temperature</b>	-25 °C to +80 °C (connectors), mind cable temperature range	
<b>Housing Material/Grip</b>	TPU	
<b>Contact Holder Material</b>	RST: TPU, VCD/VC: PBT	
<b>Contact Material/Surface Finish</b>	RST: CuZn, nickel underlay and gold-plated, VCD/VC: CuZn, nickel-plated and tin-plated	
<b>Screw Coupling Material</b>	CuZn, nickel-plated	
Mechanical Data		
<b>Degree of Protection</b>	IP67 (only when mated with Hirschmann/Lumberg counterparts)	
Electrical Data		
<b>Contact Resistance</b>	≤ 10 mΩ	≤ 5 mΩ
<b>Rated Voltage</b>	32 V (varistor: 47 V at 0.1 mA)	
<b>Rated Current</b>	4 A	
<b>Pollution Degree</b>	3	
Technical Drawing		
		

L = Standard length of cable


# Be Certain with Belden

## Pin Assignment



## Circuit Diagram

### VCD 1A/VC 1A



## Order Information

Order No.	Order Designation	No. of Pins	Jacket	Characteristics
12005	RST 5-3-VCD 1A-1-3-226/0.3 M	3	PUR, halogen-free, black	
12006	RST 5-3-VCD 1A-1-3-226/0.6 M	3	PUR, halogen-free, black	
12007	RST 5-3-VCD 1A-1-3-226/1 M	3	PUR, halogen-free, black	
12008	RST 5-3-VCD 1A-1-3-226/1.5 M	3	PUR, halogen-free, black	
12009	RST 5-3-VCD 1A-1-3-226/2 M	3	PUR, halogen-free, black	
26461	RST 5-3-VCD 1A-1-3-226/5 M	3	PUR, halogen-free, black	
46913	RST 5-3-VCD 1A-1-3-241/0.3 M	3	PUR, halogen-free and welding spark proof, orange	
12011	RST 5-3-VCD 1A-1-3-241/0.6 M	3	PUR, halogen-free and welding spark proof, orange	
12012	RST 5-3-VCD 1A-1-3-241/1 M	3	PUR, halogen-free and welding spark proof, orange	
12013	RST 5-3-VCD 1A-1-3-241/1.5 M	3	PUR, halogen-free and welding spark proof, orange	
12014	RST 5-3-VCD 1A-1-3-241/2 M	3	PUR, halogen-free and welding spark proof, orange	
46914	RST 5-3-VCD 1A-1-3-241/5 M	3	PUR, halogen-free and welding spark proof, orange	
16997	RST 5-3-VC 1A-1-3-226/0.3 M	3	PUR, halogen-free, black	
16996	RST 5-3-VC 1A-1-3-226/0.6 M	3	PUR, halogen-free, black	
16995	RST 5-3-VC 1A-1-3-226/1 M	3	PUR, halogen-free, black	
43833	RST 5-3-VC 1A-1-3-226/1.5 M	3	PUR, halogen-free, black	
43834	RST 5-3-VC 1A-1-3-226/2 M	3	PUR, halogen-free, black	
43835	RST 5-3-VC 1A-1-3-226/5 M	3	PUR, halogen-free, black	

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Sensor Cables / Actuator Cables](#) category:*

*Click to view products by [Lumberg](#) manufacturer:*

Other Similar products are found below :

[60963](#) [60964](#) [M83513/19-F01CP](#) [703000D02F2002](#) [703000D02F300](#) [703001D02F0602](#) [703001D02F300](#) [704000D02F120](#) [773032K02F030](#)  
[802027107404-1](#) [804001A09M150](#) [805001A09M0502](#) [84914-0235](#) [84914-0237](#) [885030A09M020](#) [1200651332](#) [1200651713](#) [1200660844](#)  
[1200660845](#) [1200661173](#) [1200680071](#) [1200720053](#) [1200720081](#) [1200720099](#) [1200720217](#) [1200800231](#) [1200860125](#) [1200870123](#)  
[1200980102](#) [1200650267](#) [1200650298](#) [1200660183](#) [1200660782](#) [1200660849](#) [1200661295](#) [1200661297](#) [1200661342](#) [1200661343](#)  
[1200670080](#) [1200670220](#) [1200680331](#) [1200720252](#) [1200730184](#) [1200860344](#) [1200870359](#) [1200870643](#) [1200980008](#) [1200980031](#)  
[1210502211](#) [1210400542](#)