


Arrays ~ Multi-Chip Light Bars



SSB-LX2x55 Series

10x10mm, 4-Chip Light Bars



FEATURES / OPTIONS

- ▶ State-of-the-Art, High Intensity Chip Technology
- ▶ Pre-Sorted Chips for Color & Industry Uniformity
- ▶ High Light Reflectivity & Low Cross-Talk Reflectors
- ▶ Advanced Chip on Board Technology
- ▶ Choice of Colors and Color Combinations
- ▶ Custom Designs, Easily Developed, Low Minimum


APPLICATIONS / USES

- ▶ Backlighting Legends or Switches
- ▶ Large PCB Installed Indicators
- ▶ Keyboard Status Indicators
- ▶ Medical Diagnostics Equipment
- ▶ Industrial Automation Controls
- ▶ Control Panel Indicators

Lumex Part Number	Die Material	Emitted Color	Peak (nm)	Lens	Operating Current (mA)	Operating TYP. Vf (V)	Brightness TYP. Mcd	@ mA	View Angle° 2θ
SSB-LX2655SID	AlInGaP	Super High Intensity Red	636	Red Diffused	2.0	2.6	200	20	160
SSB-LX2655SIW	AlInGaP	Super High Intensity Red	636	White Diffused	2.0	2.6	200	20	160
SSB-LX2755SOD	AlInGaP	Super Orange	610	Orange Diffused	2.0	2.6	180	20	160
SSB-LX2755SOW	AlInGaP	Super Orange	610	White Diffused	2.0	2.6	180	20	160
SSB-LX2855SUGD	AlInGaP	Super Ultra Green	574	Green Diffused	2.2	2.6	150	20	160
SSB-LX2855SUGW	AlInGaP	Super Ultra Green	574	White Diffused	2.2	2.6	150	20	160
SSB-LX2755SYD	AlInGaP	Super Yellow	590	Yellow Diffused	2.0	2.6	200	20	160
SSB-LX2755SYW	AlInGaP	Super Yellow	590	White Diffused	2.0	2.6	200	20	160

SSB-LX2x00 Series

10x10mm, 2 Windows, 4-Chip Light Bars



FEATURES / OPTIONS

- ▶ State-of-the-Art, High Intensity Chip Technology
- ▶ Pre-Sorted Chips for Color & Industry Uniformity
- ▶ High Light Reflectivity & Low Cross-Talk Reflectors
- ▶ Advanced Chip on Board Technology
- ▶ Choice of Colors and Color Combinations
- ▶ Custom Designs, Easily Developed, Low Minimum

APPLICATIONS / USES

- ▶ Backlighting Legends or Switches
- ▶ Large PCB Installed Indicators
- ▶ Keyboard Status Indicators
- ▶ Medical Diagnostics Equipment
- ▶ Industrial Automation Controls
- ▶ Control Panel Indicators

Lumex Part Number	Die Material	Emitted Color	Peak (nm)	Lens	Operating Current (mA)	Operating TYP. Vf (V)	Brightness TYP. Mcd	@ mA	View Angle° 2θ
SSB-LX2600SID	AlInGaP	Super High Intensity Red	636	Red Diffused	2.0	2.6	100	20	160
SSB-LX2600SIW	AlInGaP	Super High Intensity Red	636	White Diffused	2.0	2.6	100	20	160
SSB-LX2700SOD	AlInGaP	Super Orange	610	Orange Diffused	2.0	2.6	90	20	160
SSB-LX2700SOW	AlInGaP	Super Orange	610	White Diffused	2.0	2.6	90	20	160
SSB-LX2800SUGD	AlInGaP	Super Ultra Green	574	Green Diffused	2.2	2.6	75	20	160
SSB-LX2800SUGW	AlInGaP	Super Ultra Green	574	White Diffused	2.2	2.6	75	20	160
SSB-LX2700SYD	AlInGaP	Super Yellow	590	Yellow Diffused	2.0	2.6	100	20	160
SSB-LX2700SYW	AlInGaP	Super Yellow	590	White Diffused	2.0	2.6	100	20	160

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Bars and Arrays](#) category:

Click to view products by [Lumex](#) manufacturer:

Other Similar products are found below :

[SSA-LXB10GW-18751](#) [SSA-LXB10YW](#) [SSA-LXH1025I1G7XXD](#) [LTL-2450Y](#) [CSS-414G-11](#) [SSA-LXB10IW](#) [SSB-LX2301SIW](#) [TOS-4102BR-N](#) [SSA-LXB10-IYG8W-1](#) [ADI-AL4554-470](#) [LPB-R0112051S](#) [DI-5GWB](#) [LTA-1000E](#) [LTL-57173HR](#) [HLMP-2655-EF000](#) [HLMP-2820-FG000](#) [KB-2600ID](#) [L-1043GDT](#) [L-875/4IDT](#) [L-875/4SRDT](#) [DC10EGWA](#) [LF1B-NA3P-2THWW2-3M](#) [LF1B-NC3P-2THWW2-3M](#) [LTL-2500G](#) [LTL-2685HR](#) [SSA-LXB10GW](#) [LTA-1000HR](#) [HLMP-2685](#) [HLMP-2400](#) [HLMP-2300](#) [L-875/4YDT](#) [SSB-LXH100SRW](#) [SSB-LX2620IW](#) [SSB-LX2400YW](#) [LPB-S01110101S](#) [DC10SURKWA](#) [LF1B-NA4P-2THWW2-3M](#) [LF1B-NB3P-2THWW2-3M](#) [KB2450SYKW](#) [KB2835CGKD](#) [L-1043IDT](#) [L-1043YDT](#) [L-835/2GDT](#) [LF1B-NF3P-2THWW2-3M](#) [HLCP-B100](#) [HLMP-2450](#) [HLMP-2800](#) [HLCP-H100](#) [HLMP-2300-EF000](#) [HLMP-2400-EF000](#)