#### 1.5:1 Auto Transformer 5-1000MHz

#### Features

- Surface Mount
- 1.5:1 Impedance
- 260°C Reflow Compatible
- RoHS\* Compliant
- Available on Tape and Reel.


#### Description

M/A-COM Technology Solutions MABACT0063 is a 1.5:1 Auto Transformer in a low cost, surface mount package. Ideally suited for high volume CATV/ Broadband applications.


# Pin Configuration


Pin No.	Function
1	Not Connected
2	Not Connected
3	Primary Dot (e.g. 75 Ohms)
4	Secondary Dot (e.g. 50 Ohms)
5	Primary and Secondary (Ground)

#### Schematic



### **Component Dimensions:**





Dimensions in mm, Tolerance: .xx  $\pm$  .2, .xxx  $\pm$  .1 Drawing not to scale

1 \* Restrictions on Hazardous Substances, European Union Directive 2002/95/EC.

M/A-COM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.

MACOM

Rev. V3



#### 1.5:1 Auto Transformer 5-1000MHz

Rev. V3

#### Electrical Specifications: $T_A = 25^{\circ}C$ , $Z_0 = 50\Omega^{-1}$

Parameter	Test Conditions	Frequency	Units	Min	Тур	Мах
Insertion Loss	-	5 - 1000 MHz	dB	-	0.5	1.0
Input Return Loss	-	5 - 500 MHz	dB	24	30	-
Input Return Loss	-	500 - 1000 MHz	dB	16	26	-


#### **Recommended Maximum Ratings**<sup>1,2</sup>

Parameter	Value
Max Input Power	250mW
DC current	100mA
Operating Temperature	-40°C to +85°C
Storage Temperature	-55°C to +100°C

1. Exceeding any one or combination of these limits may cause permanent damage to this device.

2. M/A-COM Technology Solutions does not recommend sustained operation near these survivability limits.

#### **Recommended PCB Configuration**




Dimensions in mm, Tolerance: .xx  $\pm$  .2, .xxx  $\pm$  .1 Drawing not to scale

M/A-COM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.

#### 1.5:1 Auto Transformer 5-1000MHz

#### M/A-COM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.

Input Return Loss: pin 4



### **Typical Performance Curves**

Insertion Loss: pin 4 to 3



Rev. V3


3

### ΜΑζΟΜ

#### 1.5:1 Auto Transformer 5-1000MHz

Rev. V3

#### **Tape Specification:**



Item	Dimension
Ao	4.00mm +/-0.1mm
Во	4.00mm +/-0.1mm
Ko	2.90mm +/-0.1mm
W	12.00mm +/-0.3mm
P1	8.00mm +/-0.1mm

#### **Ordering Information**

Part Number	Package
MABACT0063TR	2000 piece reel

M/A-COM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit <u>www.macom.com</u> for additional data sheets and product information.

1.5:1 Auto Transformer 5-1000MHz



Rev. V3

M/A-COM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with M/A-COM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.

<sup>5</sup> 

M/A-COM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit www.macom.com for additional data sheets and product information.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Adapters - Between Series category:

Click to view products by MACOM manufacturer:

Other Similar products are found below :

 R191203007
 R191209000
 R191212000
 R191215000
 R191301000
 R191325000
 R191403000
 R191405000
 R191416000

 R191419000
 R191421000
 R191424000
 R191445000
 R191511000
 R191552000
 R191720000
 R191733000
 R191759000

 R191841001W
 R191911000
 R191912000
 R191968001W
 R192417010
 R921390000
 ADBJ20-E1-BJ379
 ADM2
 ADPL75-A1-PL75

 ADPL75-E1-UBJ20
 9317505
 931RPBUFLP
 AD130
 ADBJ20-E1-PL74
 ADBJ20-E2-BJ79
 ADBJ77-A1PL3155
 ADBJ77-E1-UPL20

 ADBJ77-E2-PL20
 242215
 242228
 CP-AD851
 R125680000W
 R191117000
 R191123000
 R191303000
 R191313000

 R191315000
 R191316700
 R191327000
 R1913123000
 R191316700
 R191327000