

1:1 Transmission Line Transformer with tertiary winding 50-1200MHz

Rev. V3


Features

- Surface Mount
- 1:1 Impedance
- · Excellent amplitude and phase balance
- 260°C Reflow Compatible
- RoHS* Compliant
- Available on Tape and Reel.

Description


M/A-COM's MABACT0069 is a 1:1 RF transmission line transformer with tap in a low cost, surface mount package. Ideally suited for high volume CATV applications.







Case Style: SM-158



Dimensions in inches [mm] Tolerance: .xx ± .02, .xxx ± .010

Pin Configuration

Pin No.	Function	
1	Output 1: Through (Secondary dot)	
2	Ground, not used	
3	Output 2: Coupled (Secondary)	
4	Input (Primary dot)	
5	5 Ground (Primary)	

Ordering Information

Part Number	Description
MABACT0069	1500 piece reel
MABA-008509-CT69TB	Customer test board

^{1 *} Restrictions on Hazardous Substances, European Union Directive 2002/95/EC.



1:1 Transmission Line Transformer with tertiary winding 50-1200MHz

Rev. V3


Electrical Specifications: $T_A = 25^{\circ}C$, $Z_0 = 75\Omega$, $P_{in} = 0$ dBm

Parameter	Test Conditions	Units	Min	Тур	Max
Insertion Loss 1: Pin 4-1 (Through)	50 - 600 MHz 600-1000 MHz 1000-1200 MHz	dB dB dB	- - -	0.4 0.8 1.2	0.8 1.1 1.5
Insertion Loss 2: Pin 4-3 (Coupled)	50 - 600 MHz 600-1200 MHz	dB dB	-	0.5 0.5	0.7 1.0
Amplitude Unbalance (Nominal 0dB)	50 - 600 MHz 600-1200 MHz	dB dB	-	±0.1 ±0.4	± 0.3 ± 0.9
Phase Unbalance (Nominal 180°)	50 - 870 MHz 870-1000 MHz 1000-1200 MHz	o o o	- - -	±1.0 ±1.5 ±4.5	±3.0 ±5.0 ±10.0
Input Return Loss	5 - 1200 MHz	dB	12	16	-

Recommended Maximum Ratings

Parameter	Value
Max Input Power	250mW
DC current	30mA
Operating Temperature	-40°C to +85°C
Storage Temperature	-55°C to +100°C

Application Circuit






1:1 Transmission Line Transformer with tertiary winding 50-1200MHz


Rev. V3

Typical Performance Curves: $T_A = 25^{\circ}C$, $Z_0 = 75\Omega$, $P_{in} = 0$ dBm







Insertion Loss 2 (Coupled pin 4 to pin 3)




Amplitude Unbalance



Phase Balance



Input Return Loss



MABACT0069



1:1 Transmission Line Transformer with tertiary winding 50-1200MHz

Rev. V3

M/A-COM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with M/A-COM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Adapters - Between Series category:

Click to view products by MACOM manufacturer:

Other Similar products are found below:

R191203007 R191209000 R191212000 R191215000 R191301000 R191325000 R191389200 R191403000 R191405000 R191416000 R191419000 R191421000 R191424000 R191445000 R191511000 R191552000 R191720000 R191722000 R191733000 R191759000 R191841001W R191911000 R191912000 R191968001W R192417010 R921390000 ADBJ20-E1-BJ379 ADM2 ADPL75-A1-PL75 ADPL75-E1-UBJ20 9317505 931RPBUFLP AD130 ADBJ20-E1-PL74 ADBJ20-E2-BJ79 ADBJ77-A1PL3155 ADBJ77-E1-UPL20 ADBJ77-E2-PL20 242215 242228 CP-AD851 R125680000W R191117000 R191123000 R191.147.000 R191303000 R191313000 R191315000 R191316700 R191327000