

### X-CON BRAND

### CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

# PRODUCT SPECIFICATION 規格書

CUSTOMER: DATE:

(客戶): 志盛翔 (日期): 2016-08-19

CATEGORY (品名) : CONDUCTIVE POLYMER ALUMINUM

**SOLID CAPACITORS** 

DESCRIPTION (型号) : ULR 10V220μF (φ6.3x7)

VERSION (版本) : 01

Customer P/N : /

SUPPLIER : /

SUPPLIER			
PREPARED (拟定)	CHECKED (审核)		
韩武杰	王国华		

CUSTOMER			
APPROVAL (批准)	SIGNATURE (签名)		



	SPECIFICATION					ATION HIS	ΓORY
	ULR SERIES					RECORDS	
Rev.	Date	Mark	Page	Contents	Purpose	Drafter	Approver

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	1
STANDARD MANUAL				



### CONTENTS

CONTENTS	
	Sheet
1. Application	3
2. Part Number System	3
3. Construction	4
4. Characteristics	5~14
4.1 Rated voltage & Surge voltage	
4.2 Capacitance (Tolerance)	
4.3 Leakage current	
4.4 Tangent of loss angle	
4.5 ESR	
4.6 Temperature characteristic	
4.7 Load life test	
4.8 Surge test	
4.9 Damp heat test	
4.10 Maximum permissible ripple current	
4.11 Rapid change of temperature 4.12 Lead strength	
4.13 Resistance to vibration	
4.14 Solderability	
4.15 Resistance to soldering heat	
5. Product Marking	12
6. Product Dimensions, Impedance & Maximum Permissible Ripple Co	urrent 13
7. Application Guideline	14~15
7-1 Circuit design	11 15
7-2 Voltage	
7-3 Sudden charge and discharge restricted	
7-4 Ripple current	
7-5 Leakage current	
7-6 Failure rate	
7-7 Capacitor insulation	
7-8 Precautions for using capacitors	
8.Long Term Storage	
9. Mounting Precautions	16
10. List of "Environment-related Substances to be Controlled ('Controlled Substances)	es')" 17


Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	2
STANDARD MANUAL				



### 1. Application

This specification applies to conductive polymer aluminum solid capacitors used in electronic equipment.

### 2. Part Number System



2.1 <u>Capacitance code</u>

Code	227
Capacitance (µF)	220

2.2 Rated voltage code

Code	1A
Voltage (W.V.)	10

2.3 <u>Type</u>

Code	RR
Type	Bulk

### 2.4 <u>Capacitance tolerance</u>

"M" stands for  $-20\% \sim +20\%$ 

2.5 <u>Diameter</u>

Code	E
Diameter	6.3

### 2.6 <u>Case length</u>


07=7mm

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	3
STANDARD MANUAL				



### 3. Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be formed and carbonized, impregnated with polymer and polymerized, then will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber.



No	Component	Material
1	Lead Line	Tinned Copper Line or CP Line(Pb Free)
2	Terminal	Aluminum
3	Sealing Material	Rubber
4	Al-Foil (+)	Aluminum
5	Al-Foil (-)	Aluminum
6	Case	Aluminum
7	Electrolyte paper	Manila Hemp

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	4
	STA	ANDARD MANUAL		



### 4. Characteristics

### Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows:

Ambient temperature: 15°C to 35°C Relative humidity : 45% to 75% Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions:

Ambient temperature:  $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ Relative humidity : 60% to 70%Air Pressure : 86kPa to 106kPa

### Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is -55°C to 105°C.

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	5
	STA	ANDARD MANUAL		



	ITEM	PERFORMANCE
4.1	Rated voltage (WV) Surge voltage (SV)	WV (V.DC) 10 SV (V.DC) 11.5
4.2	Nominal capacitance (Tolerance)	<b>Condition&gt;</b> Measuring Frequency : 120Hz±12Hz Measuring Voltage : Not more than 0.5Vrms Measuring Temperature : 20±2 °C <b>Criteria&gt;</b> Shall be within the specified capacitance tolerance.
4.3	Leakage current	<b>Condition&gt;</b> After DC Voltage is applied to capacitors through the series protective resistor $(1k\Omega\pm10\Omega)$ so that terminal voltage may reach the rated voltage .The leakage current when measured after 2 minutes shall not exceed the values of the following equation. In case leakage current value exceed the value shown in Table 3, remeasure after voltage treatment that applies the rated voltage shown in 4.1 for 120minutes at 105 °C <b>Criteria&gt;</b> See Table 3
4.4	tanδ	<pre><condition> See 4.2, for measuring frequency, voltage and temperature. </condition></pre> <pre><criteria></criteria></pre> <pre>Working voltage (v) 10 tanδ(max.) 0.10</pre>
4.5	ESR	<b>Condition&gt;</b> Measuring frequency : 100kHz to 300kHz; Measuring temperature:20±2°C Measuring point : 1mm max from the surface of a sealing resin on the lead wire. <b>Criteria&gt;</b> (20°C)Less than the initial limit(See Table 3).

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	6
	STA	ANDARD MANUAL		



4.6  Temperature characteristic  Temperature characteristic $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	£1.25 £1.25 £5% of step1 n or equal to e of item 4.4		
4.6 Temperature characteristic  Temperature characteristic $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.25 5% of step1		
3   Keep at 15 to 35 °C for   15 minutes or more   4   105±2   Z105 °C / 20 °C   ≤   ΔC/C 20 °C   Within ±   5   20±2   tanδ   Less that the value   a. Z -55 °C or 105 °C / Z 20 °C: impedance ratio at 100kHz; b. ΔC/C 20 °C: Capacitance change at 120Hz; c. tanδ at 120Hz.   Condition>	 (1.25 (5% of step1) (1.25)		
characteristic $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	5% of step1 n or equal to		
a. Z -55°C or 105°C / Z 20°C: impedance ratio at 100kHz; b. ΔC/C 20°C: Capacitance change at 120Hz; c. tanδ at 120Hz.	n or equal to		
a. Z -55°C or 105°C / Z 20°C: impedance ratio at 100kHz; b. ΔC/C 20°C: Capacitance change at 120Hz; c. tanδ at 120Hz.			
b. ΔC/C 20°C: Capacitance change at 120Hz; c. tanδ at 120Hz. <condition></condition>			
The Capacitor is stored at a temperature of $105 \pm 2$ °C with rated voltage for $2000 + 48/0$ hours. The result should meet the followin <b>Criteria&gt;</b>	ng table:		
Item Performance			
Capacitance Change Within ±20% of initial capacitance			
tanδ  Less than or equal to 1.5 times of the item 4.4	e value of		
	Less than or equal to 1.5 times of the value of		
4.7 life Leakage current Less than or equal to the value of item	4.3		
test Appearance Notable changes shall not be found.			

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	7
	STA	ANDARD MANUAL		



		seconds in every 5 minutes	d the surge voltage through $1k\Omega$ resistor in series for $30\pm 5$ 30s at $15\sim 35$ °C. Procedure shall be repeated 1000 times. Then under normal humidity for 1-2hours before measurement.
		<criteria></criteria>	
		Item	Performance
4.8	Surge	Capacitance Change	Within ±20% of initial capacitance
	test	tanδ	Less than or equal to 1.5 times of the value of item 4.4
		ESR	Less than or equal to 1.5 times of the value of item 4.5
		Leakage current	Less than or equal to the value of item 4.3 nulates over voltage at abnormal situation, and not be
		hypothesizing that over vo	oltage is always applied.
		<condition></condition>	
		Humidity Test: The capacitor shall be e 60±2°C, the characteris	exposed for 1000±48 hours in an atmosphere of 90~95%RH at stic change shall meet the following requirement.
		Humidity Test: The capacitor shall be e 60±2°C, the characteris <criteria>  Item</criteria>	Performance
		Humidity Test: The capacitor shall be e 60±2°C, the characteris	Performance Within ±20% of initial capacitance
		Humidity Test: The capacitor shall be e 60±2°C, the characteris <criteria>  Item</criteria>	Performance  Performance
	Damp	Humidity Test: The capacitor shall be e 60±2°C, the characteris <criteria> Item Capacitance Change</criteria>	Performance Within ±20% of initial capacitance Less than or equal to 1.5 times of the value of item
4.9	Damp heat test	Humidity Test: The capacitor shall be e 60±2°C, the characteris <criteria> Item Capacitance Change  tanδ</criteria>	Performance Within ±20% of initial capacitance Less than or equal to 1.5 times of the value of item 4.4 Less than or equal to 1.5 times of the value of item

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	8
	STA	ANDARD MANUAL		



4.10	Maximum permissible (ripple current)	Condition> The maximum perm At 100kHz and can Table 3 The combined valuated voltage and stated voltage and stated requency Multiplication Frequency Coefficient	be applied at ree of D.C voltage hall not reverse	naximum oper e and the peak	ating temperatur	e see
4.11	Rapid change of temperature	Applied voltage: with Cycle number: 5 cyclest diagram: Fig.1  Performance: The call Item Capacitance change tanδ Leakage current	pacitors shall r Performance Within ±10 Less than o	neet the followers  % of initial car equal to valuer equal to the valuer.	Roon 30±3 min n or less le ring specification apacitance	

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	9
	STA	ANDARD MANUAL		



		a) Lead pull strength  A static load force shall be applied to the t	erminal in the axial direction and acting
		in a direction away from the body for 10=	
		Lead wire diameter (mm)	Load force (N)
		$0.5 < d \le 0.8$	10
4.12	Lead strength		the capacitor is slowly rotated 90° to a vertical position thus completing bends osite direction  Load force (N)  5  the following value after a) or b) test.
4.13	Resistance to vibration	Frequency: 10 to 55 Hz (1minute interval / 10 Amplitude: 0.75mm(Total excursion 1.5mm)  Direction: X, Y, Z (3 axes)  Duration: 2hours/ axial (Total 6 hours)  The capacitors are supported as the following by the capacitors are supported as the following by the capacitance: Capacitance value shall not show capacitance when the value is measured within exam, Capacitance difference shall be within ± exam.	Fig2  drastic change compared to the initial 30 minutes. Prior to the completion of

Issue	Date: 2016-08-19	Name	Specification Sheet – ULR		
	Version	01		Page	10
		STA	ANDARD MANUAL		



4.14	Solderability	The capacitor shall be tested under the following conditions:  Solder : Sn-3Ag-0.5Cu  Soldering temperature: 245±3°C  Immersing time : 3±0.5s  Immersing depth : 1.5~ 2.0mm from the root.  Flux : Approx .25% rosin  Performance: At least 95% of the dipped portion of the terminal shall be covere new solder.	d with
4.15	Resistance to soldering heat	A) Solder bath method  Lead terminals of a capacitor are placed on the heat isolation board with thickne 1.6±0.5mm. It will dip into the flux of isopropylaehol solution of colophony.  Then it will be immersed at the surface of the solder with the following condition:  Solder : Sn-3Ag-0.5Cu  Soldering temperature : 260 ±5°C  Immersing time : 10±1s  Heat protector: t=1.6mm glass –epoxy board  B) Soldering iron method  Bit temperature : 400 ±10°C  Application time : 3+1/-0 s  Heat protector: t=1.6mm glass –epoxy board  For both methods, after the capacitor at thermal stability, the following items shall measured:  Item Performance  Capacitance Change Within ±5% of initial capacitance  tanδ Less than or equal to the value of item 4.4  ESR Less than or equal to the value of item 4.5  Leakage current Less than or equal to the value of item 4.3 (after voltage treatment)  Appearance Notable changes shall not be found.	be
		Typedianee Trouble enanges shall not be found.	

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	11	
STANDARD MANUAL					



### 5. Product Marking

Marking Sample:




Table 1				
Code	A	В	С	F
Year	2011	2012	2013	2016

Manufactured week: see Table 2

Manufactured year: see Table 1

Γa	b	le	2
----	---	----	---


1	2	3	4	5	6	7	8	9	10	11
A	В	C	D	Е	F	G	Н	I	J	K
12	13	14	15	16	17	18	19	20	21	22
L	M	N	О	P	Q	R	S	T	U	V
23	24	25	26	27	28	29	30	31	32	33
W	X	Y	Z	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>	<u>G</u>
34	35	36	37	38	39	40	41	42	43	44
<u>H</u>	Ī	<u>J</u>	<u>K</u>	L	<u>M</u>	<u>N</u>	<u>O</u>	<u>P</u>	Q	<u>R</u>
	1	1		1	1	1				
45	46	47	48	49	50	51	52			
<u>S</u>	<u>T</u>	<u>U</u>	<u>V</u>	W	<u>X</u>	<u>Y</u>	<u>Z</u>			
	A 12 L 23 W 34 <u>H</u> 45	A     B       12     13       L     M       23     24       W     X       34     35 <u>H</u> <u>I</u> 45     46	A         B         C           12         13         14           L         M         N           23         24         25           W         X         Y           34         35         36 <u>H</u> <u>I</u> <u>J</u> 45         46         47	A         B         C         D           12         13         14         15           L         M         N         O           23         24         25         26           W         X         Y         Z           34         35         36         37           H         I         J         K           45         46         47         48	A         B         C         D         E           12         13         14         15         16           L         M         N         O         P           23         24         25         26         27           W         X         Y         Z         A           34         35         36         37         38           H         I         J         K         L           45         46         47         48         49	A         B         C         D         E         F           12         13         14         15         16         17           L         M         N         O         P         Q           23         24         25         26         27         28           W         X         Y         Z         A         B           34         35         36         37         38         39           H         I         I         I         K         L         M           45         46         47         48         49         50	A         B         C         D         E         F         G           12         13         14         15         16         17         18           L         M         N         O         P         Q         R           23         24         25         26         27         28         29           W         X         Y         Z         A         B         C           34         35         36         37         38         39         40           H         I         I         I         K         L         M         N           45         46         47         48         49         50         51	A         B         C         D         E         F         G         H           12         13         14         15         16         17         18         19           L         M         N         O         P         Q         R         S           23         24         25         26         27         28         29         30           W         X         Y         Z         A         B         C         D           34         35         36         37         38         39         40         41           H         I         I         I         K         L         M         N         O           45         46         47         48         49         50         51         52	A         B         C         D         E         F         G         H         I           12         13         14         15         16         17         18         19         20           L         M         N         O         P         Q         R         S         T           23         24         25         26         27         28         29         30         31           W         X         Y         Z         A         B         C         D         E           34         35         36         37         38         39         40         41         42           H         I         I         I         K         L         M         N         O         P           45         46         47         48         49         50         51         52	A         B         C         D         E         F         G         H         I         J           12         13         14         15         16         17         18         19         20         21           L         M         N         O         P         Q         R         S         T         U           23         24         25         26         27         28         29         30         31         32           W         X         Y         Z         A         B         C         D         E         F           34         35         36         37         38         39         40         41         42         43           H         I         I         I         K         L         M         N         O         P         Q           45         46         47         48         49         50         51         52


F A

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	12	
STANDARD MANUAL					



### 6. Product Dimensions, Impedance & Maximum Permissible Ripple Current Unit: mm





φD	6.3
L	7
F	2.5
φd	0.5

Table 3

Working Voltage (V)	Capacitance (μF)	Dimension (D×L, mm)	Maximum permissible ripple current at 105°C 100kHz (mA rms)	ESR at 20°C 100kHz to300kHz (mΩ)	Leakage current (µA) 2min
10	220	6.3x7	2700	15	440

Issue Date : 2016-08-19	Name	Specification Sheet – ULR		
Version	01		Page	13
STANDARD MANUAL				



#### 7. Application Guideline:

X-CON Solid Aluminum Electrolytic Capacitor should be used compliance with the following guidelines

#### 7-1Circuit design

Prohibited Circuits for use

Do not use the capacitors with the following circuits.

- 1) Time constant circuits
- 2) Coupling circuits
- 3) Circuits which are greatly affected by leakage current
- 4) High impedance voltage retention circuits.

#### 7-2. Voltage

#### 1) Over voltage

The application of over-voltage and reverse voltage below can cause increases in leakage current and short circuits. Applied voltage, refers to the voltage value including the peak value of the transitional instantaneous voltage and the peak Value of ripple voltage, not just steady line voltage. Design your circuit so that the peak voltage does not exceed the stipulated voltage.

Over voltage exceeding the rated voltage may not be applied even for an instant as it may cause a short circuit.

- 2) Applied voltage
- ① Sum of the DC voltage value and the ripple voltage peak values must not exceed the rated voltage.
- ② When DC voltage is low, negative ripple voltage peak value must not become a reverse voltage that exceeds 10% of The rated voltage.
- ③ Use the X-CON within 20% of the rated voltage for applications which may cause the reverse voltage during the Transient phenomena when the power is tumid off or the source is switched.

#### 7-3 Sudden charge and discharge restricted

Sudden charge and discharge may result in short circuit's large leakage current. Therefore, a protection circuits are recommended to design in when on of the following condition is expected.

- 1) The rush current exceeds 10A
- 2) The rush current exceeds 10 times of allowable ripple current of X-CON.

A protection resistor (1K $\Omega$ ) must be inserted to the circuit during the charge and discharge when measuring the leakage Current.

#### 7-4 Ripple current

Use the capacitors within the stipulated permitted ripple current. When excessive ripple current is applied to the capacitor, It causes increases in leakage current and short circuits due to self- heating. Even when using the capacitor under the Permissible ripple current, reverse voltage may occur if the DC bias voltage is low.

#### 7-5 Leakage current

There is a risk of leakage current characteristics increasing even if the following use environments are within the stipulated range However, even if leakage current increases once, it has the characteristic that leakage current becomes small in most cases after voltage is applied due to its self-correction mechanism.

#### 7-6 Failure rate

The main failure mode of X-CON is open mode primarily caused by electrostatic capacity drop at high temperature (i.e.wear out failure), besides random short circuit mode failures primarily caused by over voltage occurs as minor one. The time it takes to reach the failures mode can be extended by using the X-CON with reduced ambient temperature, ripple current and applied voltage.

#### 7-7 Capacitor insulation

- 1) Insulation in the marking sleeve is not guaranteed. Be aware that the space between the case and the negative electrode Terminal is not insulated and has some resistance.
- 2) Be sure to completely separate the case, negative lead terminal, and positive lead terminal and PCB patterns with each other.

Issue Date : 2016-08-19	Name	Specification Sheet – ULR			
Version	01		Page	14	
STANDARD MANUAL					



### 7-8 Precautions for using capacitors

- X-CON capacitors should not be used in the following environments.
- 1) Environments where the capacitor is subject to direct contact with salt water or oil can directly fall on it.
- 2) Environments where capacitors are exposed to direct sunlight.
- 3) High temperature (Avoid locating heat generating components around the X-CON and on the underside of the PCB), or humid environments where condensation can form on the surface of the capacitor.
  - 4) Environments where the capacitor is in contact with chemically active gases.
  - 5) Acid or alkaline environments.
  - 6) Environment subject to high-frequency induction.
  - 7) Environment subject to excessive vibration and shock.

### **8.Long Term Storage**

Store the X-CONs in sealed package bags after delivery per the table below;

X-CON Type	Before unsealing
Radial lead type packed in bags	Must be used within 24~36 months after delivery(unsealed status)
Radial lead type packed in taping method	Must be used within 24~36 months after delivery(unsealed status)

9. Mounting Precautions

Mounting phase	Things to note before mounting	Disposal
	1) Used X-CON capacitors	Not reused
	2) LC-increased X-CON capacitors	Apply them with rated voltage in series with
	after long storage	$1K\Omega$ resistance for 1 hour at the range between 60 and
		70℃
	3) X-CON capacitors dropped to the	Not reused
D. C	floor	
Before mounting	4) Precautions on polar, capacitance	Products without remarkable polar, capacitance and rated
	and rated voltage	voltage shouldn't be available
	5) Precautions on the pitch between	The products can be used only when said pitch is matched
	lead terminal and PCB	
	6) Precautions on the stress that lead	The products can be used for production only when lead
	terminal and body of X-CON	terminal and body are not subject stress.
	capacitors enduring in mounting	
	1) Soldering with a soldering iron	Both temperature and duration in mounting should meet
		the requirements of out-going SPEC; no stress should be
		allowed to occur in mounting; Don't let the tip of the
Manutina	2) El 11 :	soldering iron touch the X-CON itself.
Mounting	2) Flow soldering	X-CON capacitor body should be prohibited to submerge in melted solder; both temperature and duration in
		mounting should meet the requirements of out-going
		SPEC; The rosin is not allowed to adhere to any where
		other than lead terminal.
	1) Precautions on mounting status	Do not tilt, bend twists X-CON; Do not allow other matter
	-,	touch X-CON.
	2) Washing the PCB (available	Used immersion or ultrasonic waves to clean for a total of
	cleaning agent 1)high quality	less than 5 minutes and the temperature be less than 60°C;
After mounting	alcohol-based cleaning fluid such as	The conductivity, PH, specific gravity and water cleaning,
	st-100s  750L,750M;2) Detergents	X-CON products should be dried with hot air (less than
	including substitute freon such as	the maximum operating temperature).
	AK-225AES and IPA)	

Issue Date : 2016-08-19	Name	Specification Sheet – ULR					
Version	01		Page	15			
STANDARD MANUAL							



## 10. It refers to the latest document of "Environment-related Substances standard" (WI-HSPM-QA-072).

	Substances			
Heavy metals	Cadmium and cadmium compounds			
	Lead and lead compounds			
	Mercury and mercury compounds			
	Hexavalent chromium compounds			
	Polychlorinated biphenyls (PCB)			
Chloinated	Polychlorinated naphthalenes (PCN)			
organic	Polychlorinated terphenyls (PCT)			
compounds	Short-chain chlorinated paraffins(SCCP)			
	Other chlorinated organic compounds			
5 1	Polybrominated biphenyls (PBB)			
Brominated organic compounds	Polybrominated diphenylethers(PBDE) (including			
	decabromodiphenyl ether[DecaBDE])			
	Other brominated organic compounds			
Tributyltin compo	ounds(TBT)			
Triphenyltin com	pounds(TPT)			
Asbestos				
Specific azo com	pounds			
Formaldehyde				
Beryllium oxide				
Beryllium coppe	er			
Specific phthalate	es (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)			
Hydrofluorocarbo	on (HFC), Perfluorocarbon (PFC)			
Perfluorooctane s	ulfonates (PFOS)			
Specific Benzotri	azole			

Issue Date : 2016-08-19	Name	Specification Sheet – ULR					
Version	01		Page	16			
STANDARD MANUAL							

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Aluminium Organic Polymer Capacitors category:

Click to view products by Man Yue manufacturer:

Other Similar products are found below:

750-1809 SEAU0A0102G MAL218297003E3 APA0609471M006R APA0807561M004R APA0809331M016R APA0809561M010R

APA0809821M004R APA0812102M006R APA0812122M004R APA0812471M016R APA0812561M016R HHXD630ARA330MJA0G

HHXD350ARA270MF61G HHXD350ARA220ME61G HHXD350ARA101MHA0G HHXD500ARA101MJA0G HHXD250ARA101MF80G

APXJ200ARA151MF61G HHXE250ARA331MJA0G RS81C271MDN1CG PM101M016E058PTR PM101M025E077PTR

SPZ1EM221E10P25RAXXX APSE2R5ETD821MF08S SPZ1EM681F14O00RAXXX SPZ1AM102F11000RAXXX

SPV1VM471G13O00RAXXX SPV1VM101E08O00RAXXX SPZ1VM821G18O00RAXXX SPV1HM331G15O00RAXXX

SPZ1HM221G12O00RAXXX SPZ1CM471E11O00RAXXX SVZ1EM221E09E00RAXXX PM101M035E077PTR HV1A227M0605PZ

HV1C107M0605PZ HV1C227M0607PZ HV1H107M0810PZ 149EC920 149EC921 118EC222 118EC229 118EC247 118EC333

118EC220 118EC221 118EC225 118EC235 118EC227