

5 Port unmanaged Gigabit Switch 4 PoE Ports IP20 metal 48 V

5 (4PoE) port unmanaged switch


Gigabit

Ethernet

Connection cables are in the online shop under "Connection Technology".

[Link to Product](#)

Illustration



Product may differ from Image

Approvals



Connections

| | |
|----------|-----------------|
| Fieldbus | 5× RJ45 |
| Supply | Screw terminals |

Technical Data

| | |
|----------------------------|-----------------|
| Operating voltage | 12...52 V DC |
| Operating current (switch) | 0.5 A (12 V DC) |
| Operating current (PoE) | 2.6 A (51 V DC) |
| Power (switch) | max. 6 W |

The information in this brochure has been compiled with the utmost care.

Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 09/20

Murrelektronik GmbH | Falkenstraße 3 | 71570 Oppenweiler | Fon +49 (71 91) 47-0 | Fax +49 (71 91) 47-491000 | shop@murrelektronik.com | shop.murrelektronik.com

| | |
|-----------------|--------------------------------|
| Power (PoE) | max. 130 W |
| PoE | max. 30 W (per port) |
| Transfer rate | 10/100/1000 Mbit/s full duplex |
| Operating modes | Autocrossing Autonegotiation |

Switch Management

| | |
|-----------------------|------------------|
| Switch Form | Unmanaged Switch |
| Webserver | no |
| VLAN (QoS) IEEE 802.p | no |
| Port Mirroring | no |
| Protocols | no |
| Remote maintenance | no |
| Alarm contact | yes |
| Jumbo Frames | yes |
| IEEE 802.3 of | yes |
| IEEE 802.3 at | yes |

General data

| | |
|-------------------|---|
| Protection | IP20 |
| Housing | Metal black |
| Mounting method | DIN-rail mountable TH35 (EN 60715) |
| Temperature range | -40...+70 °C (storage temperature -40...+85 °C) |
| Dimensions H×W×D | 110×32×90 mm |

Diagnostic

| | |
|-------------------------|---------|
| Communication status | via LED |
| Monitoring - no voltage | yes |

Commercial data

| | |
|-----------------------|---------------|
| country of origin | TW |
| customs tariff number | 85176200 |
| EAN | 4048879843676 |
| Packaging unit | 1 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [EMI Gaskets, Sheets, Absorbers & Shielding](#) category:

Click to view products by [Masach](#) manufacturer:

Other Similar products are found below :

[8101010140](#) [8563-0090-89](#) [1194-7.7X10](#) [1245-34"X18YD](#) [1267](#) [1345-3/8x18yrd](#) [1554907-1](#) [2320002000](#) [2320014700](#) [SG293037DS](#)
[ST005PCN50](#) [55005107](#) [38M4040AA0606](#) [46J5N02020.NN00](#) [1125-8X10](#) [1126X1"](#) [1170-3/4X18YDS](#) [1170-7.7x10](#) [1183-12"X18YD](#) [6-](#)
[34T-BD-0.315](#) [SG125187D-24](#) [SG125250R-24](#) [SG187375R-24](#) [SG284050DS](#) [8402010540](#) [KIT TECH CLIP](#) [1194](#) [10-40450-28S](#) [1245](#)
[1267-1/2"x18yd](#) [46J8501020.NN00](#) [1170-1/4"x18yd](#) [AL-36FR-1x54.5](#) [3013310A](#) [1194X1"](#) [3020604](#) [3021302](#) [3031313](#) [260709](#) [3021310](#) [6-](#)
[34UT-070-BD-16](#) [303076048](#) [46J5N03020.NN00](#) [30206025](#) [30395641](#) [3030403](#) [3690103020](#) [HNY-LT15CU4241](#) [46X7503020.NN00](#)
[46W5E02520.NN00](#)