







注：本板为禁止运输、复制、编辑文件，以及用其内容进行交流

| REV | ECN NO. | CONTENT | CHK | DATE |
|-----|---------|---------|-----|------|
|     |         |         |     |      |



NOTES1:  
UL Standard  
1.Rating voltage/current: 300V//10A  
2.withstanding voltage: AC2000V//1Min  
3.Torque value: M2.5, 3.54Lb.in  
4.Wire range: 24~12AWG

IEC Standard

|                          |     |      |    |
|--------------------------|-----|------|----|
| 1. Pollution Degree      | 3   | 2    | 2  |
| Overvoltage Category     | III | III  | II |
| Rate Impulse Voltage(kV) | /   | /    | /  |
| Rate Voltage(V)          | /   | 250V | /  |
| Rate Current(A)          | /   | 15A  | /  |

2. Torque value: M2.5, 0.4Nm  
3.wire range: 10~2.5mm<sup>2</sup>

NOTES2:


- 1.Housing: PA66(UL94V-0)
- 2.Solder Pin: Copper alloy(Sn Plated)
- 3.Cage: Brass(Ni Plated)
- 4.Screw: Steel(M2.5,Zn Plated)

NOTES3:

- 1.Pitch: 5.0mm Poles: 02-24P
- 2.Stripping length: 6-7mm
- 3.Operating temperature: -40℃~+105℃
- 4.RoHS Compliance

How to order

MX128 - 5.0 - XXP - XXXX - XX - X - X



| Pitch | Range | In    | Nominal Dimension | Range |      |      |
|-------|-------|-------|-------------------|-------|------|------|
| mm    | Over  | In mm | Over              | Over  | Over | Over |

|       |       |       |       |       |       |       |       |       |       |     |      |        |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|--------|
| TO    | 6     | 10    | TO    | 30    | TO    | 60    | TO    | 100   | TO    | 150 | Over | 0.1/10 |
| 6     | TO    | 10    | 24    | TO    | 30    | TO    | 60    | TO    | 100   | TO  | 150  | ±      |
| ±0.15 | ±0.20 | ±0.30 | ±0.30 | ±0.30 | ±0.50 | ±0.70 | ±1.00 | ±1.30 | ±1.30 | ±2° |      |        |

| ITEM                           | NAME OF PART | NO. OF PART | Q'TY          | MATERIAL | NOTE |
|--------------------------------|--------------|-------------|---------------|----------|------|
| DWG                            | CHK          | DATE        | SCALE         | SHEET/OF | 1/1  |
| APP                            | DATE         |             | 1:1           | A4       |      |
| CIXI MAIXU ELECTRONICS CO.,LTD |              |             | NAME          |          |      |
| MAIXU 慈溪市迈旭电子有限公司              |              |             | MX128-5.0-XXP |          |      |
| DWGNO.                         |              |             |               |          |      |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Fixed Terminal Blocks](#) category:*

*Click to view products by [MAX](#) manufacturer:*

Other Similar products are found below :

[MBE-1512](#) [MBE-1520](#) [MBE-154](#) [MBE-156](#) [MBES-156](#) [MH-2512](#) [MHE-132](#) [MHE-163](#) [MI-254 \(35\)](#) [MI-272](#) [MPT-275](#) [15602-04-08-21](#)  
[ELM10110G](#) [BA311TU](#) [BA411SU](#) [MV-254-D](#) [MV-255](#) [MV-493](#) [MVE-252](#) [MVE-253](#) [MVEB-153](#) [1705142](#) [1712417](#) [1713088](#) [1745195](#)  
[1760594](#) [1-796689-8](#) [1800114](#) [20020314-C121B01LF](#) [KP03215000J0G](#) [KP04215000J0G](#) [S451](#) [29.007](#) [29.116](#) [30.204](#) [30.503](#) [30.756](#)  
[30.853](#) [996750](#) [1710052](#) [1777707](#) [1-796692-3](#) [20020316-G071B01LF](#) [20020327-C061B01LF](#) [29590](#) [30.652](#) [30.710](#) [30.754](#) [30.757](#) [32.058](#)