




SPECIFICATION FOR APPROVAL 样品承认书

| | |
|--------------|--------------|
| CUSTOMER(客户) | PAGE: 1 OF 1 |
|--------------|--------------|

| | |
|--------------------|-------------------|
| ITEM: XRCD105-103K | Customer' s ITEM: |
|--------------------|-------------------|

| Item 项目 | Spec. (mm) 规格值 | Typ. 实测值 |
|------------|-------------------|-------------|
| A | 10.0 ±0.3 | 10.2 |
| B | 9.0± 0.3 | 9.10 |
| C | 5.4± 0.3 | 5.41 |
| D | | |
| E | | |
| F | | |
| G | | |
| H | | |
| I | | |
| J | | |

1. MECHANICAL DIMENSIONS(外形尺寸):




Marking(印字): 103

2. ELECTRICAL CHARACTERISTICS(电特性要求):

| ITEM (项目) | Specifications(规格值) | Typ. (参考 值) | Test equipments(测试仪器) |
|------------|---------------------|----------------|---------------------------------|
| L | 10.0 MH | 10.0MH | VR 102 LCR METER. |
| Test Freq. | @1kHz 0.25V | | VR 102 LCR METER. |
| DCR | 9.5(Ω)Max. | 9.5Ω Max. | VR 102 LCR METER. |
| R. Current | 170MA MAX | | |
| Ope. Temp. | -20℃ TO 80℃ | | HC-D3M TEMP. & HUMIDITY CHAMBER |
| Others1 | 产品顶部需印字” 103” | | |
| Others2 | 包装方式: 编带 | | |

| | |
|---------------------------------|-----------------------|
| DATE(测试日期): 2022/12/06 | |
| QUANTITY(数量): 10 PCS | |
| TEST Freq. (测试频率): L:@100kHz 1V | |
| WIRE(铜线): 0.09 mm | TURNS (圈数): 425 Ts |
| TEMP(温度): 25.3 °C | HUMI.(湿度): 60 % |



| | | | |
|--------------------------|------------------|-----------------|---------------|
| CUSTOMER APPROVED(客户确认栏) | APPROVED(确 认) | CHECKED(检 查) | DRAWN(制 图) |
| | 陈勇 | 李少辉 | 黄永强 |

ISSUED DATE (出版日期): 2022/12/06 版次: 1.0

检测报告



检测日期: 2022/12/06

编号/版次: GKJPWZ202107

| Customer | | | Item | XRCD105-103K | | | Quantity | 10 | PCS |
|----------|--------------|-------------|---------|---------------------|-------------|-------------|----------|-----|-----|
| COLL | Q0= | | Winding | 0.09 425.0ts(2UEWH) | | | Humidint | 50% | |
| IETM | L(OA) | DCR | IDC | A | B | C | | | |
| SPEC | 10MH ±10% | 25 Ω MAX | 0.17A | 10.0 ±0.3 | 9.0 ±0.3 | 5.4 ±0.3 | | | |
| 1 | 10.04 | 22.5 | 0.16 | 9.87 | 8.99 | 5.36 | | | |
| 2 | 10.05 | 22.8 | 0.17 | 9.97 | 8.98 | 5.38 | | | |
| 3 | 10.06 | 22.5 | 0.16 | 9.87 | 8.97 | 5.38 | | | |
| 4 | 9.87 | 22.7 | 0.15 | 9.88 | 8.99 | 5.35 | | | |
| 5 | 9.97 | 22.6 | 0.16 | 9.87 | 8.99 | 5.35 | | | |
| 6 | 10.1 | 22.6 | 0.17 | 9.86 | 8.99 | 5.34 | | | |
| 7 | 10.07 | 22.5 | 0.16 | 9.88 | 8.98 | 5.35 | | | |
| 8 | 10.06 | 22.5 | 0.17 | 9.88 | 8.98 | 5.36 | | | |
| 9 | 10.12 | 22.6 | 0.16 | 9.88 | 9.00 | 5.36 | | | |
| 10 | 10.13 | 22.5 | 0.16 | 9.87 | 9.01 | 5.36 | | | |

Test Instruments

测试仪器: HM2792 TH11772B YD2511 VR115

测试频率: 1KHZ/0.25V

| | | | |
|------------|--|-----------------------------|--|
| Aspect: | OK <input checked="" type="checkbox"/> | NO <input type="checkbox"/> | |
| Dimensior: | OK <input checked="" type="checkbox"/> | NO <input type="checkbox"/> | |

| | | | |
|---------|--|-----------|---------|
| REMARK: | | INSPECTED | CHECKED |
| | | 林志和 | 李少辉 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [MaxLinear](#) manufacturer:

Other Similar products are found below :

[CR32NP-100KC](#) [CR54NP-470LC](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHQ1005P10NJ](#) [MHQ1005P1N0S](#) [MHQ1005P2N4S](#) [MHQ1005P3N6S](#)
[MHQ1005P5N1S](#) [MHQ1005P8N2J](#) [PE-53601NL](#) [PE-53602NL](#) [PG0936.113NLT](#) [9220-20](#) [9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#)
[1206CS-471XJ](#) [HC2-R47-R](#) [HC8-1R2-R](#) [HCF1305-3R3-R](#) [1206CS-151XG](#) [RCH664NP-140L](#) [RCH664NP-4R7M](#) [RCP1317NP-391L](#)
[RCR110DNP-331L](#) [DH2280-4R7M](#) [DS1608C-106](#) [B10TJ](#) [B82498B3101J000](#) [ELJ-RE27NJF2](#) [1812CS-153XJ](#) [1812CS-183XJ](#) [1812CS-](#)
[223XJ](#) [1812LS-104XJ](#) [1812LS-105XJ](#) [1812LS-124XJ](#) [1812LS-154XJ](#) [1812LS-223XJ](#) [1812LS-224XJ](#) [1812LS-563XJ](#) [1812LS-683XJ](#)
[1812LS-824XJ](#) [NIN-FB101JTR110F](#) [NIN-FB471JTR62F](#) [NIN-FC1R5JTR220F](#) [NIN-HCR15JTRF](#) [NIN-HCR33JTRF](#) [NIN-HDR22JTRF](#)