



CUSTOMER		CUSTOMER'S P/S	
ISSUE DATE	2021.02.17	OUR P/N	XRCD105-4R7M

1. 外观尺寸图 DIMENSIONS



www.yushitong.com.cn

2. 接线图 CONNECTION (BOTTOM VIEW)




3. 绕线规格 WINDING SPEC

端子 TERMINZL	线 WIRE	圈数 TURNS	绕线方式 WINDING METHOD
S---F	Φ0.45	9TS (REF)	CLOSED

4. 电气特性 ELECTRONICS CHARACTERISTIC

客户代码 Part No.	厂方代码 OUR Part No.	电感量 Inductance at 100kHz	直流电阻 D. C. R max.	定格电流 I. D. C max.	标识 Marking	规格代码 Sample No.
	XRCD105-4R7M	4.7uH±20%	0.032 Ω	5A	4R7	—

5. 推荐回流焊温度曲线



备注:

OPERATING TEMP. :-40°C ~ +85°C

INDUCTANCE DROP=35% TYP. AT IDC.

制作 DRW	审核 CHK	确认 APPD	东莞市祥如电子有限公司
彭丽粉 2021.02.17	梁何娟 2021.02.17	刘俊丰 2021.02.17	

试产（样）报告

(TEST REPORT)

MODEL NO: 产品型号:	XRCD105-4R7M	EVALUATED Q' TY: 试样数:	10PCS
--------------------	--------------	--------------------------	-------


WATERIAL CODE: 磁材型号规格:	SMD 1050	TESTED DATE: 试制日期:	2021.02.17
---------------------------	----------	-----------------------	------------

(DATA)	试样情况记录	SPC 规格	100KHz/0.25V L(uH)	DCR(Ω)					
		LOTS 序号	4R7uH±20%	MAX 0.032 Ω					
	1		4.78	0.031					
	2		4.76	0.031					
	3		4.80	0.032					
	4		4.75	0.031					
	5		4.73	0.032					
	6		4.76	0.031					
	7		4.75	0.032					
	8		4.75	0.032					
	9		4.78	0.030					
	10		4.73	0.030					
	11								
	12								
	13								
	14								
	15								

REMARK: HM2801A HM2770A HP4342A VR-114 VR115
 备注:
 外观: OK


RESULTS: 判定:	制样员DRW	东莞市祥如电子有限公司
<input checked="" type="checkbox"/> 合格 (PASSED) <input checked="" type="checkbox"/> ROHS	彭丽粉	
<input type="checkbox"/> 不合格, 改良后 (FAILED) 参照 (REF) _____	2021.02.17	

包装



包装方式

LEADER部	SEAL TAPE 尺寸	10cm以上
	START CARRIER TAPE尺寸	20cm以上
	TRATLER部尺寸	10cm以上
	数量	1000pcs



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [MaxLinear](#) manufacturer:

Other Similar products are found below :

[CR32NP-100KC](#) [CR54NP-470LC](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHQ1005P10NJ](#) [MHQ1005P1N0S](#) [MHQ1005P2N4S](#) [MHQ1005P3N6S](#)
[MHQ1005P5N1S](#) [MHQ1005P8N2J](#) [PE-53601NL](#) [PE-53602NL](#) [PG0936.113NLT](#) [9220-20](#) [9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#)
[1206CS-471XJ](#) [HC2-R47-R](#) [HC8-1R2-R](#) [HCF1305-3R3-R](#) [1206CS-151XG](#) [RCH664NP-140L](#) [RCH664NP-4R7M](#) [RCP1317NP-391L](#)
[RCR110DNP-331L](#) [DH2280-4R7M](#) [DS1608C-106](#) [B10TJ](#) [B82498B3101J000](#) [ELJ-RE27NJF2](#) [1812CS-153XJ](#) [1812CS-183XJ](#) [1812CS-](#)
[223XJ](#) [1812LS-104XJ](#) [1812LS-105XJ](#) [1812LS-124XJ](#) [1812LS-154XJ](#) [1812LS-223XJ](#) [1812LS-224XJ](#) [1812LS-563XJ](#) [1812LS-683XJ](#)
[1812LS-824XJ](#) [NIN-FB101JTR110F](#) [NIN-FB471JTR62F](#) [NIN-FC1R5JTR220F](#) [NIN-HCR15JTRF](#) [NIN-HCR33JTRF](#) [NIN-HDR22JTRF](#)