



产品规格书

CUSTOMER		CUSTOMER'S P/S	
TSSUE DATE	2023.06.09	OUR P/N	XRCD75-4R7M

1. 外观尺寸图 DIMENSIOS



2. 接线图 CONNECTION (BOTTOM VIEW)




3. 绕线规格 WINDING SPEC

端子 TERMINZL	线 WIRE	圈数 TURNS	绕线方式 WINDING METHOD
S---F	$\Phi 0.4$	10.5TS (REF)	CLOSED

4. 电气特性 ELECTRONICS CHARACTERISTIC

客户代码 Part No.	厂方代码 OUR Part No.	电感量 Inductance at 1kHz	直流电阻 D.C.R max.	定格电流 I.D.C max.	标识 Marking	规格代码 Sample No.
	XRCD75-4R7M	$4.7\mu H\pm 20\%$	$0.05\ \Omega$	3.6A	4R7	—

5. 推荐回流焊温度曲线



备注:

OPERATING TEMP. :-40°C~+85°C

INDUCTANCE DROP=35% TYP. AT IDC.

制作 DRW	审核 CHK	确认 APPD	东莞市祥如电子有限公司
陈泽伟	刘嘉伟	黄振伟	


2023. 06. 09	2023. 06. 09		
--------------	--------------	--	--

试产（样）报告

(TEST REPORT)


MODEL NO: 产品型号: XRCD75-4R7M				EVALUATED Q' TY: 10PCS 试样数:						
WATERIAL CODE: 磁材型号规格: SMD 7850				TESTED DATE: 2023.06.09 试制日期:						
(DATA) 试样情况记录	SPC 规格	1KHz/0.25V L(uH)	DCR(Ω)							
	LOTS 序号	4.7uH±20%	MAX 0.05Ω							
	1	4.66	0.031							
	2	4.53	0.030							
	3	4.66	0.031							
	4	4.56	0.030							
	5	4.96	0.032							
	6	4.74	0.031							
	7	5.03	0.031							
	8	4.64	0.031							
	9	4.50	0.030							
	10	4.49	0.029							
	11									
	12									
	13									
	14									
15										
REMARK: HM2801A HM2770A HP4342A VR-114 VR115										
备注: 用100KHz 0.25V全检										
外观: OK										
RESULTS: 判定:					制样员DRW			东莞市祥如电子有限公司		
<input checked="" type="checkbox"/> 合格 (PASSED) <input checked="" type="checkbox"/> ROHS <input type="checkbox"/> 不合格, 改良后 (FAILED) 参照 (REF) _____					刘福田					
					2023.06.09					

包装



包装方式

LEADER部	SEAL TAPE 尺寸	10cm以上
	START CARRIER TAPE尺寸	20cm以上
	TRATLER部尺寸	10cm以上
	数量	1000pcs



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [MaxLinear](#) manufacturer:

Other Similar products are found below :

[CR32NP-100KC](#) [CR54NP-470LC](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHQ1005P10NJ](#) [MHQ1005P1N0S](#) [MHQ1005P2N4S](#) [MHQ1005P3N6S](#)
[MHQ1005P5N1S](#) [MHQ1005P8N2J](#) [PE-53601NL](#) [PE-53602NL](#) [PG0936.113NLT](#) [9220-20](#) [9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#)
[1206CS-471XJ](#) [HC2-R47-R](#) [HC8-1R2-R](#) [HCF1305-3R3-R](#) [1206CS-151XG](#) [RCH664NP-140L](#) [RCH664NP-4R7M](#) [RCP1317NP-391L](#)
[RCR110DNP-331L](#) [DH2280-4R7M](#) [DS1608C-106](#) [B10TJ](#) [B82498B3101J000](#) [ELJ-RE27NJF2](#) [1812CS-153XJ](#) [1812CS-183XJ](#) [1812CS-](#)
[223XJ](#) [1812LS-104XJ](#) [1812LS-105XJ](#) [1812LS-124XJ](#) [1812LS-154XJ](#) [1812LS-223XJ](#) [1812LS-224XJ](#) [1812LS-563XJ](#) [1812LS-683XJ](#)
[1812LS-824XJ](#) [NIN-FB101JTR110F](#) [NIN-FB471JTR62F](#) [NIN-FC1R5JTR220F](#) [NIN-HCR15JTRF](#) [NIN-HCR33JTRF](#) [NIN-HDR22JTRF](#)