

### System Features

- 120 W power station
- Adjustable temperature ranges from 200 to 450 °C (392 to 842 °F)
- Wide variety of cartridge and tip options
- Patented Chip-in-Cartridge technology
- Compact size due to external power source
- Universal power input
- Intuitive user interface
- Programmable temperature presets, standby and sleep settings
- Easy to read 2.5" display
- 5 V, 0.5 A USB port to power accessories
- Field upgradeable firmware using a USB memory stick



### Technical Specifications

GT120	
Soldering Temperature Range	200 to 450 °C 392 to 842 °F
Input Line Voltage	100 - 240 VAC (120 VAC for U.S.) grounded circuit, universal Input
Input Frequency	50 / 60 Hz
Power Input	120 W max
Dimensions (w x d x h)	11.0 x 12.5 x 16 centimeters 4.3 x 4.9 x 6.1 inches
Weight of Station w/ Power Adapter	1.68 kg (3.70 lb.)
Communications	1 x USB A
Standby Timer	10 - 480 seconds
Sleep Timer	1 - 100 minutes
Free Range Tip Temperature Adjustment	Yes
Tip Temperature Presets	3
Tip-to-Ground Potential / Resistance	< 2 mV / < 2 Ω
Tip Temperature Accuracy	Meets or exceeds IPC-J-STD
Surface Resistivity	10 <sup>5</sup> - 10 <sup>9</sup> Ω , ESD safe
Certifications	CE, TUV
Power Station Warranty	2 Years
GT-HP-T6C Hand-piece	
Hand-piece Connector	8-pin circular DIN
Hand-piece	1.5 m (5'), burn proof, ESD safe

### Systems Ship With

GT120-HP-T6 System	
Soldering Power Station	GT120
Standard hand-piece for GT6 Family of Tips & GTC Cartridges	GT-HP-T6C
Heater Cartridge for GT-HP-T6C Hand-piece using GT6 Tips	GT-HC-T6
Power Adapter	GT-PA-120
Work Stand	GT-WS
Tip/Cartridge Removal Pad	MX-CP1

### Accessories (sold separately)

GT Series Accessories	
Slim Hand-piece for GT4 Family of Tips & Ultrafine Cartridges	GT-HP-T4UF
Standard Hand-piece for GT6 Family of Tips & GTC Cartridges	GT-HP-T6C
Slim Hand-piece with Heater Cartridge for GT4 Tips	GT-HPHC-T4UF
Standard Hand-piece with Heater Cartridge for GT6 Tips	GT-HPHC-T6C
Heater Cartridge for GT-HP-T4UF Hand-piece using GT4 Tips	GT-HC-T4
Heater Cartridge for GT-HP-T6C Hand-piece using GT6 Tips	GT-HC-T6
Retainer for GT-HP-T6C Hand-piece using GTC Cartridges	GT-RT-C
Retainer for GT-HP-T4UF Hand-piece using GT4 Tips & Ultrafine Cartridges	GT-RT-T4
Retainer for GT-HP-T6 Hand-piece using GT6 Tips	GT-RT-T6
Cleaning Sponge (pack of 10)	GT-YS10
Cleaning Brass Pad (pack of 10)	GT-BP10
Power Adapter	GT-PA-120
Rubber Grip Replacement for all GT Hand-pieces (pack of 5)	GT-GR-BK
Work Stand	GT-WS
Tip/Cartridge Removal Pad	MX-CP1

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Soldering & Desoldering Stations](#) category:*

*Click to view products by [Metc](#) manufacturer:*

Other Similar products are found below :

[GS1116](#) [BH-010](#) [T0058768747](#) [CA0202](#) [CA0201](#) [MFR-CA3](#) [WXD2N](#) [Q-7100-9000](#) [T0058757898](#) [WXD2010N](#) [T0058768762](#) [145-2000-](#)  
[ESDN](#) [T0058758721N](#) [WTL1000-1](#) [700-3051-ESD](#) [0051514699N](#) [0051512199N](#) [T0058768725N](#) [MT-688](#) [202485](#) [ZD-415R](#) [ZD-415R-H](#)  
[WELPB102](#) [HR-2550A](#) [T130-1.0I](#) [T0051011299N](#) [ECC92420EU](#) [850A+](#) [ECC168808EU](#) [BST-S-120](#) [9SS-968B-HG](#) [5SS-554-POT](#) [5SS-](#)  
[553-POT](#) [5SS-554-H](#) [5SS-553-H](#) [5PK-366NA-T](#) [5SS-552-POT](#) [5SS-551-POT](#) [5SS-552-H](#) [5SS-551-H](#) [508-366A-T](#) [508-366D-T](#) [5SS-](#)  
[331N1-H](#) [5SI-131-H](#) [5SI-131-3.2D](#) [5SI-131-I](#) [CVC-7CN0004P](#) [CVC-8CH0010S](#) [CV-H5-DSHP](#) [CDE-2SQA](#)