




SYM	DESCRIPTION	APPROVED	DATE
1			
2			
3			
4			



13			
12			
11			
10			
9			
8			
7			
6			
5			
4			
3			
2			
1			
SYM	Name	Description	Remarks

Tolerance (mm)			
Wire harness size L(mm)	Trunk	Protection tube	Positioning space
L ≤ 200	+20 -10		±5
200 < L ≤ 500	+25 -10		±5
500 < L ≤ 1000	+40 -20		±10
1000 < L ≤ 2000	+60 -30		±20
2000 < L ≤ 3000	+80 -50		±30
3000 < L ≤ 5000	+100 -80		±40
L > 5000	+100 -80		±40



APPROVED	Shen Juan	 Jiaying Lau Electronics Co., Ltd.	
CHECKED	Li Jie		
DRAWN	Zhang Yining		
UNIT	mm	Customer :	Date : 2021-4-8
REV	B	DRAWING NO. DC2400.0025E	SIZE: A4
		CUSTOMER NO.	PAGE: 1/1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DC Power Cords](#) category:

Click to view products by [MFG manufacturer](#):

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [172-7443-E](#) [21033836407](#) [2J-1865A](#) [426055400-3](#) [MN47A4BC01M010](#) [H-OU-2](#) [420680840-3](#)
[426451500-3](#) [P162PT4-36](#) [1-832692-4](#) [FJ-VSP 3M](#) [96CB-POWER-B-1.8M2](#) [426040200](#) [H-OU-27](#) [1700019464](#) [FJ-VSP 10M](#)
[MN47B4BC01M040](#) [H-OU-20](#) [2-836917-8](#) [867566-1](#) [804001P03M050G](#) [2031KK2-BK](#) [2050KH1-BK](#) [58257-1069](#) [216603-0037](#) [1011147](#)
[1011324](#) [1012028](#) [BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [P29000-M2](#) [P29004-M2](#) [AK-SC-31](#) [AK-SC-32](#) [H-IN-10](#)
[DC.CAB.0201.0150](#) [DC.CAB.0301.0150](#) [DC.CAB.0610.0150](#) [DC.CAB.0700.0150](#) [DC.CAB.1000.0150](#) [DC.CAB.1000.0300](#)
[DC.CAB.1100.0150](#) [DC.CAB.1400.0150](#) [DC.CAB.1410.0150](#) [DC.CAB.1500.0150](#) [DC.CAB.1811.0150](#)