

⁴¹⁰ Safety Data Sheet

Section 1: Identification

Product Identifier and Other Means of Identification

Product Identifier: 410

Other Means of Identification: Ammonium Persulfate

Related Part # 410-1KG; 410-25KG

Recommended Use and Restriction on Use

Use: For etching printed circuits

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

MG Chemicals (Head Office) 9347-193 Street Surrey, British Columbia V4N 4E7 CANADA

***** +1-905-331-1396

 Fax +1-905-331-2682

 E-MAIL

E-маіL (Competent Person): <u>sds@mgchemicals.com</u>

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at **+1-613-996-6666** or ***666** on cellular phones

Page **1** of **15**



Section 2: Hazard(s) Identification

Classification of Hazardous Chemical

GHS Categories

Criteria		Category	Signal Word	Pictograms
Sensitization	Respiratory	1	Danger	Health
Oxidizing solids		2	Danger	Flame over circle
Sensitization	Skin	1	Warning	Exclamation
Eye Irritation		2	Warning	Exclamation
Skin Irritation		2	Warning	Exclamation
Specific Target Organ Toxicity	Single Exposure	3	Warning	Exclamation
Acute Toxicity	Oral	4	Warning	Exclamation

Note: The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

Label Elements

Signal Word	DANGER
Pictograms	Hazard Statements
	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H272: May intensify fire; oxidizer

Section continued on the next page

Page 2 of 15



Continued	
Pictograms	Hazard Statements
	H302: Harmful if swallowed
	H317: May cause an allergic skin reaction
	H319: Causes serious eye irritation
	H315: Causes skin irritation
•	H335: May cause respiratory irritiation
Prevention	Precautionary Statements
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P270	Do not eat, drink or smoke when using this product.
P261	Avoid breathing dust.
P271	Use only outdoors or in a well-ventilated area.
P284	In case of inadequate ventilation wear respiratory protection.
P280	Wear protective gloves, protective clothing, eye protection or face protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash hands thoroughly after handling.

Section continued on the next page

Page **3** of **15**



Continued
Continued
een a ean

Response	Precautionary Statements
P370 + P378	In case of fire: Use dry chemical, carbon dioxide, chemical foam, or water spray to extinguish.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER or a doctor.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: Get medical advice or attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice or attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell.
P330	Rinse mouth.
Storage	Precautionary Statements
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Disposal	Precautionary Statements
P501	Dispose of contents in accordance to local, regional, national, and international regulations.

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None

Section 3: Composition/Information on Ingredients

CAS #	Chemical Name	%(weight)
7727-54-0	ammonium persulfate	>99%



Section 4: First-Aid Meas	sures
Exposure Condition	GHS Code/Symptoms/Precautionary Statements
IF INHALED	P304 + P340, P311
Immediate Symptoms	cough, irritation of the respiratory track, wheezing, laboured breathing
Response	Remove person to fresh air and keep comfortable for breathing.
	If experiencing respiratory symptoms: Call a POISON CENTER or a doctor.
IF ON SKIN	P302 + P352, P333 + P313, P362 + P364
Immediate or Delayed Symptoms	redness, irritation, dry skin, allergic contact dermatitis
Response	Wash with plenty of water.
	If skin irritation or rash occurs: Get medical advice or attention.
	Take off contaminated clothing and wash it before reuse.
IF IN EYES	P305 + P351 + P338, P337 + P313
Immediate Symptoms	redness, irritation, pain
Response	Rinse cautiously with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists: Get medical advice or attention.
IF SWALLOWED	P301 + P330
Immediate Symptoms	nausea, diarrhea, sore throat, vomitting
Response	Call a POISON CENTER or a doctor if you feel unwell.

Page **5** of **15**



Section 5: Fire-Fighting Measures

Extinguishing Media	In case of fire: Use extinguishing media suitable for surrounding materials.
Specific Hazards	Not flammable or combustible, but intensifies fires. Produces irritating smoke of unknown toxicity in fires.
	Incompatible with combustible or flammable materials.
	Prevent fire-fighting wash from entering waterway or sewer system.
Combustion Products	Produces carbon oxides (CO, CO ₂), nitrogen oxides (NO _x), and sulphur oxides.
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

Section 6: Accidental Release Measures

Personal Protection	See personal protection recommendations in Section 8.
Precautions for Response	Avoid dust formation and breathing the dust. You may wet with a water spray to prevent dust cloud formation.
	Remove or keep away all sources of open flames and flammable or combustible materials.
Environmental Precautions	Avoid releasing to the environment.
Containment Methods	Not applicable
Cleaning Methods	Sweep or shovel into a container that can be tightly closed. Use soap and water to remove the last traces of residue.
	Do NOT combine with flammable or combustible waste.
Disposal Methods	Dispose of spill waste according to Section 13.



Section 7: Handling and Storage		
Prevention	Keep out of reach of children.	
	Do not eat, drink, or smoke when using this product.	
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials.	
	Avoid breathing dust. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation, wear respiratory protection.	
	Avoid release to the environment.	
Handling	Wear protective gloves, protective clothing, and eye protection or face protection. Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.	
	Wash hands thoroughly after handling.	
Storage	Store in a well-ventilated place. Keep container tightly closed.	
	Store locked up.	

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
ammonium persulfate	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	0.1 mg/m ³ Not established 0.1 mg/m ³ 0.1 mg/m ³ Not established	Not established Not established Not established Not established Not established Not established

Note: The ACGIH¹, OSHA, and Canadian provinces exposure limits were consulted. Limits from by RTECS database² and from suppliers' SDSs were also consulted. Short term exposure limits (STEL) are usually for 15 min and long term permissible exposure limits (PEL) for 8 h.

Section continued on the next page

Page **7** of **15**



Engineering Controls	
Ventilation	Keep airborne concentrations below the occupational exposure limits (OEL).
Personal Protective Equ	ipment
Eye protection	Wear appropriate protective eyeglasses or chemical safety goggles.
	RECOMMENDATION: Ensure that glasses have side shields for lateral protection.
Skin Protection	For likely contacts, use of nitrile or other chemically resistant gloves.
	For incidental contacts, use nitrile or other chemically resistant gloves.
Respiratory Protection	For over-exposures up to 10 x OEL of dusts, wear respirator such as a full-face particle respirator type N100 (US).
	Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.
	RECOMMENDATION: Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional. Ensure vapor cartridges are stored in sealed plastic bags when not being used.

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.

Page 8 of 15



Section 9: Physical and Chemical Properties

Physical State	Solid	Lower Flammability Limit	Not available
Appearance	White powder	Upper Flammability Limit	Not available
Odor	Not	Vapor Pressure	Not
	available	@20 °C	available
Odor Threshold	Not available	Vapor Density	Not applicable
рН	Not available	Relative Density @25 °C	1.98 (crystalline)
Freezing/Melting	Not	Solubility in	600 g/L
Point	available	Water	
Initial Boiling	Not	Partition Coefficient	Not
Point	available	n-octanol/water	available
Flash Point	Not	Auto-ignition	Not
	available	Temperature	available
Evaporation	Not	Decomposition	>120 °C
Rate	available	Temperature	[>248 °F]
Flammability	Non	Viscosity	Not
	flammable	@25 °C	applicable

Section 10: Stability and Reactivity

Reactivity	May decompose on exposure to moist air or water and heat.
Chemical Stability	Chemically stable at normal temperatures and pressures.
Conditions to Avoid	Ignition sources, open flames, and incompatible substances
Incompatibilities	Strong oxidizing agents, inflammable or combustible organic materials, powedered metals
Polymerization	Will not occur
Decomposition	Will not decompose under normal conditions. For thermal decomposition, see combustion products in Section 5.



Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

Eyes	May cause redness, severe irritation, or pain.
Skin	May cause skin redness, irritation, dry skin, or allergic contact dermatitis.
Inhalation	May cause cough, irritation of the respiratory track, wheezing, and laboured breathing.
Ingestion	May cause nausea, diarrhea, sore throat, and vomitting.
Chronic	Prolonged and repeated exposure may lead to respiratory and skin

Acute Toxicity (Lethal Exposure Concentrations)

sensitization.

Chemical Name	LD50	LD50	LC50
	oral	dermal	inhalation
ammonium persulfate	689 mg/kg	>2 000 mg/kg	>2.95 mg/L
	Rat	Rat	Rat

Note: Toxicity data from the RTECS² and ECHA databases were consulted. The data from supplier (M)SDS were also consulted.

Other Toxicological Effects

Skin corrosion/irritation	Ammonium persulfate causes skin irritation.
Serious eye damage/irritation	Ammonium persulfate causes serious eye irritation.
Sensitization (allergic reactions)	May cause an allergic respiratory and skin reaction
Carcinogenicity (risk of cancer)	None of the ingredients are classified or listed as a carcinogen by IARC, ACGIH, CA Prop 65, or NTP.
Mutagenicity (risk of heritable genetic effects)	Based on available data, the classification criteria are not met.
Reproductive Toxicity (risk to sex functions)	Based on available data, the classification criteria are not met.

Section continued on the next page

Page 10 of 15



Teratogenicity (risk of fetus malformation)	Based on available data, the classification criteria are not met.
STOT-single exposure	Ammonium persulfate may cause respiratory irritation.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<u>http://echa.europa.eu</u>), and other reliable sources.

Ammonium persulfate does not meet classification criteria for aquatic environmental toxicants with minimal LC50 and EC50 of generally >100 mg/L.

 Ammonium persulfate has minimal LC50 96 h of 76.3 mg/L for Oncorhynchus mykiss (rainbow trout); EC50 48 h of 120 mg/L Daphnia magna (water flea) and EC50 72 h of 136 mg/L for Phaeodacttylum tricornutum (marine algae).

Acute Ecotoxicity

Based on available data, the classification criteria are not met.

Chronic Ecotoxicity

Based on available data, the classification criteria are not met.

Biodegradability and Persistence

Not applicable

Bioaccumulation Potential

Not available

Other Effect

Not available

Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

Page **11** of **15**



Section 14: Transport Information

Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); **USA DOT 49 CFR** (Parts 100 to 185) **Regulations.**

Sizes 5 kg and under 410-1KG Limited Quantity



Sizes greater than 5 kg 410-25KG **UN number**: UN1444 **Shipping Name:** Ammonium Persulfate **Class:** 5.1 **Packing Group**: III Marine Pollutant: No

Air

Refer to ICAO-IATA Dangerous Goods Regulations.		
Sizes 10 kg and under 410-1KG Limited Quantity Net Qty per Inner Container = 1 kg	Sizes up to 25 kg 410-25KG UN number: UN1444 Shipping Name: Ammonium Persulfate Class: 5.1 Packing Group: III Marine Pollutant: No	

Section continued on the next page

Page **12** of **15**



Sea

Refer to IMDG regulations.		
Sizes 5 kg and under <i>410-1KG</i> Limited Quantity	Sizes greater than 5 kg 410-25KG UN number: UN1444 Shipping Name: Ammonium Persulfate Class: 5.1 Packing Group: III Marine Pollutant: No	5.1

Note: Shipper must be appropriately <u>trained and certified</u> before involvement with the transport of dangerous goods.

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

USA

Other Classifications

HMIS® RATING



NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend: 0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

Section continued on the next page

Page **13** of **15**



CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain substances that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product does not contain substances which are subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity, USA).

This product does not contain any substances on the California Proposition 65 list.

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronic equipment and is therefore not governed by this regulation.

Section 16: Other Information

Prepared by the	Regulatory Affairs Department
Date of Review	26 February 2020
Supersedes	11 December 2019

Reason for Changes: Update to the emergency contact information.

Reference

1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).

2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

Section continued on the next page

Page **14** of **15**



Abbreviations

- ACGIH American Conference of Governmental Industrial Hygienists (USA)
- EC50 Half maximal effective concentration
- EL50 Half maximal effective loading
- IARC International Agency for Research on Cancer
- NOELR No observable effect loading ratio
- NTP National Toxicology Program
- GHS Globally Harmonized System of Classification of Labeling of Chemicals
- LC50 Lethal Concentration 50%
- LCLo Lowest published lethal concentration
- LD50 Lethal Dose 50%
- OEL Occupational Exposure Limit
- PEL Permissible Exposure Limit
- SDS Safety Data Sheet
- STEL Short-Term Exposure Limit
- TCLo Lowest published toxic concentration
- TWA Time Weighted Average
- VOC Volatile Organic Content

Technical Queries Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at <u>www.mgchemicals.com</u>.

Email: support@mgchemicals.com

Mailing Addresses	Manufacturing & Support	Head Office
	1210 Corporate Drive	9347–193rd Street
	Burlington, Ontario, Canada L7L 5R6	Surrey, British Columbia, Canada V4N 4E7

Disclaimer This safety data sheet is provided as an information resource only. *M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.

Page **15** of **15**

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Chemicals category:

Click to view products by MG Chemicals manufacturer:

Other Similar products are found below :

DP-605NS 3045-QT 3125-9S 5200-WHITE-3OZ 3748-Q-58"x8" FO-25DT Polygun-LT S1009-KIT-A-CS8606 DP100-200ML 1743-2FP 152-KA-NC VERSIL406 826-450G 3789-Q 9729 9223 9945 700000275 1601 8330-19G 842AR-15ML 841AR-150ML 842AR-P 843WB-15ML 8462-85ML 4354-1L 838AR-P 838AR-15ML 419D-P-BK 419D-P-GR 419D-P-WH 8MT-450 8MT-25 832HD-25ML 8616-25ML 832FX-450ML 834ATH-375ML 832HD-400ML 8617-1P 843AR-340G 9310-300ML 847-1P 4228-225ML 419D-55ML 8800-375ML 8810-375ML 8820-2.55L 419E-340G 842UR-12ML 419D-1L