

Swabs Technical Data Sheet

810/810D, 811, 812, 812AS, 813, 814, 8112A, 8113

Description

MG Chemicals line of swabs are offered in chamois, cotton, and foam tips. The swabs are designed with a round, tapered, or rectangular tip shape that are suited for all general and precision cleaning applications.

Applications & Usages

The chamois are ideal for cleaning sensitive tape, audio, and optical heads. The cotton and foam swabs are designed for cleaning equipment, removing flux residues, applying adhesives, and absorbing chemical residues.

Benefits and Features

- ESD safe—Cat No. 814 and 812AS
- Non-abrasive
- 100 ppi medical grade head—Cat No. 812 and 8113
- Low to zero lint and residue free
- Can be used with IPA (isopropyl alcohol) or DI (distilled) water

Product Details

Cat No.		Overall Length	Tip Length	Handle Length	Handle Material	Tip End	Quantity per Bag
Chamois Sv	wab						
550	810-15	4"	0.9"	3.2"	Plastic	Single	15
	810-50	4"	0.9"	3.2"	Plastic	Single	50
	810-500	4"	0.9"	3.2"	Plastic	Single	500
	810D-15	5"	0.9"	3.2"	Plastic	Double	15
	810D-50	5"	0.9"	3.2"	Plastic	Double	50
	810D-500	5"	0.9"	3.2"	Plastic	Double	500
Double Hea	aded Cotton Sv	wab					
1	811-100	6"	0.5"	5"	Wood	Double	100
Foam Over	Cotton Swab						
0	812-10	6"	0.5"	5.5"	Wood	Single	10
()	812-50	6"	0.5"	5.5"	Wood	Single	50
	812-250	6"	0.5"	5.5"	Wood	Single	250
MT 1822	812-1000	6"	0.5"	5.5"	Wood	Single	1 000
Anti-Static	Foam Over Co	otton Swab			·		•
	812AS-10	6"	0.8"	5.3"	Wood	Single	10
	812AS-250	6"	0.8"	5.3"	Wood	Single	250
1 ano	812AS-1000	6"	0.8"	5.3"	Wood	Single	1 000



Swabs Technical Data Sheet

810/810D, 811, 812, 812AS, 813, 814, 8112A, 8113

Cat No.		Overall Length	Tip Length	Handle Length	Handle Material	Tip End	Quantity per Bag
Foam Swal)						
	813-10	6"	0.6"	5.5"	Wood	Single	10
	813-50	6"	0.6"	5.5"	Wood	Single	50
K.M.	813-250	6"	0.6"	5.5"	Wood	Single	250
/	813-1000	6"	0.6"	5.5"	Wood	Single	1 000
Rectangula	r Foam Swab						
	814-10	5.5"	0.9"	4.5"	Polypropylene	Single	10
	814-50	5.5"	0.9"	4.5"	Polypropylene	Single	50
1	814-250	5.5"	0.9"	4.5"	Polypropylene	Single	250
	814-1000	5.5"	0.9"	4.5"	Polypropylene	Single	1 000
Tapered Co	otton Swab	I		1		•	
9	8112A-100	5.875"	0.5"	5.812"	Wood	Single	100
Cotton Tipp	ped Application	n Swab					
	8113-25	3.2"	0.4"	2.5"	Polypropylene	Double	25
1	8113-25000	3.2"	0.4"	2.5"	Polypropylene	Double	25 000

Note: All lengths are an approximation.

Technical Support

Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at <u>www.mgchemicals.com</u>.

Email: support@mgchemicals.com

Phone: +(1) 800-340-0772 (Canada, Mexico & USA) +(1) 905-331-1396 (International) Fax: +(1) 905-331-2862 or +(1) 800-340-0773

Mailing address: Manufacturing & Support 1210 Corporate Drive Burlington, Ontario, Canada L7L 5R6

Head Office 9347–193rd Street Surrey, British Columbia, Canada V4N 4E7



Swabs Technical Data Sheet

810/810D, 811, 812, 812AS, 813, 814, 8112A, 8113

Warranty

M.G. Chemicals Ltd. warranties this product for 12 months from the date of purchase by the end user. *M.G. Chemicals Ltd.* makes no claims as to shelf life of this product for the warranty. The liability of *M.G. Chemicals Ltd.* whether based on its warranty, contracts, or otherwise shall in no case include incidental or consequential damage.

Disclaimer

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly. *M.G. Chemicals Ltd.* does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Swabs category:

Click to view products by MG Chemicals manufacturer:

Other Similar products are found below :

2310-10 8112A-100 CCT2425 38040 CM502 CC50 CF3050 814-10 2306-1000 2303-1000 2316-50 48040 21050 36060ESD 38040ESD 41050 41050ESD 44070 44070ESD CF1050 CF4050 CT100 CX50 2313-30 2314-10 810-50 2301-100 52121 2307-1000 2309-10 2311-10 2301-1000 2302-50 2300-100 (100 PK) 25123X 25183 31040ESD CS25 CT5000 CXM50 810-15 810D-15 810D-50 811-100 812-10 812-50 813-50 814-50 813-10 FSWB-C