## MHDTZI Series Diecast & D-Sub Connector Kit | Machined



## Description

- Machined D-Sub connector, solder bucket contacts, Gold plated all over
- Strong Nickel plated, diecast Zinc hood
- Re-openable
- Straight cable entry
- Two strain relief clamps, secured with 4 screws for added security
- Will accommodate up to 13.0mm diameter cable
- 4-40 UNC jackscrews


## **Specification**


D-Sub	
Voltage Rating	250V
Current Rating	5 Amps
Contact Resistance	25mΩ Max
Insulation Resistance	1000ΜΩ
Operating Temperature	-55°C to 105°C
Shell	Tin plated Steel
Insulator Material	Glass filled Polyester
Contact Material	Copper alloy
Contact Plating	Gold over Nickel




Hood	
No. Contacts	9, 15 & 25
Kit Type	D-Sub connector kit
Housing Material	Nickel plated Zinc
Cable Entry	Straight
Cable OD	Up to 13.0mm

The Kit Contains	
Backshell Halves	x2
Strain relief screws	x4
Housing screws	x2
4-40 UNC jackscrews	x2
Metallised plastic compression inserts	x1







Male Dimensions

15

25.25mm

33.32mm

39.14mm

27.56mm

25

38.96mm

47.04mm

53.04mm

41.30mm

09

16.92mm

24.99mm

30.81mm


19.23mm


А

В

С

D





MAING FACE										
Female Dimensions										
	09	15	25							
А	16.33mm	24.66mm	38.38mm							
В	24.99mm	33.32mm	47.04mm							
С	30.81mm	39.14mm	53.04mm							
D	19.28mm	27.51mm	41.30mm							
E	1.0mm	1.0mm	1.0mm							
F	10.8mm	10.8mm	10.8mm							
G	2.30mm	2.30mm	2.30mm							

Hood Dimensions										
Size	A	В	С	D						
00	34.0mm	45.0mm	14.6mm	24.99mm						
09	1.34″	1.77″	0.57″	0.984″						
1 5	43.0mm	45.0mm	14.6mm	33.32mm						
15	1.69″	1.77″	0.57″	1.312″						
25	56.5mm	45.0mm	14.6mm	47.04mm						
25	2.22″	1.77″	0.57″	1.852″						

25	56.5mm	45.0mm	n 14.6mm	47.04mm	E	1.0	)mm	1.0n	nm	1.0mm		E	E 1.0n		1.0mm	1.0mm
25	2.22″	1.77″	0.57″	1.852″	F	10.	8mm	10.8	mm	10.8mm		F	10.8mm		10.8mn	n 10.8mm
			G	2.7	2.7mm		nm	2.7mm		G	2.30mm		2.30mn	n 2.30mm		
				Н	5.8	5.84mm 5.84		mm 5.84mm								
	Part No.	Nor	Norcomp Part No. Positions Male/Female Contact Type		ct Type	Ноос	d Part No.	Norcomp Part No.			D-Su	b Part No.	Norcomp Part No.			
MHD	TZI9-DM9P	-к 999	9-009-A30M102	9 Pin	Ma	ale	Mach	nined	MHDTZI9-K		96	961-009-030R121		1 MHDM9SP		172-009-102R001
MHDT	ZI15-DM15	Р-К 999	9-015-A30M102	15 Pin	Ma	ale	Mach	nined	MHDTZI15-ł		96	961-015-030R121		MHDM15SP		172-015-102R001
MHDT	ZI25-DM25	Р-К 999	9-025-A30M102	25 Pin	Ma	ale	Mach	nined	MHDTZI25-K		961-025-030R121		MHDM25SP		172-025-102R001	
MHD	TZI9-DM9S	-K 999	9-009-A30M202	9 Pin	Ferr	nale	Mach	nined	MF	IHDTZI9-K		961-009-030R121		MHDM9SS		172-009-202R001
MHDT	ZI15-DM15	S-K 999	9-015-A30M202	15 Pin	Ferr	nale	Mach	nined	МН	MHDTZI15-K		961-015-030R121		MHDM15SS		172-015-202R001
MHDT	ZI25-DM25	S-K 999	9-025-A30M202	25 Pin	Ferr	nale	Mach	nined	MH	MHDTZI25-K		961-025-030R121		МН	IDM25SS	172-025-202R001





## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for D-Sub Standard Connectors category:

Click to view products by MH Connectors manufacturer:

Other Similar products are found below :

 56F711-015
 LV242999-142T12
 015-0341-000
 015-0372-005
 015-0372-008
 015-8755-001
 020419-0104
 012-0467-000
 012-9507-034
 012 

 9507-114
 020745-0008
 609-25P
 CT2-14S-2PCA34
 CT2-18-11PCAU
 CT6-10SL-3SC
 CT6-10SL-4SC
 CT6-14S-2SC
 CT6E14SA7SC

 M83513/01-FC
 M83723/76W24619
 L/C
 M85049/48-3-2F
 6STD09PCM99B70X
 6STD09SCM99B30X
 6STD09SCT99S40X

 6STD15PCT99S40X
 6STD15SCM99B30X
 6STD15SCT99S40X
 6STF09PCM05B70X
 7-135760-9
 MC11E-10-6SN
 747552-3
 MD1-21PS

 MDM-15SCBRM7-F222
 MDM96517-699
 MDM96521-744
 MDVB1-21SL1
 MIK0-1-7SH003
 MIKQ6-7SH076
 MIKQ7-7PH077
 MIKQ7 

 7PH11
 MIKQ7-7PH32
 MJSV-28SL61
 MKJ4A1F14-55S
 8-135760-3
 8STD09PCM99B30X
 PG-KV/PV-16-GROM-SEALING
 GDA15P

 GDAY15PB
 980-0000-170
 980-0000-171
 980-0000-171
 980-0000-171