

DESCRIPTION

The LX5535 is a power amplifier optimized for WLAN applications in the 2.4-2.5 GHz frequency range. The PA is implemented as a three-stage monolithic microwave integrated circuit (MMIC) with active bias and output pre-matching.

The device is manufactured with an InGaP/GaAs Heterojunction Bipolar Transistor (HBT) IC process (MOCVD). With single low voltage supply of 5V, it provides 32 dB power gain between 2.4-2.5GHz, at a low quiescent current of 120mA.

The output power for EVM(Error Vector Magnitude) of 3.5% is 25dBm (64QAM/54Mbps), where the PA consumes 260mA total DC current.

The LX5535 is available in a 16-pin 3mm x 3mm micro-lead package (MLPQ-16L). The compact footprint, low profile, and thermal capability of the MLP package makes the LX5535 an ideal solution for high-gain power amplifier requirements for IEEE 802.11b/g and WiMAX applications.


IMPORTANT: For the most current data, consult MICROSEMI's website: <http://www.microsemi.com>

KEY FEATURES

- Advanced InGaP HBT
- 2.4-2.5GHz Operation
- Single-Polarity 3-5V Supply
- Quiescent Current 120mA
- Power Gain 32 dB
- Power for EVM~3.5 %
- 54Mbps/64QAM : 25dBm
- Total Current 260mA for Pout=25dBm, 802.11g
- 802.11b mask-compliant power : 28dBm
- Total Current 370mA for Pout=+28dBm, 802.11b
- Small Footprint: 3x3mm²
- Low Profile: 0.9mm

APPLICATIONS

- IEEE 802.11b/g
- IEEE 802.16 WiMAX

PRODUCT HIGHLIGHT

PACKAGE ORDER INFO
LQ

Plastic MLPQ
3x3 16 pin
RoHS Compliant / Pb-free
LX5535LQ

Note: Available in Tape & Reel.
Append the letter "TR" to the part number.
(i.e. LX5535LQ-TR)

NOTES

Thank you for your interest in Microsemi® Analog Mixed Signal products.

The full data sheet for this device contains proprietary information.

To obtain a copy, please contact your local Microsemi sales representative. The name of your local representative can be obtained at the following link

<http://www.microsemi.com/contact/contactfind.asp>

or

Contact us directly by sending an email to:

IPGdatasheets@microsemi.com

Be sure to specify the data sheet you are requesting and include your company name and contact information and or vcard.

We look forward to hearing from you.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Amplifier category](#):

Click to view products by [Microchip manufacturer](#):

Other Similar products are found below :

[A82-1](#) [BGA622H6820XTSA1](#) [BGA 728L7 E6327](#) [BGB719N7ESDE6327XTMA1](#) [HMC397-SX](#) [HMC405](#) [HMC561-SX](#) [HMC8120-SX](#)
[HMC8121-SX](#) [HMC-ALH382-SX](#) [HMC-ALH476-SX](#) [SE2433T-R](#) [SMA3101-TL-E](#) [SMA39](#) [A66-1](#) [A66-3](#) [A67-1](#) [LX5535LQ](#) [LX5540LL](#)
[MAAM02350](#) [HMC3653LP3BETR](#) [HMC549MS8GETR](#) [HMC-ALH435-SX](#) [SMA101](#) [SMA32](#) [SMA411](#) [SMA531](#) [SST12LP17E-XX8E](#)
[SST12LP19E-QX6E](#) [WPM0510A](#) [HMC5929LS6TR](#) [HMC5879LS7TR](#) [HMC1126](#) [HMC1087F10](#) [HMC1086](#) [HMC1016](#) [SMA1212](#)
[MAX2689EWS+T](#) [MAAMSS0041TR](#) [MAAM37000-A1G](#) [LTC6430AIUF-15#PBF](#) [CHA5115-QDG](#) [SMA70-2](#) [SMA4011](#) [A231](#) [HMC-](#)
[AUH232](#) [LX5511LQ](#) [LX5511LQ-TR](#) [HMC7441-SX](#) [HMC-ALH310](#)