




development solutions

www.mikroe.com



Home for 250 PICs



Visual TFT™
and Visual GLCD™ software



mikroC™, mikroBasic™ and mikroPascal™ PRO for PIC® compilers

mikroProg™ for PIC®, dsPIC® and PIC32® programmer & debugger



PIC®


development solution

Rich set of development tools for Microchip® PIC® MCUs, including C, Basic and Pascal Compilers, Development Boards, Programmers / Debuggers and more.

IDC10 and Click™ add-on boards

EasyPIC PRO v7

A full-featured development board for high pin-count 8-bit PIC® microcontrollers



mikromedia™ for PIC18FJ®

EasyPIC™ v7

Top seller PIC® Development Board for 250 Microchip PIC® MCUs in DIP packaging

CLICK A PRODUCT
TO SEE THE
DETAILS



mikroC™, mikroBasic™
and mikroPascal™ PRO for
dsPIC®/PIC24® compilers



<http://www.mikroe.com/dspic/>

Visual TFT™
and Visual GLCD™ software




mikroProg™ for PIC®,
dsPIC® and PIC32® programmer &
debugger



dsPIC® development solution

Full set of development tools, compilers
and debuggers for low power and
peripheral-rich dsPIC30/33® and
PIC24® devices from Microchip®.

IDC10 and Click™
add-on boards



mikromedia™ for PIC24®,
dsPIC33®, PIC24EP®
and dsPIC33EP®

EasyPIC™ Fusion v7

A full-featured development
board for Microchip dsPIC33®,
PIC24® and PIC32® microcontrollers



EasyPICv7 for dsPIC30®
Development board for Microchip®
dsPIC30F® devices in DIP packaging



Visual TFT™
and Visual GLCD™ software




mikroC™, mikroBasic™
and mikroPascal™ PRO
for PIC32® compilers

mikroProg™ for PIC®, dsPIC® and PIC32®
programmer & debugger



PIC32® development solution

Full set of development tools, compilers
and debuggers for high-performance and
peripheral-rich PIC32® microcontrollers
from Microchip®.



IDC10 and Click™
add-on boards

EasyPIC™ Fusion v7

A full-featured development
board for Microchip dsPIC33®, PIC24®
and PIC32® microcontrollers



mikromedia™ for PIC32®

multimedia for PIC32MX7

Platform for multimedia development
on a powerful PIC32MX795F512L.
Board features 320x240px TFT Touch Screen



NOMINATED FOR
embedded AWARD 2013
In the Best Tools Category



EasyPIC Fusion^{v7}
16-bit and 32-bit worlds united.



Visual TFT™
and Visual GLCD™ software



mikroC™, mikroBasic™
and mikroPascal™ PRO
for ARM® compilers


mikroProg™ for Stellaris®
and mikroProg® for STM32®
programmers & debuggers



Stellaris® - MIKROE-1031
STM32® - MIKROE-1100


ARM® development solution

Complete development toolchain for
ARM Cortex-M3 and Cortex-M4 MCUs,
including Compilers, Development
Boards, Programmer / Debugger.



IDC10 and Click™
add-on boards

EasyMx PRO™ v7 for Stellaris™
Development board for TI Stellaris®
ARM® Cortex™-M3 and Cortex™-M4 devices




mikromedia™ for Stellaris® M3,
STM32 M3 and STM32 M4

EasyMx PRO™ v7 STM32
Development board for STM32®
ARM® Cortex™-M3 and Cortex™-M4 devices

CLICK A PRODUCT TO SEE THE DETAILS

<http://www.mikroe.com/avr/>

mikroC™, mikroBasic™ and mikroPascal™ PRO for AVR® compilers



Visual TFT™ and Visual GLCD™ software




mikroProg™ for AVR® programmer



AVR® development solution

Rich set of development tools - boards, compilers, programmers and additional software for popular Atmel® AVR® microcontrollers.

IDC10 and Click™ add-on boards




mikromedia™ for XMEGA

BIGAVR6™
Development tool for 64- and 100-pin AVR® microcontrollers



EasyAVR v7
Development tool for Atmel® AVR® microcontrollers in DIP packaging






mikroC™, mikroBasic™
and mikroPascal™ PRO
for 8051® compilers



MIKROE-257



\$24.00

8051-ready
Small development board with MCU sockets, USB-UART module and breadboard area




MIKROE-1382

\$69.00

mikroProg™ for 8051
Supports all Atmel® AT89 devices.

8051[®] development solution

Full set of development tools, compilers and programmers for 8051 microcontrollers from Atmel® and Silabs®.



IDC10 add-on boards


MIKROE-598



\$169.00

BIG8051
Full-featured development environment for Silicon Labs C8051Fxxx microcontrollers

MIKROE-455



\$139.00


Easy8051™ v6
A development board for Atmel® 8051 microcontrollers in DIP, PLCC44 and PLCC32 packaging

ASLK PRO



ASLK PRO

Learn analog with ease



The best tool for students

Depictive board markings



Everything is already here

Long lasting quality




Built from the best components

Manuals that teach



14 exercises and examples

Analog System Lab Kit PRO is designed for **undergraduate engineering students** to perform analog lab experiments. The main idea with ASLK PRO is to provide a **cost efficient platform** or test bed for students to develop almost any analog system using general purpose ICs such as OP-Amps and analog multipliers.



\$99⁰⁰

11 sections on the board for 14 fantastic experiments

Everything that an engineer needs

ASLK PRO comes with three general-purpose operational amplifiers (TL082) and three wide-bandwidth precision analog multipliers (MPY634) from Texas Instruments. We have also included two 12-bit parallel-input multiplying digital-to-analog converters DAC7821, a wide-input non-synchronous buck-type DC/DC controller TPS40200, and a low dropout regulator TPS7250 from Texas Instruments. A portion of ASLK PRO is left for general-purpose prototyping and carrying out mini-projects.

MIKROE-957

Analog System Lab Kit PRO from Texas Instruments, produced by mikroElektronika

mikromedia+



mikromedia+

MIKROE-1399



for PIC32MX7

Develop multimedia rich applications using this amazingly compact all-in one board. It features 4,3" TFT Touch Screen and over 20 on-board modules connected to a high-performance **PIC32MX7®**. It's delivered with a set of fun demonstration examples.

MIKROE-1398



for Stellaris ARM

A large 4,3" TFT Touch Screen and over 20 on-board modules connected to a high-performance **Stellaris® ARM® Cortex™-M4** microcontroller with on-chip FPU and DSP. They make a perfect choice for your demanding ideas.

MIKROE-1397




for STM32 ARM

Smart TFT Touch Screen device or a multimedia development board - it's up to you. It carries a powerful **STM32F407ZGT6 ARM Cortex-M4** MCU and loads of on-board modules, making it a perfect choice for your projects.




Ever Tried **168MHz**


on a microcontroller?



mikromedia+
for STM32



ARMY OF CLICKS



click boards

one SOCKET



for **ALL**
click boards



Just place the **Click™ board** you need into the innovative new **mikroBUS™** host socket and it's ready to work right away. Adding **new functionality** to your development board was never so easy!



Flash click

\$10⁰⁰



DIGI POT click

\$16⁹⁰



IrDA2 click

\$25⁹⁰



BUZZ click

\$9⁰⁰



microSD click

\$16⁰⁰



RTC click

\$21⁰⁰



RTC2 click

\$21⁰⁰



EEPROM click

\$8⁰⁰



THERMO click

\$29⁰⁰



MP3 click

\$21⁹⁰



Opto click

\$21⁰⁰



CAN SPI click

\$21⁰⁰

5V



CAN SPI click 3.3V

\$21⁰⁰

3.3V



BEE click

\$29⁰⁰



ADC click

\$24⁰⁰



DAC click

\$18⁰⁰




Light (IR) click

\$17⁹⁰



EXPAND click

\$12⁰⁰

MIKROE-1201

7seg click
\$10⁰⁰

MIKROE-1203

USB UART click
\$13⁹⁰

MIKROE-1204

USB SPI click
\$13⁹⁰

MIKROE-925

RS485 click 5V
\$18⁰⁰

MIKROE-989

RS485 click 3.3V
\$18⁰⁰

MIKROE-1194

Accel click
\$19⁰⁰

MIKROE-1379

Gyro click
\$25⁰⁰

MIKROE-1296

4-20mA T click
\$26⁰⁰

MIKROE-1387

4-20mA R click
\$26⁰⁰

MIKROE-971

ETH click
\$24⁰⁰

MIKROE-1135

WiFi PLUS click
\$45⁰⁰

MIKROE-1032

GPS click
\$49⁰⁰

MIKROE-1133

GPS click - L10
\$44⁰⁰

MIKROE-1374

GPS2 click
\$44⁰⁰

MIKROE-1306

8x8 G click
\$15⁰⁰

MIKROE-1295

8x8 R click
\$15⁰⁰

MIKROE-1294

8x8 Y click
\$15⁰⁰

MIKROE-1307

8x8 B click
\$18⁰⁰

MIKROE-1304

nRF C click
\$19⁰⁰

MIKROE-1305

nRF T click
\$16⁰⁰

MIKROE-1297

DALI click
\$25⁰⁰


MIKROE-1386



\$25⁰⁰

Compass click

MIKROE-949



\$26⁰⁰

SHT1x click


MIKROE-1377



\$9⁵⁰

IR click


MIKROE-1361



\$29⁰⁰

IrThermo click 3.3V

MIKROE-1362



\$29⁰⁰

IrThermo click 5V

MIKROE-958



\$41⁹⁰

BlueTooth click

MIKROE-1389



\$59⁰⁰

Bluetooth2 click

MIKROE-1366



\$35⁰⁰

OSD click

MIKROE-1370



\$18⁰⁰

RELAY click

MIKROE-1298



\$49⁰⁰

GSM click

MIKROE-1375



\$44⁰⁰

GSM2 click

MIKROE-1431



\$29⁰⁰

FM click


MIKROE-1430



\$39⁰⁰

EVE click

MIKROE-1423



\$12⁰⁰

BarGraph click


MIKROE-1421



\$29⁰⁰

FTDI click

MIKROE-1396



\$24⁰⁰

Current click

MIKROE-1432



\$6⁵⁰

Adapter click

MIKROE-1422



\$25⁰⁰

Pressure click

MIKROE-1424



\$18⁰⁰

Light click

MIKROE-1489



\$14⁵⁰

Altitude click

MIKROE-1444



\$35⁰⁰

Thunder click

MIKROE-1436




\$34⁰⁰

3.3V

Fiber Opt click 3.3V

MIKROE-1470



\$34⁰⁰

5V

Fiber Opt click 5V

MIKROE-1486




\$15⁰⁰

3.3V

FRAM click

MIKROE-1506



\$22⁰⁰

Joystick click

MIKROE-1445



\$17⁰⁰

Proximity click

MIKROE-1438



\$15⁰⁰

Color click

MIKROE-1435



\$22⁰⁰

ccRF click

MIKROE-1433



\$29⁰⁰

click USB adapter


MIKROE-1446



\$16⁰⁰

CapSense click

MIKROE-1487



\$19⁰⁰

PIC clicker



PIC[®] clicker



This amazingly compact starter development kit brings dozens of Click™ add-on boards that will inspire you to make great projects.

New idea is just a click away!

mikromedia



mikromedia boards



mikromedia for PIC32
(features PIC32MX460F512L)

Swiss Army Knives for Multimedia Developers

Create control interfaces, run multimedia content, play games, and even movies with fantastic mikromedia boards. They are barely bigger than the size of the TFT display, but are capable of supporting rich multimedia content. Mikromedia boards feature following modules:

- 320x 240 TFT with Touch Panel
- MP3 codec
- Accelerometer
- microSD card slot
- Serial Flash Memory
- USB or USB UART
- Programmer connectors
- Battery Charger with battery connector

Each mikromedia is preprogrammed with bootloader and supported in mikroElektronika compilers and Visual TFT software. They support additional shields, such as: mikroBUS, PROTO, Gaming, Connect or Battery Boost Shield.

MIKROE-1160



\$9900

mikromedia for PIC24EP
(features PIC24EP512GU810)

MIKROE-1159



\$9900

mikromedia for dsPIC33EP
(features dsPIC33FJ256GP710A)

MIKROE-606



\$9900

mikromedia for dsPIC33
(features dsPIC33FJ256GP710A)

MIKROE-1101 / MIKROE-1102



\$9900

mikromedia for STM32
(features STM32F207VGT6
or STM32F407VGT6)

MIKROE-974



\$9900

mikromedia for Stellaris M3
(features LM3S9B95)


MIKROE-755



\$9900

mikromedia for XMEGA
(features ATXMEGA128A1)

MIKROE-607



\$9900

mikromedia for PIC18FJ
(features PIC18F87J50)

MIKROE-608



\$9900

mikromedia for PIC24
(features PIC24FJ256GB110)

mikromedia accessories



We have prepared a set of extension boards pin-compatible with your mikromedia, which enable you to easily expand your board basic functionality. We call them mikromedia shields.

MIKROE-1154




mikroBUS Shield - \$7⁵⁰

MIKROE-712




Battery BOOST Shield - \$14⁰⁰

MIKROE-767



PROTO Shield - \$6⁹⁰

MIKROE-938



Connect Shield - \$16⁰⁰



Scan QR code to see
mikromedia Gaming
Shield library

mikromedia Gaming Shield - \$18⁰⁰

MIKROE-782

MINI boards

Get the **MAX** with the **MINI**[®]

Replace your DIP40 MCU with a **pin-compatible MINI board** and get **up to 40x better performance!**

Keep everything you love about 8-bit MCUs in DIP40 packaging and get up to 40x better performance. Our powerful MINI boards are **pin compatible** with **PIC18F45K2x** making them a perfect excuse to smoothly switch to 32-bit. Get used to having plenty of available memory and lots of processing power. Each **MINI** comes preloaded **with a fast USB HID bootloader**, so programming is as easy as it gets. Try it out for **\$29 only**.

28

slow

fast



MIKROE-911
PIC18F45K22



MIKROE-1368
MINI-M4 for Stellaris
contains LX4F230H5QR
(ARM[®] Cortex[™]-M4)



MIKROE-763
MINI-32
contains PIC32MX534F064H



MIKROE-1367
MINI-M4 for STM32
contains STM32F415RG
(ARM[®] Cortex[™]-M4)


 VISUAL TFT



VISUAL TFT

GUI Design Software

price:
\$9900



MIKROE-1418

NEW graphic controller from FTDI supported!

You Design - We Create Code

Just focus on designing your TFT user interface, and the software will make sure to create microcontroller code for you automatically.

Intuitive Drag-n-Drop Interface

Visual TFT is really easy to use. It implements standard intuitive behavior, so you will feel like using any other vector graphic editors.

SingleClick™ settings

With dozens of hardware templates, a single click on a dropdown list item does all the settings for you. Time spent: 5 seconds per project.

FT800/EVE Controller Supported

Visual TFT is the first software in the world that supports FTDI's powerful new EVE GUI platform, and it's rich set of features.



VISUAL TFT IS A STANDALONE APPLICATION USED FOR RAPID DEVELOPMENT OF GRAPHICAL USER INTERFACES FOR TFT DISPLAYS.




SOFTWARE GENERATES CODE COMPATIBLE WITH MIKROC, MIKROBASIC AND MIKROPASCAL COMPILERS FOR ALL SUPPORTED MCU ARCHITECTURES.



VISUAL TFT SUPPORTS MORE THAN 10 POPULAR DISPLAY CONTROLLERS AND 5 DIFFERENT DISPLAY SIZES. PICK THE BEST ONE FOR YOUR PROJECT.



WE MADE SURE TO PROVIDE MANY INTERESTING EXAMPLES AND A COMPREHENSIVE HELP FILE THAT WILL HELP YOU TO GET STARTED QUICKLY.



Free upgrades

Software is constantly improved and new functionalities are added with each new release. Owners of Visual TFT licenses are entitled to free upgrades, which takes just a minute of your time.



Free Support

Visual TFT license guarantees you free product lifetime technical support, so you can rely on our help when developing.



Best price/performance

With Visual TFT you get full-featured and powerful GUI development tool, and at the same time very intuitive and easy-to-use. No other software offers so much at such a price.



Meet EVE



ConnectEVE
\$69⁰⁰



EVE click
\$39⁰⁰

Five star graphics even on 8-bit MCUs

We are proud to be the first manufacturer in the world to release two boards for FTDI Chip's cutting-edge **FT800/EVE graphics controller**. We call them **ConnectEVE** and **EVE click**. **ConnectEVE** brings fast and visually stunning user interfaces to your devices. It's state-of-the-art FT800Q graphics controller integrates display, audio and touch onto a low cost, easy-to-use, single-chip solution. Twelve components (widgets) natively supported by FT800Q chip, transparency support, anti-aliasing and other features will make your designs shine. **EVE Click** features FT800Q graphics controller and additional modules all packed in mikroBUS™ form factor. It communicates with a microcontroller over **SPI interface** (up to 30 MHz). EVE click contains flat cable connector for connecting 4.3" touchscreens. **Now even 8-bit MCUs can run GUI devices without worrying about performance**. FT800 easily handles 4.3" touch screen with 480x272px resolution. We provide free FT800 library for all of our mikroC, mikroBasic and mikroPascal compilers.

c.  mmunity

<http://www.mikroe.com/esupport/>

FREE SUPPORT

MikroElektronika offers Free Tech Support, so if something goes wrong, we will be ready and willing to help!

<http://www.mikroe.com/forum/>

FORUM

Over **29.500 members**, **205.000 posts** and resourceful topics with solutions and code snippets make our forum a great place for embedded developers.

<http://www.libstock.com/>

LIBSTOCK®

Libstock is a free community website for sharing and downloading code: projects, libraries and examples. It hosts some of mikroElektronika exclusive libraries, like USB Device Library, Network Ethernet Library, WiFi Library, FAT32 library, but among **670 projects** you can find PID, Modbus and many other libraries as well.

[facebook.com/mikroElektronika](https://www.facebook.com/mikroElektronika)

SOCIAL NETWORKS

mikroElektronika community members are very active on social networks. We often discuss interesting topics on **Facebook** and **Twitter**. Our **YouTube** and **Vimeo** channels contain video demonstration and tutorials on interesting projects. Make sure to check them out:



[facebook.com/mikroElektronika/](https://www.facebook.com/mikroElektronika/)



[youtube.com/mikroelektronika/](https://www.youtube.com/mikroelektronika/)



twitter.com/mikroel/



vimeo.com/mikroelektronika/



plus.google.com/+mikroElektronika/



[linkedin.com/company/mikroelektronika/](https://www.linkedin.com/company/mikroelektronika/)



Use your forum account to login.

LOGIN

Username:

Password:

LOGIN

Not registered? [Sign Up](#) for free!

CODE CATEGORIES

All codes (673)

- ▶ Audio & Speech (18)
- ▶ Communication (169)
- ▶ Graphics & LCD (77)
- ▶ GSM / GPRS (11)
- ▶ GPS (8)
- ▶ Measurement (100)
- ▶ Power supply (10)
- ▶ Storage (25)
- ▶ Timers (Real time clock) (43)
- ▶ Other Codes (107)
- ▶ Internal MCU modules (15)
- ▶ Gaming and Fun (30)
- ▶ RFid (4)
- ▶ Motor Control (26)
- ▶ Bootloaders (5)
- ▶ Development Systems (25)

TOP CONTRIBUTORS

1. [MikroElektronika Team](#) (116 codes)
2. [Alcides Ramos](#) (49 codes)
3. [Dany](#) (47 codes)
4. [NART SCHINACKOW](#) (34 codes)

CATEGORIES

- All codes
- Libraries
- Projects
- Visual Projects
- Examples

COMPILERS

- mikroC
- mikroBasic
- mikroPascal
- Other Compilers

SORT BY

- best rank
- oldest
- by author
- alphabetically
- most downloaded
- with source
- with example

CATEGORY: ALL CODES

<< previous | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 next >> last

Network Ethernet Library

Rating: ★★★★★

Author: [MikroElektronika Team](#)

Version: 1.0.5.0

Last Updated: 2013-07-18

Category: Ethernet

Downloaded: 14893 times

Followed by: 38 users

[Download \[14.95MB\]](#)

Description

Ethernet library designed to simplify handling of the underlying hardware (ENC24J600/ENC28J60 and internal ethernet module on PIC18 and PIC32). Library supports: TCP Stack (Server/Client), UDP, IPv4 protocol, ARP requests, ICMP echo requests, ARP client with cache, DNS client, DHCP client.

[\[learn more\]](#)

supported microcontrollers

[PIC](#) [DSPIC](#) [PIC16](#) [PIC32](#) [AVR](#) [8051](#) [ARM](#) [OTHER](#)

supported compilers

[MIKROC](#) [MIKROBASIC](#) [MIKROPASCAL](#) [OTHER](#)

supported visual tools

[VISUAL TT](#) [VISUAL C++](#) [OTHER](#)

archive format

[MPKG](#) [ZIP](#) [BIN](#)

project contains

[LIB](#) [SRC](#) [EXA](#) [HLP](#) [HEX](#) [SCH](#) [PCB](#) [DOC](#)



Timer Calculator

Rating: ★★★★★

Author: [MikroElektronika Team](#)

Version: 2.6.0.0

Last Updated: 2013-10-08

Category: [Timers \(Real time clock\)](#)

Downloaded: 13540 times

Followed by: 9 users

[Download \[1.83MB\]](#)

Description

Timer Calculator is a free software development tool used for easier calculation of timer interrupts. If you like Timer Calculator you can support further development by contributing on following page: <http://www.mikroe.com/timer-calculator/#support>

[\[learn more\]](#)

supported microcontrollers

[PIC](#) [DSPIC](#) [PIC16](#) [PIC32](#) [AVR](#) [8051](#) [ARM](#) [OTHER](#)

supported compilers

[MIKROC](#) [MIKROBASIC](#) [MIKROPASCAL](#) [OTHER](#)

supported visual tools

[VISUAL TT](#) [VISUAL C++](#) [OTHER](#)

archive format

[MPKG](#) [ZIP](#) [BIN](#)

project contains

[LIB](#) [SRC](#) [EXA](#) [HLP](#) [HEX](#) [SCH](#) [PCB](#) [DOC](#)



FAT32 Library

Rating: ★★★★★

Author: [MikroElektronika Team](#)

Version: 2.5.0.0

Last Updated: 2013-04-25

Category: [Storage](#)

Downloaded: 11548 times

Followed by: 24 users

[Download \[2.59MB\]](#)

Description

FAT32 Library. File features: -open, read, write, rename, delete, existence check, multiple file operation -file cursor manipulation -swap file creation, sector-level and file-level access Directory features: -create, rename, delete (with contents), change current directory -folder content listing -card format (MMC/SD only)

[\[learn more\]](#)

supported microcontrollers

[PIC](#) [DSPIC](#) [PIC16](#) [PIC32](#) [AVR](#) [8051](#) [ARM](#) [OTHER](#)

supported compilers

[MIKROC](#) [MIKROBASIC](#) [MIKROPASCAL](#) [OTHER](#)

supported visual tools

[VISUAL TT](#) [VISUAL C++](#) [OTHER](#)

archive format

[MPKG](#) [ZIP](#) [BIN](#)

project contains

[LIB](#) [SRC](#) [EXA](#) [HLP](#) [HEX](#) [SCH](#) [PCB](#) [DOC](#)



ABOUT MIKROELEKTRONIKA

For more than a decade MikroElektronika has been one of few companies in the world that produce **entire development toolchains** for all major microcontroller architectures. We make development boards, compilers, add-on boards, additional software and books for microcontrollers.

MikroElektronika was grounded on a simple idea. We want to provide software and hardware tools which save time of our fellow engineers and help them to get the job done quickly. We want to **make electronics understandable**, to bring it to ordinary people and help them improve their lives. On that journey we developed devices that are sophisticated, powerful, beautifully designed and what is most important - **easy to use**. We're making it easy for hobbyists and enthusiasts, but all this combined power and elegance draws a lot of professionals as well. Many professional users and well known companies are using our products. Right now we have 48% sales to companies and small businesses, around 27% to universities and high schools while the rest goes to individuals and hobbyists.

We have a passion for quality. **We do what we love and love what we do**. Each product is well thought of, and is always a part of the bigger picture where the user is the center of attention.

Our business hours are from 9 until 17, Central European Time, Monday through Friday. For offline contact, please reach us via:

Address

Phone

Fax




MikroElektronika
Batajnički drum 23
11186 Belgrade
Address Code: 201044
EUROPE

+ 381 11 78 57 600

+ 381 11 78 57 600

OUR WORLDWIDE DISTRIBUTION MAP



MikroElektronika supplies the entire world with first-class embedded solutions. Find our products with more than 60 distributors worldwide. Choose the one closest to you. Full distributors list and contact information can be found at our webpage:


<http://www.mikroe.com/distributors/>

This page is reserved for additional information provided by authorized MikroElektronika distributor



Copyright © MikroElektronika, 2013, All Rights Reserved.

development solutions



Designed by
MikroElektronika Ltd.
www.mikroe.com
December 2013.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Development Boards & Kits - Other Processors](#) category:

Click to view products by [MikroElektronika](#) manufacturer:

Other Similar products are found below :

[KIT_AURIX_TC233LP_TRB](#) [STM8S/32-D/RAIS](#) [QB-R5F110PJ-TB](#) [QB-R5F104PJ-TB](#) [SK-AD02-D62Q1747TB](#) [ST7MDT1-EMU2](#)
[KITA2GTC3975VTRBSTOBO1](#) [RTK5572TKCS00000BE](#) [ST623X-KIT/220](#) [STEVAL-ISV014V1](#) [KIT_XC836_EK_V1](#) [XIAO STARTER](#)
[KIT_SIBRAIN FOR AVR128DA64](#) [CLICKER 4 FOR TMPM3H](#) [CLICK SHIELD FOR ARDUINO UNO](#) [ACRYLIC CASE FOR XIAO](#)
[EXPANSION BOARD](#) [RSSSDemo50F-AA-13#](#) [DEMO KIT](#) [VS 1000 DEMO BOARD](#) [SIBRAIN FOR AVR64DA64](#) [XIAO RP2040](#) [GSM](#)
[CLICK 2336796](#) [CONNECTEVE](#) [R0K521380S000BE](#) [R0K578L1CD000BR](#) [LV-24-33 V6 44-PIN TQFP MCU CARD EMPTY](#) [LV-24-33](#)
[V6 80-PIN TQFP 1 MCU CARD EMPTY](#) [32X32 RGB LED MATRIX PANEL - 6MM PITCH](#) [READY FOR XMEGA CASING \(WHITE\)](#)
[RELAY4 BOARD](#) [ETHERNET CONNECTOR](#) [RFID CARD 125KHZ - TAG](#) [RFID READER](#) [RFM12B-DEMO](#) [MAROON](#) [MAX232](#)
[MAX3232 BOARD](#) [THREE-AXIS ACCELEROMETER BOARD](#) [TINKERKIT HALL SENSOR](#) [TOUCHPANEL CONTROLLER](#)
[MIKROBOARD FOR AVR WITH ATMEGA128](#) [MIKROBUS CAPE](#) [MIKROETH 100 BOARD](#) [MIKROPROG TO ST-LINK V2](#)
[ADAPTER](#) [BANANA PI GPIO EXTEND MODULE](#) [BATTERY BOOST SHIELD BOARD](#) [BIGDSPIC6 80-PIN TQFP 1 MCU CARD](#)
[EMPTY](#) [MOD-28.Z](#) [MOD-37.Z](#) [MOD-50](#)