

GPS&GLONASS External Antenna Specification




Antenna	
Frequency Range	1575.42MHz±5 MHz
	1610MHZ±10MHZ
V.S.W.R	1.5:1
Band Width	+/-5MHz-GPS
	+/-10MHz-GLONASS
Impendence	50 ohm
Gain	5dBic Based on 7×7cm ground plane
Polarization	RHCP
LNA	



Frequency Range	1595MHz±25 MHz
DC Voltage	2.7V/3.0V/3.3V/5.0V/3.0V to 5.0V/other
Gain (Typical)	30dB (Without cable $+25^{\circ}C \pm 10^{\circ}C$)
Noise Figure (Typical)	1.5DB
DC current	11mA MAX
Material	
Antenna	Dielectric Ceramics
РСВ	FR4
Shielding	Tinplate
RF Cable	RG174
	L=2000/3000/5000 or other
RF Connector	SMA/MCX/FAKRA or other
Testing Conditions	
Working Temp	-40°C~+80°C
Storage Temp	-45°C~+85°C
Vibration	Sine sweep 1g(0-p)
	10~55~10Hz each axis




Size drawing






LNA Test Plans



Noise Figur Test Plans





Application

GLONASS is the abbreviation of Global Navigation Satellite System, it is the similar to the satellite positioning system with the US GPS system, the GLONASS construction from the early 1980s by the former Soviet Union .This antenna combine GPS and GLONASS satellite signal receiving function, with high gain, low noise figure, and cause of the small size is very easy to install. The GLONASS system is used to the Navigation also can be widely used in various grades and types of measurement applications, GIS applications and time-frequency applications.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by MikroElektronika manufacturer:

Other Similar products are found below :

 GAN30084EU
 930-033-R
 GW17.07.0250E
 1513563-1
 EXE902SM
 APAMPG-117
 MAF94383
 W3908B0100
 W6102B0100
 YE572113

 30RSMM
 108-00014-50
 66089-2406
 SPDA17RP918
 A09-F8NF-M
 A09-F5NF-M
 RGFRA1903041A1T
 W3593B0100
 W3921B0100

 SIMNA-868
 SIMNA-915
 SIMNA-433
 W1044
 W1049B090
 A75-001
 WTL2449CQ1-FRSMM
 CPL9C
 EXB148BN
 0600-00060

 TRA9020S3PBN-001
 GD5W-28P-NF
 MA9-7N
 GD53-25
 GD5W-21P-NF
 EXB144SM
 C37
 MAF94051
 GD35-17P-NF
 P1744
 MA9-5N

 EXD420PL
 B1322NR
 QWFTB120
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 AO-AGSM-OM54
 5200232
 MIKROE-2349

 WCM.01.0111
 W
 MAF94271
 MAF94300
 GPSMB301
 FG4403
 AO-AGSM-OM54
 5200232
 MIKROE-2349