


SPECIFICATION FOR APPROVAL

CUSTOMER		CUST P/N.	
ITEM	SMD Power Inductors	Description	CD54N-3R9M
PART NO.		DATE	

<p>(1) DIMENSION(UNIT:mm)</p> 		A	5.8 ± 0.5	mm
		B	5.0 ± 0.5	mm
		C	4.5 ± 0.5	mm
		D	1.3 (REF)	mm
		E		mm
		F		mm
		G		mm
		H		mm

(2)ELECTRICAL REQUIREMENTS			
TEST CONDITION	FREQUENCY	VOLTAGE	(3) TEST INSTRUMENTS
			LCR-METER:
L	3.9μH±20%	7.96MHz 1.0V	HP-4291A
			V WK3260B
DCR	0.035Ω (Max)	KHz V	DC RESISTANCE METER:
			V WK3260B
IDC	4.6A (Max)	100KHz 1.0V	CURRENT SOURCE:
			V TH2816B+1320
L_{IDC}	drop 30% (Max)	KHz V	RFIMPENDANCE/MATERIAL ANALYZER
			WK3260B
		MHz V	GW PUNCTURE INSULATION TESTER
			HP-4291A

(4)TURNS: TS(REF)

(5)MATERIAL LIST		
ITEM	MATERIAL	DESCRIPTION
1	CORE	
2	WIRE	
3	INK	
4		

REMARK:	APPROVED	CHECKED	DRAWN BY
	姜杰文	姜法宝	MIA

TEST DATA FOR PREPRODUCTION SAMPLES

CUSTOMER:			Part No.	0		Test Q'ty:	10		PCS		
CUST P/N.			Description:	CD54N-3R9M			Date:	0			
MEASURE ITEM	L (μ H)	DCR (m Ω)	A (mm)	B (mm)	C (mm)						
SPECIFIC	3.9	35.0	5.8	5.0	4.5						
SUGGEST	\pm 20%	Max	\pm 0.5	\pm 0.5	\pm 0.5						
1	4.06	26.5	5.67	5.49	4.56						
2	4.01	26.4	5.78	5.24	4.61						
3	4.00	26.6	5.68	5.23	4.55						
4	4.00	26.7	5.65	5.22	4.57						
5	3.99	26.6	5.68	5.23	4.60						
6	3.94	26.8	5.57	5.24	4.57						
7	4.00	26.7	5.69	5.25	4.57						
8	3.92	26.5	5.70	5.26	4.61						
9	4.02	26.4	5.78	5.21	4.57						
10	3.99	26.5	5.69	5.25	4.56						
X											
R											
TEST CONDITION	INSTRUMENTS:		WK3260B				AT:	1MHz	0.25V		
	ENVIORMENTS:		TEMP:25 degree HUMDITY :65%								
	STORAGE TEMPERATURE RANGE				-40 $^{\circ}$ C~+125 $^{\circ}$ C						
	OPERATING TEMPERATURE RANGE				-40 $^{\circ}$ C~+125 $^{\circ}$ C						
REMARK:						APPROVED	CHECKED	DRAWN BY			
						姜杰文		姜法宝		MIA	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [MINGSTAR](#) manufacturer:

Other Similar products are found below :

[CR32NP-100KC](#) [CR54NP-470LC](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHQ1005P10NJ](#) [MHQ1005P1N0S](#) [MHQ1005P2N4S](#) [MHQ1005P3N6S](#)
[MHQ1005P5N1S](#) [MHQ1005P8N2J](#) [PE-53601NL](#) [PE-53602NL](#) [PG0936.113NLT](#) [9220-20](#) [9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#)
[1206CS-471XJ](#) [HC2-R47-R](#) [HC8-1R2-R](#) [HCF1305-3R3-R](#) [1206CS-151XG](#) [RCH664NP-140L](#) [RCH664NP-4R7M](#) [RCP1317NP-391L](#)
[RCR110DNP-331L](#) [DH2280-4R7M](#) [DS1608C-106](#) [B10TJ](#) [B82498B3101J000](#) [ELJ-RE27NJF2](#) [1812CS-153XJ](#) [1812CS-183XJ](#) [1812CS-](#)
[223XJ](#) [1812LS-104XJ](#) [1812LS-105XJ](#) [1812LS-124XJ](#) [1812LS-154XJ](#) [1812LS-223XJ](#) [1812LS-224XJ](#) [1812LS-563XJ](#) [1812LS-683XJ](#)
[1812LS-824XJ](#) [NIN-FB101JTR110F](#) [NIN-FB471JTR62F](#) [NIN-FC1R5JTR220F](#) [NIN-HCR15JTRF](#) [NIN-HCR33JTRF](#) [NIN-HDR22JTRF](#)