



## SPECIFICATION FOR APPROVAL

CUSTOMER		CUST P/N.	
ITEM	Toroidal Coil Inductors	Description	TM120704N-651-P
PART NO.	302-90018	DATE	2021.12.27

**(1) DIMENSION(UNIT:mm)**



A	16.0 (Max)	mm
B	16.0 (Max)	mm
C	3.5 ±0.5	mm
D	11.5 (Max)	mm
E	5.5 ±0.5	mm
F	12.0 ±0.5	mm
G	Ø0.9± 0.1	mm
H		mm

**(2) ELECTRICAL REQUIREMENTS**

TEST CONDITION		FREQUENCY	(3) TEST INSTRUMENTS	
			VOLTAGE	LCR-METER:
L <sub>1-2=4-3</sub>	0.65mH(Min)	1KHz	0.25V	CH-100
				V
DCR <sub>1-2=4-3</sub>	20.0mΩ (Max)	KHz	V	LCR-METER:
				V
IDC	10.0A (Max)	1KHz	0.25V	DC RESISTANCE METER:
		KHz	V	DC RESISTANCE METER:
				WK3260B
		MHz	V	CURRENT SOURCE:
				CH1061A+CH1320

**(4) TURN:13TS(REF)**

**(5) MATERIAL LIST**

ITEM	MATERIAL	DESCRIPTION
1	CORE	T12.7×7.9×4.9-C R12K
2	隔板	7.0*6.5*1.0mm
3	WIRE	Ø0.9mm(2UEW+NY)
4	底板	FR-4:15×15×1.0mm(L*W*T)鉗孔
5	EPOXY	BLACK

REMARK:	APPROVED	CHECKED	DRAWN BY

## TEST DATA FOR PREPRODUCTION SAMPLES

CUSTOMER:	<b>0</b>	Part No.		Test Q'ty:	<b>10</b>	<b>PCS</b>					
CUST P/N.	Description:		<b>TM120704N-651-P</b>	Date:	<b>2021.12.27</b>						
MEASURE ITEM	$L_{1\sim 2}$ (mH)	$L_{4\sim 3}$ (mH)	$DCR_{1\sim 2}$ (mΩ)	$DCR_{4\sim 3}$ (mΩ)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	
SPECIFIC	0.65		20.0		16.0	16.0	3.5	11.5	5.5	12.0	
SUGGEST	Min		Max		Max	Max	±0.5	Max	±0.5	±0.5	
1	0.83	0.83	9.7	9.7	15.59	15.23	3.68	9.50	5.64	12.00	
2	0.95	0.95	9.8	9.8	15.53	15.2	3.72	9.40	5.53	12.10	
3	1.01	1.01	9.6	9.6	15.58	15.24	3.75	9.80	5.59	12.06	
4	0.93	0.93	9.4	9.4	15.48	15.18	3.66	9.60	5.45	12.00	
5	0.92	0.92	9.9	9.9	15.52	15.19	3.63	9.90	5.55	12.15	
6											
7											
8											
9											
10											
X											
R											
TEST CONDITION	INSTRUMENTS:		CH-100					AT:	1KHz	0.25V	
	ENVIORNENTS:		TEMP:25 degree HUMDITY :65%								
	STORAGE TEMPERATURE RANGE					-40℃~+125℃					
	OPERATING TEMPERATURE RANGE					-40℃~+125℃					
REMARK:						APPROVED	CHECKED	DRAWN BY			

**MINGSTAR ELECTRONIC CORP.**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Common Mode Chokes / Filters](#) category:*

*Click to view products by [MINGSTAR](#) manufacturer:*

Other Similar products are found below :

[PE-64683](#) [RD5122-6-9M6](#) [RD6137-6-7M5](#) [RD8147-16-3M0](#) [ST6118T-R](#) [FE3X025-10-7NL](#) [RD7147-25-0M7](#) [TCM0806G-350-2P-T](#)  
[TCM0806G-650-2P-T](#) [IND-0110](#) [UAL21VR0802000](#) [UALSC023000000](#) [UALSC1020JH000](#) [UALSU10VD20010](#) [UALSU9VD070100](#) [36-00037](#) [UALW21HS072450](#) [UALSU9H0208000](#) [UAL24VK06450CH](#) [PLT10HH501100PNB](#) [PLT10HH401100PNB](#) [PLT10HH1026R0PNB](#)  
[36-00029-01](#) [PE-67531](#) [TLH10UB](#) [113 0R5](#) [2752045447](#) [7351V](#) [CMF16-153131](#) [RD7147-6-6M0](#) [T8116NLT](#) [FE2X10-4-2NL](#) [36-00029-07](#)  
[T8003NLT](#) [CTX01-13663](#) [CTX66-19521-R](#) [RC212-0.5-10M](#) [RC112-0.4-15M](#) [RC212-0.6-6M8](#) [RC212-0.4-15M](#) [RC112-0.3-30M](#)  
[WTCF2012Z0M751PB](#) [PH9408.814NLT](#) [PAC6006.364NLT](#) [PAC6006.444NLT](#) [PAC6006.204NLT](#) [PH9407.204NLT](#) [PAC6006.264NLT](#)  
[PH9408.105NLT](#) [PH9408.494NLT](#) [PAC6006.104NLT](#)