


SPECIFICATION FOR APPROVAL

CUSTOMER		CUST P/N.	
ITEM	Toroidal Coil Inductors	Description	TM221408N-102-P-01
PART NO.	302-98551	DATE	2021.8.16

(1) DIMENSION(UNIT:mm)



A	32.0(Max)	mm
B	32.0(Max)	mm
C	4.0 ± 0.5	mm
D	16.0(Max)	mm
E	7.5± 0.5	mm
F	9.3±0.5	mm
G	∅1.3±0.1	mm

(2) ELECTRICAL REQUIREMENTS

TEST CONDITION		FREQUENCY	(3) TEST INSTRUMENTS	
		VOLTAGE	LCR-METER:	
$L_{1-4=2-3}$	1.0mH(Min)	10KHz 50mV	V	HP-4291A WK3260B
$DCR_{1-4=2-3}$	13.5mΩ (Max)	10KHz 50mV	V	DC RESISTANCE METER: WK3260B
IDC	16.0A(Max)	KHz V	V	LCR-METER: WK3260B
IR	100MΩ Min 500VDC/2SEC	KHz V	V	9071A

(4) TURN:20TS(REF)

(5) MATERIAL LIST

ITEM	MATERIAL	DESCRIPTION
1	CORE	
2	WIRE	
3	底板	
4	EPOXY	

REMARK:	APPROVED	CHECKED	DRAWN BY
	姜杰文	姜法寶	WEN

TEST DATA FOR PREPRODUCTION SAMPLES

CUSTOMER:			Part No.	302-98551		Test Q'ty:	10		PCS			
CUST P/N.			Description:	TM221408N-102-P-01			Date:	2021.8.16				
MEASURE ITEM	L _(1~4)	L _(2~3)	DCR _{1~4}	DCR _{2~3}	A	B	C	D	E	F		
	(mH)	(mH)	(mΩ)	(mΩ)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)		
SPECIFIC	1.0		13.5		32.0	32.0	4.0	16	7.5	9.3		
SUGGEST	Min		Max		Max	Max	±0.5	Max	±0.5	±0.5		
1	1.95	1.98	10.4	9.2	26.95	27.25	4.31	15.88	7.37	9.15		
2	1.85	1.85	10.6	9.2	26.96	27.41	4.31	15.56	7.35	9.23		
3	1.83	1.85	10.6	10.2	26.99	27.43	4.23	15.18	7.39	9.14		
4	1.76	1.77	10.0	9.8	27.26	27.13	4.19	15.46	7.42	9.17		
5	1.94	1.95	10.2	9.6	27.16	27.45	4.21	15.87	7.36	9.18		
6	1.87	1.87	9.8	9.6	26.99	27.56	4.37	15.62	7.41	9.16		
7	1.85	1.85	10.2	10.2	26.88	27.49	4.29	15.36	7.47	9.15		
8	1.85	1.86	9.6	9.8	27.16	27.51	4.16	15.78	7.45	9.16		
9	1.85	1.85	9.8	9.6	27.18	27.37	4.19	15.45	7.39	9.17		
10	1.76	1.76	10.2	9.6	27.19	27.45	4.23	15.53	7.36	9.15		
X												
R												
TEST CONDITION	INSTRUMENTS:		WK3260B						AT:	10KHz		50mV
	ENVIORNMENTS:		TEMP:25 degree HUMDITY :65%									
	STORAGE TEMPERATURE RANGE				-40℃~+85℃							
	OPERATING TEMPERATURE RANGE				-40℃~+85℃							
REMARK:							APPROVED	CHECKED	DRAWN BY			
							姜杰文	姜法寶	WEN			

MINGSTAR ELECTRONIC CORP.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Common Mode Chokes / Filters](#) category:

Click to view products by [MINGSTAR](#) manufacturer:

Other Similar products are found below :

[PE-64683](#) [RD5122-6-9M6](#) [RD6137-6-7M5](#) [RD8147-16-3M0](#) [ST6118T-R](#) [FE3X025-10-7NL](#) [RD7147-25-0M7](#) [TCM0806G-350-2P-T](#)
[TCM0806G-650-2P-T](#) [IND-0110](#) [UAL21VR0802000](#) [UALSC023000000](#) [UALSC1020JH000](#) [UALSU10VD20010](#) [UALSU9VD070100](#) [36-00037](#) [UALW21HS072450](#) [UALSU9H0208000](#) [UAL24VK06450CH](#) [PLT10HH501100PNB](#) [PLT10HH401100PNB](#) [PLT10HH1026R0PNB](#)
[36-00029-01](#) [PE-67531](#) [TLH10UB](#) [113 0R5](#) [2752045447](#) [7351V](#) [CMF16-153131](#) [RD7147-6-6M0](#) [T8116NLT](#) [FE2X10-4-2NL](#) [36-00029-07](#)
[T8003NLT](#) [CTX01-13663](#) [CTX66-19521-R](#) [RC212-0.5-10M](#) [RC112-0.4-15M](#) [RC212-0.6-6M8](#) [RC212-0.4-15M](#) [RC112-0.3-30M](#)
[WTCF2012Z0M751PB](#) [PH9408.814NLT](#) [PAC6006.364NLT](#) [PAC6006.444NLT](#) [PAC6006.204NLT](#) [PH9407.204NLT](#) [PAC6006.264NLT](#)
[PH9408.105NLT](#) [PH9408.494NLT](#) [PAC6006.104NLT](#)