




Technical Hotline  
+44 (0)1268 563720

# Boxes

WIRING DEVICES  
BOXES AND ANCILLARY PRODUCTS

## Steel Boxes

25MM  
FLUSH



**861ZIC** 10  
1 GANG  
ONE ADJUSTABLE LUG  
**862ZIC** 5  
2 GANG  
ONE ADJUSTABLE LUG

With earth terminal and adjustable lug

**DIMENSIONS**  
1 gang: 75 x 75mm  
2 gang: 75 x 135mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
**KNOCKOUTS**  
1 gang: 10 x 20mm  
2 gang: 12 x 20mm  
BS 4662:2006

35MM  
FLUSH



**10 K863**  
3 GANG  
35MM DEEP  
**5** FOR 3 GANG K2737 LOGIC PLUS™ SWITCHSOCKET

Fitted with two earth terminals.  
Two adjustable lugs.

**DIMENSIONS**  
203 x 75mm  
**FIXING CENTRE**  
180.9mm  
**KNOCKOUTS**  
3 gang: 14 x 20mm, 6 x 25mm  
BS 4662:2006

35MM  
FLUSH



**5 866ZIC**  
1 GANG  
ONE ADJUSTABLE LUG  
**886ZIC**  
2 GANG  
ONE ADJUSTABLE LUG

**DIMENSIONS**  
1 gang: 75 x 75mm  
2 gang: 75 x 135mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
**KNOCKOUTS:**  
1 gang: 7 x 20mm, 3 x 25mm  
2 gang: 11 x 20mm, 4 x 25mm  
BS 4662:2006

46MM  
47MM  
FLUSH



**10 877ZIC** 10  
1 GANG  
46MM DEEP  
**5 878ZIC** 5  
2 GANG 47MM DEEP  
ONE ADJUSTABLE LUG

**DIMENSIONS**  
1 gang: 75 x 75mm  
2 gang: 75 x 135mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
**KNOCKOUTS**  
1 gang: 6 x 20mm, 4 x 25mm  
2 gang: 9 x 20mm, 6 x 25mm  
BS 4662:2006

Mounting box accessories see page 217

41MM FOR USE WITH  
LOGIC PLUS™  
SURFACE

41MM  
SQUARE CORNERS  
SURFACE

Flush and surface mounted metal boxes and frames, surface PVC and moulded urea boxes, frames and accessories.

All MK flush metal boxes are manufactured from superior materials and are fitted with earth terminals, an adjustable lug for out of square alignment and include more than an adequate number of knockouts.



**5 K2211ALM**  
1 GANG  
WITHOUT KNOCKOUTS  
**5 K2212ALM**  
2 GANG  
WITHOUT KNOCKOUTS

**5 K2213ALM**  
1 GANG  
5 X 20MM KNOCKOUTS  
**5 K2214ALM**  
2 GANG  
7 X 20MM KNOCKOUTS


**5 2211ALM** 5  
1 GANG  
WITHOUT KNOCKOUTS  
**5 2212ALM** 5  
2 GANG  
WITHOUT KNOCKOUTS  
**5 2213ALM** 5  
1 GANG  
5 X 20MM KNOCKOUTS  
**5 2214ALM** 5  
2 GANG  
7 X 20MM KNOCKOUTS

All boxes are fitted with an earth terminal.  
**DIMENSIONS**  
1 gang: 86 x 86mm  
2 gang: 86 x 146mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010


# Boxes

## Steel Boxes

35MM / 47MM  
FLUSH



K14201 / K14202



K14206 / K14207

**K14101**  
35MM FOR EDGE™  
COMBINATION PLATE K14100

1

**K14102**  
47MM FOR EDGE™  
COMBINATION PLATE K14100

1

Fitted with two earth terminals.  
Two adjustable lugs.

**DIMENSIONS**  
279.6 x 159.5mm  
**FIXING CENTRES**  
268.2mm / 87.3mm

**KNOCKOUTS**  
35mm 18 x 20mm, 6 x 25mm  
47mm 12 x 20mm, 12 x 25mm  
BS 5733:2010

**K14201**  
35MM FOR EDGE™ IN-LINE  
COMBINATION PLATE K14200

1

**K14202**  
47MM FOR EDGE™ IN-LINE  
COMBINATION PLATE K14200

1

Fitted with two earth terminals.  
Two adjustable lugs.

**DIMENSIONS**  
430 x 75mm  
**FIXING CENTRES**  
417.4mm

**KNOCKOUTS**  
35mm Middle Box: 6 x 20mm, 2 x 25mm  
35mm End Boxes: 15 x 20mm, 5 x 25mm  
47mm Middle Box: 4 x 20mm, 4 x 25mm  
47mm End Boxes: 10 x 20mm, 10 x 25mm  
BS 5733:2010

**K14206**  
35MM FOR EDGE™ IN-LINE  
COMBINATION PLATE K14205

1

**K14207**  
47MM FOR EDGE™ IN-LINE  
COMBINATION PLATE K14205

1

Fitted with two earth terminals.  
Two adjustable lugs.

**DIMENSIONS**  
392 x 75mm  
**FIXING CENTRES**  
382.5mm

**KNOCKOUTS**  
35mm Left 2G Box: 7 x 20mm, 3 x 25mm  
35mm Middle Boxes: 4 x 20mm  
35mm Right Box: 6 x 20mm  
47mm Left 2G Box: 4 x 20mm, 6 x 25mm  
47mm Middle Boxes: 2 x 20mm, 1 x 25mm  
47mm Right Box: 4 x 20mm, 1 x 25mm  
BS 5733:2010


## Steel Boxes

35MM / 47MM  
FLUSH


47MM  
FLUSH



853ZIC



857ZIC



867ZIC

**853ZIC**  
35MM FOR LOGIC PLUS™  
4 GANG COMBINATION PLATE K2740WHI

1

**854ZIC**  
47MM FOR LOGIC PLUS™  
4 GANG COMBINATION PLATE K2740WHI

1

BS 5733:2010

**DIMENSIONS**  
279.6 x 159.5mm

**857ZIC**  
35MM FOR LOGIC PLUS™  
2 GANG COMBINATION PLATE K2741WHI

1

**858ZIC**  
47MM FOR LOGIC PLUS™  
2 GANG COMBINATION PLATE K2741WHI  
AND 4+4 MODULE COMBINATION PLATES  
(EDGE™/ASPECT/ELEMENTS)

1

BS 5733:2010

**DIMENSIONS**  
135 x 159.5mm

**867ZIC**  
47MM BOX FOR  
2+1 COMBINATION PLATE  
(EDGE™)

1

BS EN 60670-1:2005  
**DIMENSIONS**  
220 x 75mm

Mounting box accessories see page 217



Technical Hotline  
+44 (0)1268 563720

# Boxes

## Steel Boxes


47MM  
FLUSH



**868ZIC**  
47MM BOX FOR  
1G+2G+1G COMBINATION PLATE  
(EDGE™/ASPECT/ELEMENTS)

BS EN 60670-1:2005  
DIMENSIONS  
305 x 75mm

1



**869ZIC**  
47MM BOX FOR  
6+6 MODULE COMBINATION PLATE  
(EDGE™/ASPECT/ELEMENTS)

BS EN 60670-1:2005  
DIMENSIONS  
203 x 159.5mm

1

47MM  
FLUSH




870ZIC

**870ZIC**  
47MM BOX FOR  
2+1 COMBINATION PLATE  
(ASPECT/ELEMENTS)


BS EN 60670-1:2005  
DIMENSIONS  
220x75mm

1

41MM  
SURFACE



**2001ALM** 5  
1 GANG  
WITHOUT KNOCKOUTS  
**2002ALM** 5  
2 GANG  
WITHOUT KNOCKOUTS



**2003ALM** 5  
1 GANG  
5 X 20MM KNOCKOUTS  
**2004ALM** 5  
2 GANG  
7 X 20MM KNOCKOUTS

All boxes are fitted with an earth terminal.

**DIMENSIONS**  
1 gang: 86 x 86mm  
2 gang: 86 x 146mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010

Mounting box accessories see page 217

# Boxes

## Steel Boxes


48MM  
SURFACE

55MM  
FLUSH

65MM  
FLUSH

40MM  
SURFACE

ARCHITRAVE  
FLUSH



### K5400WHI

1

2 GANG  
4 X 20MM KNOCKOUTS  
4X 25MM KNOCKOUTS

**DIMENSIONS**  
86 x 146mm  
**FIXING CENTRES**  
120.6mm  
BS 5733:2010

### 5120ALM

1

FOR FLUSH  
COOKER CONTROL UNIT  
K5011WHI

*Fitted with two earth terminals.*  
**DIMENSIONS**  
152 x 140 x 55mm  
**KNOCKOUTS**  
5 x 25mm.  
Two in each of the top & bottom,  
one in the back.  
BS 4177:1992

### 5268ALM

1

FOR 32 AMP  
TP & N SWITCHES 5114WHI

*Fitted with 2 earth terminals*  
**DIMENSIONS**  
178 x 114 x 65mm  
**KNOCKOUTS**  
5 x 25mm.  
Two in each of the top and bottom,  
one in the back.  
BS 5733:2010

### K829ALM

5

1 GANG  
WITHOUT KNOCKOUTS

### K830ALM

5

2 GANG  
WITHOUT KNOCKOUTS

### K899ALM

10

1 GANG  
5 X 20MM KNOCKOUTS

### K897ALM

5

2 GANG  
8 X 20MM KNOCKOUTS

### 3921ZIC

10


1 GANG

**DIMENSIONS**  
1 gang: 75 x 27 x 27mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
**KNOCKOUTS**  
1 gang: 3 x 16mm  
BS 4662:2006

Spares or replacements for the surface Metalclad Plus range. All boxes are fitted with an earth terminal.  
BS 5733:2010

## Metal Frames For Panel Mounting

DUAL  
FLUSH



### 887ZIC

DUAL BOX

5

**888ZIC**  
DIVIDING SCREEN  
FOR DUAL BOX

10

*Dual box 887ZIC will accept any two flush accessories with 86mm square plates and two M3.5 fixing holes on 60.3mm centres. Fitted with 2 earth terminals.*

**DIMENSIONS**  
75 x 161 x 35mm  
**KNOCKOUTS**  
2 gang: 10 x 20mm, 4 x 25mm  
BS 4662:2006

### K2200

10

1 GANG

**K2202**  
2 GANG


5

**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010

## Blank Plates

METALCLAD PLUS™

METALCLAD



### K3390ALM

5

FOR 1 GANG  
SURFACE BOXES  
K899 & K829

### K3369ALM

5

FOR 2 GANG  
SURFACE BOXES  
K830 & K897

**DIMENSIONS**  
K3390: 86 x 86mm  
K3369: 86 x 147mm  
**FIXING CENTRES**  
K3390: 60.3mm  
K3369: 120.6mm  
BS 5733:2010

### 3390ALM

10

FOR 1 GANG SURFACE  
BOXES 899 & 829

### 3370ALM

10

FOR 1 GANG SURFACE  
BOXES 891 & 821

### 3369ALM

5

FOR 2 GANG SURFACE  
BOXES 892 & 822

**DIMENSIONS**  
3390: 81 x 81mm  
3370: 76 x 76mm  
3369: 76 x 136mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010



Technical Hotline  
+44 (0)1268 563720

# Boxes

WIRING DEVICES  
BOXES AND ANCILLARY PRODUCTS



## PVC Boxes

19MM

SURFACE

32MM

SURFACE



**2120WHI** 10  
FOR 1, 2 AND 3 GANG  
PLATESWITCHES

With earth terminal  
DIMENSIONS  
87 x 87mm  
FIXING CENTRES  
60.3mm

Knockouts 'cut-out' provided in top and bottom for 16mm oval PVC conduit. 20mm round 'push-out' type knockout in base for cable entry. Fixing holes are also provided for mounting to wall or over BS 4568-2 small circular boxes.  
BS 5733:2010

**2180WHI** 10  
1 GANG  
**2181WHI** 10  
1 GANG

DIMENSIONS  
87 x 87mm  
FIXING CENTRES  
60.3mm

### KNOCKOUTS

**2180:** One 'push-out' for 20mm oval conduit in top, one 'cut-out' for 20mm or 25mm oval conduit and one 20mm round 'push-out' in the base.

**2181:** One 'push-out' for 20mm round conduit in top and one 20mm round 'push-out' in base.  
BS 5733:2010

**2182WHI** 5  
2 GANG  
**2183WHI** 5  
2 GANG

DIMENSIONS  
87 x 148mm  
FIXING CENTRES  
120.6mm

### KNOCKOUTS

**2182:** Two 'push-outs' for 20mm oval conduit in top, two 'cut-outs' for 20mm or 25mm oval conduit and one 20mm round 'push-out' in base

**2183:** One 'push-out' for 20mm round conduit in top and one 20mm round 'push-out' in base.  
BS 5733:2010

**K2181WHI** 10  
FOR 1 GANG LOGIC PLUS™ POWER ACCESSORIES  
**K2183WHI** 5  
FOR 2 GANG LOGIC PLUS™ POWER ACCESSORIES  
**K2185WHI** 5  
FOR 3 GANG LOGIC PLUS™ POWER ACCESSORIES

### KNOCKOUTS

**K2181:** One 'cut-out' for 20mm round conduit in top face, one 'cut-out' for 20mm or 25mm oval conduit in lower face and one 20mm round 'push-out' in the base.

**K2183 and K2185:** One 'cut-out' for 20mm round conduit in top face, two 'cut-outs' for 20mm or 25mm oval conduit in lower face and one 20mm round 'push-out' in the base. Both boxes are suitable for fitting over 1 gang and 2 gang BS 4662 flush steel boxes respectively.

### DIMENSIONS

1 gang: 87 x 87mm  
2 gang: 87 x 148mm  
3 gang: 87 x 208mm

### FIXING CENTRES



1 gang: 60.3mm  
2 gang: 120.6mm  
3 gang: 180.9mm  
BS 4662:2006  
where applicable

## Moulded Boxes

ARCHITRAVE  
SURFACE

16MM  
SURFACE

30MM  
SURFACE



**K2151WHI** 10  
1 GANG  
ARCHITRAVE BOX  
**K2152WHI** 5  
2 GANG  
ARCHITRAVE BOX

Earth terminal fitted in base of boxes.

DIMENSIONS  
1 gang: 87 x 33 x 16mm  
2 gang: 148 x 33 x 16mm  
FIXING CENTRES  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010

**K2160WHI** 10  
FOR 1, 2 AND  
3 GANG LOGIC PLUS™ PLATESWITCHES  
**K2161WHI** 5  
FOR 4 AND 6 GANG  
LOGIC PLUS™  
PLATESWITCHES

Earth terminal fitted in base of boxes. Knockouts provided in sides and bases.

DIMENSIONS  
1 gang: 87 x 87mm  
2 gang: 87 x 148mm  
FIXING CENTRES  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010

**K2140WHI** 10  
FOR 1 GANG  
LOGIC PLUS™  
POWER ACCESSORIES  
**K2142WHI** 5  
FOR 2 GANG  
LOGIC PLUS™  
POWER ACCESSORIES

Knockouts in base and sides for cable entry  
K2142 and K2153 are suitable for fitting over 1 gang and 2 gang BS 4662 flush steel boxes respectively

**K2153WHI** 5  
FOR 3 GANG  
LOGIC PLUS™  
POWER ACCESSORIES

DIMENSIONS  
1 gang: 87 x 87mm  
2 gang: 87 x 148mm  
3 gang: 87 x 208mm  
FIXING CENTRES  
1 gang: 60.3mm  
2 gang: 120.6mm  
3 gang: 180.9mm  
BS 5733:2010

# Boxes

## Moulded Boxes

32MM  
SURFACE

44MM  
SURFACE

DRY LINING  
35MM  
FLUSH

MI CABLE BOXES  
37MM  
SURFACE



**2140WHI** 10  
FOR 1 GANG  
POWER ACCESSORIES  
SQUARE CORNERS

Knockouts are provided in base and sides for cable entry  
**DIMENSIONS**  
1 gang: 87 x 87mm  
2 gang: 87 x 148mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010

**2031WHI** 10  
FOR 1 GANG  
POWER ACCESSORIES  
SQUARE CORNERS

Knockouts in base and sides for cable entry.  
**DIMENSIONS**  
87 x 87mm  
**FIXING CENTRES**  
60.3mm  
BS 5733:2010

**QFB1WHI** 20  
1 GANG  
**QFB2WHI** 10  
2 GANG

All round flange for a flush fit. One piece moulded lug automatically snaps into place. No rear projections. Clamp device on cable entry. Will accommodate partition thickness between 6mm and 16mm. Earth terminal facility.  
BS 4662:2006

**QFB/IG1** 20  
1 GANG WITH  
INTUMESCENT GASKET

**QFB/IG2** 10  
2 GANG WITH  
INTUMESCENT GASKET

**QFB/IG1 & QFB/IG2**  
Pre-fitted with intumescent gaskets to give fire protection, in accordance with BS 476-2:1987. In a fire situation, a chemical reaction will occur with the intumescent material. The void behind the wiring device will be filled, providing protection against the passage of fire.  
BS 4662:2006

**K2131WHI** 5  
1 GANG  
10 CLAMPS

**K2132WHI** 5  
2 GANG  
12 CLAMPS

Clamps accept 20mm sealing pots.  
**DIMENSIONS**  
1 gang: 92 x 92mm  
2 gang: 92 x 152mm  
**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010

DUAL BOX  
38MM  
SURFACE

40MM  
SURFACE

FLANGE BOXES  
45MM  
FLUSH

Mounting  
Pattresses  
SURFACE



**K2025WHI** 5  
FOR MOUNTING  
TWO 1 GANG  
LOGIC PLUS™  
ACCESSORIES

This box has two slots in base with 60.3mm and 120.6mm fixing centres for fitting over BS 4226 flush boxes. Knockouts provided for cable entry.  
Includes integral dividing fillet.  
**DIMENSIONS**  
86 x 172 mm  
BS 5733:2010

**K2031WHI** 10  
FOR 1 GANG  
LOGIC PLUS™  
POWER ACCESSORIES

**K2172WHI** 5  
FOR 2 GANG  
LOGIC PLUS™ 50 AMP  
DP SWITCHES

Knockouts provided in sides and base.  
**K2172:** Earth terminal fitted in base of box.  
**DIMENSIONS**  
K2031: 87 x 87mm  
K2172: 87 x 148mm  
**FIXING CENTRES**  
K2031: 60.3mm  
K2172: 120.6mm  
BS 5733:2010

**K2061WHI** 5  
1 GANG  
**K2062WHI** 5  
2 GANG

**DIMENSIONS**  
K2061: 88 x 88mm  
K2062: 88 x 148mm  
**FIXING CENTRES**  
K2061: 60.3mm  
K2062: 120.6mm  
BS 5733:2010

**K2134WHI** 10  
1 GANG 20MM DEEP  
FOR LOGIC PLUS™  
ACCESSORIES

**K2133WHI** 10  
2 GANG 20MM DEEP  
FOR LOGIC PLUS™  
ACCESSORIES

**FIXING CENTRES**  
1 gang: 60.3mm  
2 gang: 120.6mm  
BS 5733:2010



Technical Hotline  
+44 (0)1268 563720

# Boxes

## LOGIC PLUS™ ACCESSORIES/BOX COMPATIBILITY CHART

SURFACE MOUNTING	DEPTH: (MM)								
	16 MOULDED	30 MOULDED	32* PVC	38 MOULDED	40 MOULDED	41 STEEL	41* STEEL	48* STEEL	55
MOULDED									
1 GANG SOCKETS (13A)		K2140	K2181	K2025	K2031	K2211ALM	K2213ALM		
2 GANG SOCKETS		K2142	K2183		K2172	K2212ALM	K2214ALM	K5400	
3 GANG SOCKETS		K2153	K2185						
RCD SOCKETS					K2172	K2212ALM	K2214ALM	K5400	
FILTERED SOCKETS					K2172	K2212ALM	K2214ALM	K5400	
CONNECTION UNITS		K2140	K2181	K2025	K2031	K2211ALM	K2213ALM		
20A DP SWITCHES		K2140	K2181	K2025	K2031	K2211ALM	K2213ALM		
K5105 32A DP SWITCH		K2140	K2181	K2025	K2031	K2211ALM	K2213ALM		
K5205, K5215 (CK & SH)					K2172	K2212ALM	K2214ALM		
K5230								K5400	
K5060, K5061					K2212	K2214ALM		K5400	
K5040, K5041									
K5001									
K700		K2140	K2181	K2025		K2211ALM	K2213ALM		
K701					K2172				
1, 2 & 3 GANG SWITCHES	K2160	K2140	K2181	K2025	K2031	K2211ALM	K2213ALM		
4 & 6 GANG SWITCHES	K2161	K2142	K2183		K2172	K2212ALM	K2214ALM	K5400	
1 GANG ARCHITRAVE SWITCH	K2151								
2 GANG ARCHITRAVE SWITCH	K2152								
DIMMERS USING PATTRESS									
K1501, K1511, K1531, K1532	K2160								
K1521, K1534, K1533, K1535	K2160								
DIMMERS NOT USING PATTRESS									
K1501, K1511, K1531, K1532		K2140	K2181	K2025	K2031				
K1521, K1534, K1533, K1535		K2140	K2181	K2025		K2211ALM	K2213ALM		
DATA/TELECOM PLATES	K2160	K2140	K2181	K2025		K2211ALM	K2213ALM		

FLUSH MOUNTING	DEPTH: (MM)						
	16	25*	27*	35*	45	47*	55
(STEEL & DRY LINING)							
1 GANG SOCKETS (13A)		861ZIC		QFB/IG1	K2061	877ZIC	
2 GANG SOCKETS		862ZIC		QFB/IG2	K2062	878ZIC	
3 GANG SOCKETS		K863					
RCD SOCKETS				886ZIC	K2062	878ZIC	
FILTERED SOCKETS				886ZIC	K2062	878ZIC	
CONNECTION UNITS				866ZIC	K2061	877ZIC	
20A DP SWITCHES				866ZIC	K2061	877ZIC	
K5105 32ADP SWITCH				866ZIC		877ZIC	
K5205, K5215 (CK & SH)				886ZIC	K2062	878ZIC	
K5012							5120ALM
K5045					K2061	877ZIC	
K5060, K5061				886ZIC	K2061	878ZIC	
K5011							5120ALM
K700		861ZIC		866ZIC	K2061	877ZIC	
K701						878ZIC	
1, 2 & 3 GANG SWITCHES		861ZIC		866ZIC	K2061	877ZIC	
4 & 6 GANG SWITCHES		862ZIC		886ZIC	K2062		
1 GANG ARCHITRAVE SWITCH			3921ZIC				
DIMMERS USING PATTRESS							
K1501, K1511, K1531, K1532							
K1521, K1534, K1533, K1535						878ZIC	
DIMMERS NOT USING PATTRESS							
K1501, K1511, K1531, K1532		861ZIC		866ZIC	K2061	877ZIC	
K1521, K1534, K1533, K1535		861ZIC			K2062	877ZIC	
DATA/TELECOM PLATES		861ZIC		866ZIC	K2061	877ZIC	

■ BOX SUPPLIED WITH ACCESSORY

■ DEPENDENT UPON MODULES USED

\* WITH CONDUIT ENTRY KNOCKOUTS

NOTE: THE SIZE OF THE CABLE AND NATURE OF INSTALLATION SHOULD BE TAKEN INTO CONSIDERATION WHEN CHOOSING BOX DEPTH.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [mk manufacturer](#):*

Other Similar products are found below :

[K3703](#) [K3520WHI](#) [MKEV016GIB-OY500](#) [K14182 BSS](#) [K9133BLU](#) [866ZIC](#) [K3828WHI](#) [K9201BLU](#) [K4878PWHI](#) [K9015 RED](#)  
[K9033BLU](#) [K9014BLU](#) [K2142WHI](#) [MKSDSOCKET-Pinboard V1](#) [K182WHI](#) [K3827WHI](#) [VTS/7035 WHI](#) [K9001BLU](#) [K9701BLU](#)  
[K2172WHI](#) [VTS/6035 WHI](#) [K850ALM](#) [MKSD-Pinboard](#) [MKRD3B25616HG13AB](#) [MKEV008GCB-SS510](#) [MKDV1GIL-AS](#) [MKDV2GIL-AS](#) [MKDV8GIL-AS](#) [MKDV4GIL-AS](#)