

This document was generated on 09/14/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>0002091102</u>			
Status:	Active			
Overview:	Standard .093" Pin and	Socket Connectors		
Description:				
booonprion		(Sn) Plated Brass Contact, 14-20 AWG, Reel		2 Mart
				ANDE
Documents:			6.1	Mar
		Test Summer: (11800000 TS 000 (DDE)	0	
Drawing (PDF)		Test Summary 11890000-TS-000 (PDF) RoHS Certificate of Compliance (PDF)		
Product Specification	<u>PS-02-09-001 (PDF)</u>	ROHS Certificate of Compliance (PDF)		
0				e - Reference only
General			Ochos inag	c Reference only
Product Family		Crimp Terminals		
Series		<u>1189</u>	EU ELV	
Application		Power, Wire-to-Wire	Not Relevant	
Crimp Quality Equipm	ent	Yes		
Overview		Standard .093" Pin and Socket Connectors	EU RoHS	<u>China RoHS</u>
Packaging Alternative		<u>02091104</u> (Bag)	Compliant	
Product Name		Standard .093"	REACH SVHC	
UPC		191128081610	Not Contained Per	
			D(2021)4569-DC (8	8
Physical			July 2021)	
Gender		Female	Halogen-Free	
Material - Metal		Brass	Status	
Material - Plating Mating		Tin	Low-Halogen	
Material - Plating Termination		Tin		n, please visit <u>Contact U</u>
Net Weight		0.346/g		, presses
Packaging Type		Reel	China ROHS	Green Image
Plating min - Mating		0.508µm	ELV	Not Relevant
Plating min - Termination		0.508µm	RoHS Phthalates	Not Contained
Termination Interface: Style		Crimp or Compression		
Wire Insulation Diameter		1.65-4.06mm		
Wire Size AWG		14, 16, 18, 20		
Wire Size mm ²		N/A	Search Parts in this Series	
Wile Size min-		N/A	1189 Series	
Solder Process Data	L .			
Lead-freeProcess Capability		N/A	Application Tool	ling <u>FAQ</u>
			Tooling specificat	ions and manuals are
Material Info				g the products below.
Engineering Number		1189-A(P901)		cifications are then
				Application Tooling
Reference - Drawing Numbers			Specification doc	
Product Specification		PS-02-09-001	Global	
Sales Drawing		SD-1189-X-001	Description	Product #
Test Summary		11890000-TS-000	Insertion Tool for	<u>11020003</u>
			Standard .093"	11020003
			Pin and Socket	
			Terminals	44000000
			Extraction Tool	<u>11030006</u>
			for Standard .093	

Pin and Socket Terminals Terminator Die

Extractor Tool

for .093 and HCS-125 Product

Series

<u>11402001</u>

638240200

Mini-Mac Applicator 638927100 for Standard .093" Pin and Socket Terminals, for 14-20 AWG Wire with Insulation Diameter 1.65-4.06mm Mini-Mac Applicator 638927300 for Standard .093" Pin and Socket Terminals, for 14-20 AWG Wire with Insulation Diameter 1.65-4.06mm

This document was generated on 09/14/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pin & Socket Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 6450822-1
 770392-1
 794042-1
 796885-1
 8-794535-1
 PLR3455ACS-222
 R929991004
 R929993003
 1403611-1
 1-480349-5
 152302-5

 153211-2
 1586092-1
 1586129-1
 1586681-4
 1586700-1
 1586368-1
 1586380-1
 1586616-1
 1586680-5
 16-06-0038
 164164-5
 1-6609930-1

 172296-1
 19-09-2035
 200503-1
 200788-2
 2029090-4
 2029095-4
 925061-7
 293734-4
 293737-2
 1-765362-4
 1871534-1
 200833-4

 2008625-2
 2029027-2
 2029096-4
 R929991002
 R929993000
 319-10-101-00-005000
 319-10-102-00-001000
 319-10-104-00

 001000
 319-10-105-00-001000
 319-10-112-00-006000
 39-01-8019
 319-10-101-00-001000
 319-10-102-00-005000