

## This document was generated on 06/07/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	0002004422			
	<u>0002091122</u>			
Status: Active				
Overview:	erview: Standard .093" Pin and Socket Connectors		~ [ ]	
<b>Description:</b> 2.36mm Diameter, Sta		ndard .093" Pin and Socket Crimp Terminal, Series 2273,	160	
	Female, with Tin (Sn)	Plated Contact, Low Engagement Force, 18-22 AWG, Reel	Ling	- Berne
Documents:				77
Drawing (PDF)		RoHS Certificate of Compliance (PDF)		-40
Product Specification	PS-02-09 (PDF)			*
,			—	
General			Series imag	e - Reference only
Product Family		Crimp Terminals		
Series		<u>2273</u>	EU ELV	
Application		Power, Wire-to-Wire	Not Relevant	
Comments		Low Engagement Force, Low Engagement Force		
Crimp Quality Equipment		Yes	EU RoHS	<u>China RoHS</u>
Overview		Standard .093" Pin and Socket Connectors	Compliant	
Packaging Alternative		<u>02091123</u> (Loose)	REACH SVHC	
Product Name		Standard .093"	Not Contained Per	
UPC		800753616783	-ED/88/2018 (15	
Dhusiaal			January 2019)	
Physical		Famala	Halogen-Free	
Gender Material - Metal		Female	<u>Status</u>	
	ing	Brass Tin	Low-Halogen	
Material - Plating Mat	-	Tin	For more informatio	n, please visit <u>Contact US</u>
Material - Plating Termination		0.507/g	China ROHS	Green Image
Net Weight Packaging Type		Reel	ELV	Not Relevant
Plating min - Mating		0.508µm	RoHS Phthalates	Not Contained
Plating min - Termination		0.508µm		
Termination Interface: Style		Crimp or Compression		
Wire Insulation Diameter		1.52-3.05mm		
Wire Size AWG		18, 20, 22	Search Parts in this Series	
Wire Size mm <sup>2</sup>		N/A	2273 Series	
Material Info			Application Tooling   <u>FAQ</u>	
Engineering Number		2273-A(P901)	Tooling specifications and manuals are	
	- NI			g the products below.
Reference - Drawing Numbers		RC 00 00		cifications are then
Product Specification	1	PS-02-09		Application Tooling
			Specification doc	ument.
			Global	
			Description	Product #
			Insertion Tool	<u>11020003</u>
			Extraction Tool	<u>11030006</u>
			Terminator Die	<u>11402002</u>
			Extractor Tool	<u>638240200</u>
			for .093 and	
			HCS-125 Product	
			Series	
			Hand Crimp Tool for <u>638281000</u>	
			Standard .093" Pi	
			and Socket Crimp	
			Terminals, 18 AW	G I
			Stranded Wire	(
			Hand Crimp Tool	

Standard .093" Pin

This document was generated on 06/07/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pin & Socket Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 6450822-1
 770392-1
 794042-1
 796885-1
 8-794535-1
 PLR3455ACS-222
 R929991004
 R929993003
 1403611-1
 1-480349-5
 152302-5

 153211-2
 1586092-1
 1586129-1
 1586681-4
 1586700-1
 1586368-1
 1586380-1
 1586616-1
 1586680-5
 16-06-0038
 164164-5
 1-6609930-1

 172296-1
 19-09-2035
 200503-1
 200788-2
 2029090-4
 2029095-4
 925061-7
 293734-4
 293737-2
 1-765362-4
 1871534-1
 200833-4

 2008625-2
 2029027-2
 2029096-4
 R929991002
 R929993000
 319-10-101-00-005000
 319-10-102-00-001000
 319-10-104-00 

 001000
 319-10-105-00-001000
 319-10-112-00-006000
 39-01-8019
 319-10-101-00-001000
 319-10-102-00-005000