

This document was generated on 09/13/2021

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0002092101

Status: Active

Overview: Standard .093" Pin and Socket Connectors

**Description:** 2.36mm Diameter, Standard .093" Pin and Socket Double Crimp Terminal, Series

1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel

**Documents:** 

Drawing (PDF)
Product Specification PS-02-09-001 (PDF)
RoHS Certificate of Compliance (PDF)

Packaging Specification PK-1190-001-001 (PDF)

General

Product Family Crimp Terminals

Series <u>1190</u>

Application Power, Wire-to-Wire

Crimp Quality Equipment Yes

Overview <u>Standard .093" Pin and Socket Connectors</u>

Packaging Alternative 02092103 (Bag)
Product Name Standard .093"
UPC 191128081627

**Physical** 

Durability (mating cycles max) 25 Gender Male Material - Metal **Brass** Material - Plating Mating Tin Material - Plating Termination Tin Net Weight 0.312/gPackaging Type Reel Plating min - Mating 0.508um Plating min - Termination 0.508um

Termination Interface: Style Crimp or Compression

Wire Insulation Diameter 1.65-4.06mm Wire Size AWG 14, 16, 18, 20

Wire Size mm<sup>2</sup> N/A

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

Engineering Number 1190-(P901)

**Reference - Drawing Numbers** 

Packaging Specification PK-1190-001-001
Product Specification PS-02-09-001
Sales Drawing SD-1190-X-001
Test Summary 11890000-TS-000



**EU ELV** 

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -D(2021)4569-DC (8 July 2021)

Halogen-Free

**Status** 

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

**Search Parts in this Series** 

1190 Series

**Use With** 

1619 Plug or Receptacle Housing, 1545 Plug or Receptacle Housing, 1396 Plug or Receptacle Housing, 1490 Plug or Receptacle Housing, 2629 Plug or Receptacle Crimp Housings, 1261 Plug or Receptacle Housing, 1292 Plug or Recept

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

**Description** Product # Insertion Tool for 11020003

Standard .093" Pin and Socket Terminals

Extraction Tool 11030006

for Standard .093"

Pin and Socket

Terminals

Terminator Die <u>11402001</u> ServiceGrade Hand <u>638111000</u>

Crimp Tool for Field Repair Only, 14-24

AWG

Extractor Tool <u>638240200</u>

for .093 and HCS-125 Product

Series

Mini-Mac Applicator 638927100

for Standard .093"
Pin and Socket
Terminals, for 14-20
AWG Wire with
Insulation Diameter
1.65-4.06mm

Mini-Mac Applicator 638927300

for Standard .093" Pin and Socket Terminals, for 14-20 AWG Wire with Insulation Diameter 1.65-4.06mm

This document was generated on 09/13/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pin & Socket Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

6450822-1 770392-1 794042-1 796885-1 8-794535-1 PLR3455ACS-222 R929991004 R929993003 1403611-1 1-480349-5 152302-5

153211-2 1586092-1 1586129-1 1586681-4 1586700-1 1586368-1 1586380-1 1586616-1 1586680-5 16-06-0038 164164-5 1-6609930-1

172296-1 19-09-2035 200503-1 200788-2 2029090-4 2029095-4 925061-7 293734-4 293737-2 1-765362-4 1871534-1 200833-4

2008625-2 2029027-2 2029096-4 R929991000 R929991002 R929993000 319-10-101-00-005000 319-10-102-00-001000 319-10-102-00-005000