

This document was generated on 12/14/2021 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	<u>0003092159</u>		
Status:	Active		
Overview:	Standard .093" Pin and Socket Connectors		
Description:	2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows,		
		without Pull Tabs, with Lock Windows	
Documents:			
<u> 3D Model (PDF)</u>		Product Specification PS-1375-001-001 (PDF)	The second secon
<u>3D Model</u>		Product Specification PS-1375-002-001 (PDF)	
Drawing (PDF)		RoHS Certificate of Compliance (PDF)	
Product Specification PS-02-09-001 (PDF)			Series image - Reference only
Agency Certification			EU ELV
CSA		LR19980	Not Relevant
UL		E29179	
0			EU RoHS China RoHS
General Droduct Family			Compliant
Product Family		Crimp Housings	REACH SVHC
Series		<u>1375</u> Power, Wire-to-Wire	Not Contained Per -
Application Comments		12.5A max. can be achieved when housing is used with	D(2021)4569-DC (8
Comments		42477 or 42478 terminals	July 2021) <u>Halogen-Free</u>
Overview		Standard .093" Pin and Socket Connectors	Status
Product Name		Standard .093"	Low-Halogen
UPC		800753617544	For more information, please visit <u>Contact US</u>
D			·
Physical		45	China ROHS Green Image
Circuits (maximum) Color - Resin		15 Natural	ELV Not Relevant
Flammability		94V-2	RoHS Phthalates Not Contained
Gender		Plug	
Glow-Wire Capable		No	
Lock to Mating Part		Yes	Search Parts in this Series
Material - Resin		Nylon	<u>1375</u> Series
Net Weight		6.469/g	
Number of Rows		3	Mates With
Packaging Type		Bag	03091157
Panel Mount		Yes	
Pitch - Mating Interface	9	5.03mm	Use With
Stackable		No	<u>1189</u> Crimp Terminals, <u>1190</u> Crimp
Temperature Range -	Operating	-40° to +105°C	Terminals, <u>1380</u> Male Crimp Terminals,
Electrical			<u>1381</u> Female Crimp Terminals, <u>1433</u> Crimp
Current - Maximum pe	r Contact	9.5A	Terminals, <u>1434</u> Male Crimp Terminals, <u>1973</u> , <u>2151</u> , <u>2273</u> , <u>2870</u> , <u>2871</u> , 4 <u>272</u> , Li
			nk:4550, <u>6271</u>
Solder Process Data	obility	N1/A	III. 1000, <u>027 1</u>
Lead-freeProcess Cap	adiiity	N/A	
Material Info			
Engineering Number		1375-P4	
Reference - Drawing Numbers			
Product Specification		PS-02-09-001, PS-1375-001-001, PS-1375-002-001	
Sales Drawing		SD-1375-X-001	

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pin & Socket Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

 6450822-1
 770392-1
 794042-1
 796885-1
 8-794535-1
 PLR3455ACS-222
 R929991004
 R929993003
 1403611-1
 1-480349-5
 152302-5

 153211-2
 1586092-1
 1586129-1
 1586681-4
 1586700-1
 1586368-1
 1586380-1
 1586616-1
 1586680-5
 16-06-0038
 164164-5
 1-6609930-1

 172296-1
 19-09-2035
 200503-1
 200788-2
 2029090-4
 2029095-4
 925061-7
 293734-4
 293737-2
 1-765362-4
 1871534-1
 200833-4

 2008625-2
 2029027-2
 2029096-4
 R929991002
 R929993000
 319-10-101-00-005000
 319-10-102-00-001000
 319-10-104-00

 001000
 319-10-105-00-001000
 319-10-112-00-006000
 39-01-8019
 319-10-101-00-001000
 319-10-102-00-005000