

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0621009610](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Backplane Header Removal Tool for GbX U-Series, GbX I-Trac, Impact, or Z-PACK TinMan

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	GbX I-Trac, Impact, Z-PACK TinMan
Tool Type	Press-Fit Insertion Tool
UPC	884982245075
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
 Application Tooling Documents

ATS-62100-9610-001



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 D(2020)9139-DC (19
 Jan 2021)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

[207123 Series](#)

Use With

GbX U-Series Backplane Headers [76922](#) , [76923](#) , [76933](#) . I-Trac Backplane Headers [75705](#) , [76015](#) , [76035](#) . Impact Backplane Headers [76055](#) , [76145](#) , [76155](#) , [76165](#). Z-PACKTinMan

Application Tooling | FAQ

Description	Product #
Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided, Open End Walls, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	1703351105
Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided,	1703351106

Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351107](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351108](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351127](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351207](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351208](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
12 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351217](#)
Plus 4 Pair Vertical
Header, Unguided,
Left End Wall,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351227](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
12 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351325](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm [1703351328](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls, 6
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351407](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
14 Columns, 168
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351408](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Wall,
14 Columns, 168
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351428](#)
Plus 4 Pair Vertical
Header, Unguided,
Dual End Wall,
14 Columns, 168
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm [1703351604](#)
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351605
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351607
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351608
Plus 4 Pair Vertical
Header, Unguided,
Open End Walls,
16 Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703351614
Plus 4 Pair Vertical
Header, Unguided,
Left End Wall,
16 Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351625
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
16 Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703351627
Plus 4 Pair Vertical
Header, Unguided,
Dual End Walls,
16 Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided, Open End Walls, 8 Columns, 96 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>1703351804</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided, Open End Walls, 8 Columns, 96 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703351807</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Unguided, Dual End Walls, 8 Columns, 96 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703351827</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Open End Walls, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703353106</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Open End Walls, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703353107</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Open End Walls, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Keying Orientation B, Lead-Free	<u>1703353127</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Open End Walls, 12 Columns, 144 Circuits, Pin Length 4.90mm, Plated	<u>1703353207</u>

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 4X14 85Ohm 1703353407
GL Open BP 4.9-.39
Impact 85 Ohm 1703353607
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703353608
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls,
16 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703353807
Plus 4 Pair Vertical
Header, Left Guide,
Open End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703355104
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 10 Columns,
120 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 85 Ohm 1703355106
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 10 Columns,
120 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 85 Ohm 1703355107
Plus 4 Pair Vertical
Header, Right
Guided, Left Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm 1703355207
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 12 Columns,
144 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 4X14 85Ohm 1703355407
GR Open BP 4.9-.39

Impact 85 Ohm 1703355607
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 16 Columns,
192 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703355608
Plus 4 Pair Vertical
Header, Right
Guide, Open End
Walls, 16 Columns,
192 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703355807
Plus 4 Pair Vertical
Header, Right Guide,
Open End Walls, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703357107
Plus 4 Pair Vertical
Header, Left Guide,
Right End Wall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 85 Ohm 1703357157
Plus 4 Pair Vertical
Header, Left Guide,
Right End Wall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead-Free

Impact 4x12 85 1703357207
Ohm GL Endwall BP
4.9 .39

Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Right End Wall, 14 Columns, 168 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703357407</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Right End Wall, 18 Columns, 216 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>1703357905</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Right Guide, Left End Wall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703359107</u>
Impact 4X10 85ohm GR BP Endwall 0.46	<u>1703359108</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Right Guide, Left End Wall, 12 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703359207</u>
Impact 85 Ohm Plus 4 Pair Vertical Header, Right Guide, Left End Wall, 14 Columns, 168 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>1703359407</u>
Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1704751107</u>
Impact 85 Ohm Plus 5 Pair Vertical	<u>1704751108</u>

Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751127
Plus 5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751128
Plus 5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751207
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751208
Plus 5 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704751228
Plus 5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1704751607</u>
Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 240 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1704751608</u>
Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1704753107</u>
Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide, Open Endwall, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1704753207</u>
Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide, Open Endwall, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Polarizing Key Position E, Lead Free	<u>1704753257</u>
Impact 85 Ohm Plus 5 Pair Vertical Backplane Header, Left Guide, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated	<u>1704753607</u>

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704755107
Plus 5 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704755207
Plus 5 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
12 Columns, 180
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704755607
Plus 5 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704757207
Plus 5 Pair Vertical
Backplane Header,
Left Guide with
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704759107
Plus 5 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704759207
Plus 5 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 12
Columns, 180
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1704759208
Plus 5 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251105
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251107
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251108
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251117
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251118
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 90 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705251127</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 12 Columns, 108 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705251207</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705251607</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Left Endwall, 16 Columns, 144 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705251618</u>
Impact BP 85ohm 3x16 Dual Wall 5.5 0.39	<u>1705251628</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Right Endwall, 16 Columns, 144 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705251637</u>
Impact 85 Ohm Plus 3 Pair Vertical Backplane Header, Unguided, Open Endwalls, 8 Columns, 72 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>1705251805</u>

Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251807
Plus 3 Pair Vertical
Backplane Header,
Unguided, Open
Endwalls, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251813
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251814
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251815
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251816
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251817
Plus 3 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251818
Plus 3 Pair Vertical
Backplane Header,

Unguided, Left
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251824
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705251827
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 8
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251828
Plus 3 Pair Vertical
Backplane Header,
Unguided, Dual
Endwalls, 8
Columns, 72 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705251837
Plus 3 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253105
Plus 3 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705253107
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253207
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 12
Columns, 108
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253605
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705253607
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253608
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253618
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 16
Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead
Free
Impact 85 Ohm 1705253807
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705253817
Plus 3 Pair Vertical
Backplane Header,
Left Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through
Hole Dimension
0.39mm, Polarizing
Key Position A, Lead
Free
Impact 85 Ohm 1705255107
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705255117
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through
Hole Dimension
0.39mm, Polarizing
Key Position A, Lead
Free
Impact 85-OHM BP 1705255177
3x10 GR Sn
Impact 85 Ohm 1705255207
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
12 Columns, 108
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705255605
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
16 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm 1705255607
Plus 3 Pair Vertical
Backplane Header,

Right Guide,
Open Endwall,
16 Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free
Impact 85 Ohm [1705255608](#)
Plus 3 Pair Vertical
Backplane Header,
Right Guide,
Open Endwall,
16 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705255807](#)
Plus 3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705255817](#)
Plus 3 Pair Vertical
Backplane Header,
Right Guide, Open
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Polarizing Key
Position A, Lead-
Free
Impact 85 Ohm [1705257807](#)
Plus 3 Pair Vertical
Backplane Header,
Left Guide with
Endwall, 8 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free
Impact 85 Ohm [1705259607](#)
Plus 3 Pair Vertical
Backplane Header,
Right Guide
with Endwall, 16
Columns, 144
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact BP 3X16 [1705259608](#)
85ohm GR Endwall
5.5 0.39

Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351107</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351108</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Dual Endwalls, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351127</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 288 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351607</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Unguided, Open Endwalls, 16 Columns, 288 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead Free	<u>1705351608</u>
Impact 85 Ohm Plus 6 Pair Vertical Backplane Header, Left Guided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole	<u>1705353107</u>

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705353607
Plus 6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705353637
Plus 6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free
Impact 85 Ohm 1705355107
Plus 6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705355607
Plus 6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705357107
Plus 6 Pair Vertical
Backplane Header,
Left Guided, Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead Free
Impact 85 Ohm 1705359107
Plus 6 Pair Vertical
Backplane Header,
Right Guided,
Endwall, 10
Columns, 180
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm 760551103
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551104
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551105
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551106
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551107
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551108
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 150

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551113
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551114
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551115
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551116
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551117
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551118
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10

Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551123
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551124
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551125
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551126
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551127
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551128
5 Pair Vertical
Backplane Header,
Unguided, Dual

Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551133
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551134
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551135
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760551136
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551137
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551138
5 Pair Vertical
Backplane Header,

Unguided, Right
Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551207

5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551217

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551218

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551225

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 760551228

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551237

5 Pair Vertical

Backplane Header,
Unguided, Right
Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551238](#)

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 12
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760551603](#)

5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551604](#)

5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551605](#)

5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760551606](#)

5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm	<u>760551607</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.90mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>760551608</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>760551613</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.50mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>760551614</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.90mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>760551615</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>760551616</u>
5 Pair Vertical	
Backplane Header,	
Unguided, Left	
Endwall, 16	
Columns, 240	
Circuits, Pin Length	
4.50mm, Plated	
Through Hole	

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551617

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551618

5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551623

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551624

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551625

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551626

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551627

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551628

5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16

Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760551633

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16

Columns, 240
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551634

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16

Columns, 240
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551635

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16

Columns, 240
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760551636

5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16

Columns, 240
Circuits, Pin Length

4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551637](#)
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551638](#)
5 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551707](#)
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 14
Columns, 210
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551708](#)
5 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 14
Columns, 210
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760551716](#)
5 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 14
Columns, 210
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm [760551728](#)
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 14
Columns, 210

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760551828
5 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
120 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553103
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760553104
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760553105
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760553106
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553107
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553108
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553207
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
12 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553208
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
12 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760553267
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
12 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free, Key
Orientation F
Impact 100 Ohm 760553603
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760553604
5 Pair Vertical
Backplane Header,
Left Guided,

Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [760553605](#)
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [760553606](#)
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760553607](#)
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760553608](#)
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [760553614](#)
5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free
Impact 100 Ohm [760553615](#)
5 Pair Vertical

Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm [760553707](#)

5 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
14 Columns, 210
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760555103](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760555104](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760555105](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760555106](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm	<u>760555107</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555108</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555207</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555208</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 12 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760555603</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact 100 Ohm	<u>760555604</u>
5 Pair Vertical Backplane Header, Right Guided, Open Endwall, 16 Columns, 240 Circuits, Pin Length 4.90mm, Plated Through Hole	

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760555605

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760555606

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760555607

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760555608

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760555615

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact 100 Ohm 760555617

5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 240
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free
Impact 100 Ohm 760555706
5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
14 Columns, 210
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm 760555707
5 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
14 Columns, 210
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557103
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557104
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557105
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557106
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,

10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557107
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557108
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557156
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead-Free
Impact 100 Ohm 760557208
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
12 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760557603
5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 760557604
5 Pair Vertical
Backplane Header,

Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557605

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760557606

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557607

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557608

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760557707

5 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
14 Columns, 210
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 760557708

5 Pair Vertical

Backplane Header,
Left Guided,
Right Endwall,
14 Columns, 210
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm [760559103](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760559104](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760559105](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [760559106](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [760559107](#)

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 150
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm	<u>760559108</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>760559114</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free	
Impact 100 Ohm	<u>760559115</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Key Orientation A, Lead-Free	
Impact 100 Ohm	<u>760559117</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation A, Lead-Free	
Impact 100 Ohm	<u>760559127</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 10 Columns, 150 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm , Key Orientation B, Lead-Free	
Impact 100 Ohm	<u>760559207</u>
5 Pair Vertical Backplane Header, Right Guided, Left Endwall, 12 Columns, 180	

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559208

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 12
Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559603

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559604

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559605

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 760559606

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 760559607

5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16

Columns, 240
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559608
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 240
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 760559706
5 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 14
Columns, 240
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm 761451103
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451104
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451105
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451106
6 Pair Vertical
Backplane Header,
Unguided, Open

Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761451107](#)
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761451108](#)
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761451113](#)
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761451114](#)
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761451115](#)
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761451116](#)
6 Pair Vertical
Backplane Header,

Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451117
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451118
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451123
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451124
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451125
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451126
6 Pair Vertical

Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761451127](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761451128](#)

6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761451133](#)

6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761451134](#)

6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761451135](#)

6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm	<u>761451136</u>
6 Pair Vertical	
Backplane Header,	
Unguided, Right	
Endwall, 10	
Columns, 180	
Circuits, Pin Length	
4.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761451137</u>
6 Pair Vertical	
Backplane Header,	
Unguided, Right	
Endwall, 10	
Columns, 180	
Circuits, Pin Length	
4.90mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761451138</u>
6 Pair Vertical	
Backplane Header,	
Unguided, Right	
Endwall, 10	
Columns, 180	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	
Dimension 0.39mm,	
Lead-Free	
Impact 100 Ohm	<u>761451603</u>
6 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 288	
Circuits, Pin Length	
4.50mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>761451604</u>
6 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 288	
Circuits, Pin Length	
4.90mm, Plated	
Through Hole	
Dimension 0.46mm,	
Lead-Free	
Impact 100 Ohm	<u>761451605</u>
6 Pair Vertical	
Backplane Header,	
Unguided, Open	
Endwall, 16	
Columns, 288	
Circuits, Pin Length	
5.50mm, Plated	
Through Hole	

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761451606

6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451607

6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451608

6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761451613

6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761451614

6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761451615

6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451616
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451617
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451618
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451623
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451624
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451625
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761451626](#)
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761451627](#)
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761451628](#)
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761451633](#)
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761451634](#)
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761451635](#)
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 288

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451636
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451637
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451638
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451704
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451705
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451706
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 14

Columns, 252
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451707
6 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451716
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 14
Columns, 252
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451717
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451718
6 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451723
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 14
Columns, 252
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451725
6 Pair Vertical
Backplane Header,
Unguided, Dual

Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761451726
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 14
Columns, 252
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451727
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451728
6 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761451737
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact 100 Ohm 761451738
6 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761453103
6 Pair Vertical
Backplane Header,

Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453104

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453105

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453106

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453107

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453108

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453116

6 Pair Vertical

Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact 100 Ohm 761453118

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact 100 Ohm 761453603

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761453604

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761453605

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761453606

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453607

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453608

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453614

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 761453667

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm ,
Keying Orientation F,
Lead-Free

Impact 100 Ohm 761453704

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453705

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
14 Columns, 252

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761453707

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
14 Columns, 252

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761453708

6 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
14 Columns, 252

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455103

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761455104

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761455105

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761455106

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,

10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455107

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455108

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455118

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 761455603

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761455604

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761455605

6 Pair Vertical
Backplane Header,

Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761455606

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455607

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455608

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761455614

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm ,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 761455617

6 Pair Vertical
Backplane Header,
Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free

Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 14 Columns, 252 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761455704</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 14 Columns, 252 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761455705</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 14 Columns, 252 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761455707</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Right Guided, Open Endwall, 14 Columns, 252 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761455708</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Left Guided, Right Endwall, 10 Columns, 180 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761457103</u>
Impact 100 Ohm 6 Pair Vertical Backplane Header, Left Guided, Right Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole	<u>761457104</u>

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457105

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457106

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761457107

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761457108

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761457603

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761457604

6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761457605
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761457606
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457607
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457608
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457636
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Polarizing Key
Position C, Lead
Free
Impact 100 Ohm 761457707
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,

14 Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761457708
6 Pair Vertical
Backplane Header,
Left Guided,
Right Endwall,
14 Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761459103
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459104
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459105
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459106
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761459107
6 Pair Vertical
Backplane Header,
Right Guided,

Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761459108
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761459114
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free
Impact 100 Ohm 761459603
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459604
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459605
6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761459606
6 Pair Vertical

Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459607

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459608

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459616

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 761459707

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761459708

6 Pair Vertical
Backplane Header,
Right Guided,
Left Endwall, 14
Columns, 252
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761551103</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761551104</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	<u>761551105</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761551106</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	<u>761551107</u>
Impact 100 Ohm 4 Pair Vertical Backplane Header, Unguided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole	<u>761551108</u>

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551113

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551114

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551115

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551116

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551117

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551118

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551123
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551124
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551125
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551126
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551127
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551128
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 10
Columns, 120
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761551133](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761551134](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761551135](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761551136](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761551137](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761551138](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 10
Columns, 120

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551303

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 761551304

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551305

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 761551307

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551308

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551316

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551317](#)
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551318](#)
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551323](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551324](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551325](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm [761551326](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761551327](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,

72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551328
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551336
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551337
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551338
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 6 Columns,
72 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551603
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551604
4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551605

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16

Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551606

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16

Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551607

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16

Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551608

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 16

Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551613

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551614

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16

Columns, 192
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551615
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551616
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551617
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551618
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated

Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551623
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551624
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length

4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761551625](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761551626](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761551627](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761551628](#)
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 16
Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm [761551633](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm [761551634](#)
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551635

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551636

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551637

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551638

4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 16
Columns, 192

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551803

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551804

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551805

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551806

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551807

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551808

4 Pair Vertical
Backplane Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin

Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551813

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551814

4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin

Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551815
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551816
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551817
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551818
4 Pair Vertical
Backplane Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551823
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551824
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551825
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,

96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551826
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551827
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551828
4 Pair Vertical
Backplane Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact 100 Ohm 761551833
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551834
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact 100 Ohm 761551835
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761551836
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551837
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761551838
4 Pair Vertical
Backplane Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553103
4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553104
4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553105
4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553106
4 Pair Vertical

Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761553107](#)

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761553108](#)

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm [761553118](#)

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Key Position A, Lead
Free

Impact 100 Ohm [761553158](#)

4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Key Position E, Lead
Free

Impact 100 Ohm [761553304](#)

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 6 Columns,
72 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm	<u>761553307</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 6 Columns, 72 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761553603</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 16 Columns, 192 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact 100 Ohm	<u>761553604</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 16 Columns, 192 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact 100 Ohm	<u>761553605</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 16 Columns, 192 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact 100 Ohm	<u>761553606</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 16 Columns, 192 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact 100 Ohm	<u>761553607</u>
4 Pair Vertical Backplane Header, Left Guided, Open Endwall, 16 Columns, 192 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	

Impact 100 Ohm 761553608
4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553618
4 Pair Vertical
Backplane Header,
Left Guided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Orientation Key A,
Lead-Free

Impact 100 Ohm 761553803
4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553804
4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553805
4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761553806
4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553807
4 Pair Vertical

Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761553808

4 Pair Vertical
Backplane Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/16/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [1-21048-6](#)
[12121897](#) [12122523](#) [DCF.91.405.5LT](#) [1322](#) [RM-TP](#) [15314260](#) [15313892](#) [15350707](#) [15430130](#) [1579018-4](#) [1643916-1](#) [1-679532-0](#)
[1976593-3](#) [OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#)
[ET-JL05-16](#) [FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [CF-008025-000](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-](#)
[1579018-0](#) [430395-001](#) [483249-1](#)