

This document was generated on 03/10/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0639005200

Status: **Active**

Application Tooling Overview:

Description: FineAdjust Applicator for 2.00mm Pitch Wire-to-Board Crimp Terminals, 24-30 AWG

Wire, Insulation OD 1.10-1.30mm

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family Application Tooling

Series 207127

See Tooling Specification (PDF) Above Comments

Function Crimp Geographic Area Global

Level of Automation Automatic, Semi-Automatic More Detailed Tech Information applicationtooling@molex.com

Overview **Application Tooling Product Name** FineAdjust Tool Type **Applicator UPC** 883906020507

Warranty Disclaimer CAUTION: Molex tooling crimp specifications are

valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is

modified.

Physical

Net Weight 4977.361/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-639005200-001, TM-638000029-001,

> TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001,

> TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001,

TM-638004900-001, TM-638004900CN-001,

TM-638004900SP-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS China RoHS

Not Reviewed REACH SVHC Not Reviewed Halogen-Free **Status**

Not Relevant

For more information, please visit Contact US

China ROHS Not Relevant **ELV** Not Relevant **RoHS Phthalates** Not Reviewed

Search Parts in this Series

207127 Series

Use With

Molex TM-3000: 638017200, 638017300 , Molex TM-4000: 638017600 , Molex TM-2000: 638008300, 638008400, and Most Industry Standard Presses or Wire **Process Machines**

Application Tooling | FAQ Description

Product #

1.57mm Diameter, 2061101

Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel

1.57mm Diameter, 2061103

Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24

AWG, Bag

1.57mm Diameter, 2061104 Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated **Phosphor Bronze** Contact, 18-24 AWG, Reel 1.57mm Diameter, 2061118 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with Tin (Sn) Plated Brass Contact, Without Locking Tabs, 18-24 AWG, Reel Packaged 1.57mm Diameter, 2061131 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2061132 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2061141 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged 1.57mm Diameter, 2061143 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Packaged with Interleaf Paper 1.57mm Diameter, 2062101 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2062103 Standard .062" Pin

and Socket Crimp

Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2062131 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2062132 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065100 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2065101 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2065102 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065103 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065104 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged 1.57mm Diameter, 2065105 Standard .062" Pin

and Socket Crimp

Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel 1.57mm Diameter, 2065108 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2065109 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065130 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2065135 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065138 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2065139 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065147 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold

(Au) Plated Brass

Contact, 24-30 AWG, Reel 1.57mm Diameter, 2065148 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2066100 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, 2066101 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged 1.57mm Diameter, 2066102 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 1.57mm Diameter, 2066103 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2066104 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 062 Male Term 2066105 Chain Brs 50Au 18-24 1.57mm Diameter, 2066118 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with

Selective Gold

(Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel 1.57mm Diameter, 2066119 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag 1.57mm Diameter, 2066122 Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag .062 Male Term PC 2066125 Tail 30 au 1.57mm Diameter, 2066130 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2066135 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2066138 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, 2066139 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2066143 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold

(Au) Plated Brass

Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel 1.57mm Diameter, 2066144 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag 1.57mm Diameter, 2067103 Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged 1.57mm Diameter, 2067104 Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged 1.57mm Diameter, 2068103 Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag 062 Male Term Tin 2068104 PCTail Chn Vertical Solder 2072101 Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin **Terminal Progression** MLX Female Crimp 2081001 Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) **Plating** MLX Crimp Terminal 2081002 42024, 14-20 AWG, Bag Tin (Sn) MLX Female Crimp 2081003 Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating MLX Crimp Terminal 2081004 42024, 14-20 AWG, Bag Tin (Sn) Claspcon Crimp 2081101 Terminal Socket, Tin

(Sn) Plated Brass

Contact, 16-24 AWG, Reel Claspcon Crimp 2081102 Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag Claspcon Crimp 2081103 Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Claspcon Crimp 2081104 Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag Disk Drive Power 2081201 Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20 .084" UNPLATED <u>2081211</u> TERMINAL 8980V01 .084" PC TAIL TERM<u>2081212</u> - 999 8980R11 .084" PC TAIL TERM2081214 - 999 8980R13 2.096MM DIA 2081266 **TERMINAL** 2.096MM DIA 2081268 **TERMINAL** 2.13mm DIA PC 2081309 TAIL TERM PhBr 2.54SnLF 2.096MM DIA 2081363 **TERMINAL PhBr** 2.54SnLF 2.096MM DIA 2081365 **TERMINAL PhBr** 2.54SnLF MLX Male Crimp 2082003 Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) **Plating** MLX Crimp Terminal 2082004 42023, 14-20 AWG, Bag Tin (Sn) MLX Male Crimp 2082005 Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating MLX Crimp Terminal 2082006 42023, 14-20 AWG, Bag Tin (Sn) MLX Crimp Terminal 2082008 42023, 14-20 AWG, Bag Selective Gold (Au) 42023-2A0, Ter Male 2082011

2.13 Chn Unplate

Claspcon Crimp 2085101 Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel 2.36mm Diameter, 2091102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2091104 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag 093FemaleTerm 2091115 Chain/IntLeaf Brs Tin18-22 2.36mm Diameter, 2091117 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter 2091118 Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Bag 2.36mm Diameter, 2091119 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2091122 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, 2091123 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, 2091134

Standard .093" Pin

and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag Crimp Terminal 2091153 41483, 14-18 AWG, Reel 2.36mm Diameter, 2091155 Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain 2.36mm Diameter, 2091205 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated **Phosphor Bronze** Contact, 14-20 AWG, Reel 2.36mm Diameter, 2091206 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated **Phosphor Bronze** Contact, 14-20 AWG, Bag 2.36mm Diameter, 2091615 Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter 2091651 Socket, Without Insulation Crimp for 16-20 AWG Wire 2.36mm Diameter, 2092101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2092103 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG,

Bag

Vertical Solder Relief 2092105 (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin (Sn) Plated Brass Contact, 16-18 AWG, 11.20mm Terminal Progression 2.36mm Diameter, 2092116 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2092117 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, without Dents, 18-22 AWG, Reel 2.36mm Diameter, 2092118 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 093 MaleTermChain/2092127 IntLeaf Brs Tin18-22 2.36mm Diameter, 2092133 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/ Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged 2.36mm Diameter, 2092134 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged 2.36mm Diameter, 2092166 Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated **Phosphor Bronze** Contact, 14-20 AWG, Reel Packaged 2.36mm Diameter, 2092167 Standard .093" Pin and Socket Crimp Terminal, Series

4549, Male, with

Tin (Sn) Plated **Phosphor Bronze** Contact, 14-20 AWG, Bag Packaged 2.36mm Diameter, 2092170 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Reel 2.36mm Diameter, 2092171 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Bag 2.36mm Diameter, 2092611 Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter, 2095100 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2095101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain 2.36mm Diameter, 2095102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2095106 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag

2.36mm Diameter, 2095111 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, 2.36mm Diameter, 2095130 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2095132 Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag 2.36mm Diameter, 2095133 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095142 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095143 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2095169 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated **Phosphor Bronze** Contact, 14-20 AWG, Reel 2.36mm Diameter, 2095170 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with

Gold (Au) Plated

Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096100 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096106 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096110 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096122 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, <u>2096123</u> Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2096125 Standard .093" Pin and Socket Crimp

Terminal, Series

1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, 2.36mm Diameter, 2096126 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2096132 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged 2.36mm Diameter, 2098103 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2098104 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2098108 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel 2.36mm Diameter, 2098109 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag Mini-Fit Jr. 3044052 Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural 1.57mm Diameter 3061011 Standard .062" Pin and Socket Receptacle Housing,

1 Circuits, Natural

1.57mm Diameter 3061022 Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, with Prebent Mounting Ears, Natural 1.57mm Diameter 3061023 Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3061031 Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears 1.57mm Diameter 3061032 Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3061038 Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Prebent Mounting Ears, Natural 1.57mm Diameter 3061041 Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears 1.57mm Diameter 3061042 Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3061044 Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural 1.57mm Diameter 3061062 Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural

1.57mm Diameter 3061092 Standard .062" Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3061121 Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with **Standard Mounting** Ears, Natural 1.57mm Diameter 3061122 Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3062011 Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural 1.57mm Diameter 3062023 Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3062024 Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Prebent Mounting Ears, Natural 1.57mm Diameter 3062031 Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter 3062032 Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3062033 Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Prebent Mounting Ears, Natural 1.57mm Diameter 3062041 Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears

1.57mm Diameter 3062042 Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3062044 Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural 1.57mm Diameter 3062061 Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3062092 Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3062121 Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Prebent Mounting Ears, Natural 1.57mm Diameter 3062122 Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter 3066023 Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter 3066062 Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black 1.57mm Diameter 3067023 Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter 3067044 Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black

1.57mm Diameter 3067061 Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black 2.36mm Diameter 3091011 Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural 2.36mm Diameter 3091022 Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural 2.36mm Diameter 3091027 Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Prebent Mounting Ears, with Ramps, Natural 2.36mm Diameter 3091030 Standard Receptacle Housing, 3 Circuit, Natural 2.36mm Diameter 3091031 Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter 3091032 Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter 3091033 Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural 2.36mm Diameter 3091041 Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter 3091042 Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter 3091049 Standard .093"

Pin and Socket

Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural 2.36mm Diameter 3091061 Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter 3091062 Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter 3091063 Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp 2.36mm Diameter <u>3091064</u> Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter 3091081 Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter 3091091 Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural 2.36mm Diameter 3091092 Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp 2.36mm Diameter 3091093 Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp 2.36mm Diameter 3091094 Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural

2.36mm Diameter 3091121 Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps 2.36mm Diameter 3091125 Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural 2.36mm Diameter 3091126 Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural 2.36mm Diameter 3091151 Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps 2.36mm Diameter 3091152 Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps 2.36mm Diameter 3091153 Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps 2.36mm Diameter 3091157 Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps 2.36mm Diameter 3091161 Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter 3092011 Standard .093" Pin and Socket Plug Housing, 1 Circuit,

Friction Lock, Natural

2.36mm Diameter 3092021 Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears, Natural 2.36mm Diameter 3092022 Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 2.36mm Diameter 3092031 Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter 3092032 Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter 3092041 Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row 2.36mm Diameter 3092042 Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row 2.36mm Diameter 3092049 Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural 2.36mm Diameter 3092061 Standard .093" Pin and Socket Plug Housing, 6 Circuits, **Dual Row** 2.36mm Diameter 3092062 Standard .093" Pin and Socket Plug Housing, 6 Circuits, **Dual Row** 2.36mm Diameter 3092092 Standard .093" Pin and Socket Plug Housings, 9 Circuits, 3 Rows 2.36mm Diameter 3092121 Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows 2.36mm Diameter 3092122 Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows

2.36mm Diameter 3092151 Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows 2.36mm Diameter 3092159 Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Pull Tabs, with Lock Windows 2.36mm Diameter 3092161 Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter 3096021 Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Prebent Mounting Ears, with Ramps, Black 2.36mm Diameter 3097022 Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black 2.36mm Diameter 3097024 Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red 2.36mm Diameter 3097032 Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black 3.18mm Diameter, 3121022 HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears 3.18mm Diameter, <u>3121026</u> HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent) 3.18mm Diameter, 3121036 HCS125, Pin and Socket Receptacle Housing, Single

Row, without Panel

Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, <u>3121046</u> HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122022</u> HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears 3.18mm Diameter, 3122025 HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122026</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent) 3.18mm Diameter, 3122035 HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, 3122036 HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, 3122045 HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent) 3.18mm Diameter, 3122046 HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent)

Flat Blade Crimp 5060117 Terminal, Series 1508, Female, With Tin (Sn) Plated Brass Contact, 14-18 AWG (or 18 AWG Double Crimp), Reel Packaged Flat Blade Crimp 5060301 Terminal, Series 2176, Female, With Tin (Sn) Plated Brass Contact, With Detent, 14-22 AWG (or 18 AWG Double Crimp), Reel Packaged Crimp Terminal 5121004 2482, 10-16 AWG, Reel Crimp Terminal 5121005 2482, 10-16 AWG, Bag Crimp Terminal 5121006 2482, 10-16 AWG, Reel Crimp Terminal 5121008 2482, 10-16 AWG, Reel Crimp Terminal 5121104 6482, 14-18 AWG, Reel Flat Blade Appliance 6021103 Motor Switch Crimp Housing, 10 Circuits Flat Blade Appliance 6022030 Water Valve Crimp Housing, 3 Circuit, Natural Flat Blade Appliance 6023042 **Defrost Timer Crimp** Housing, 4 Circuit, 4 Circuits Flat Blade Appliance 6023103 Motor Switch Crimp Housing, 10 Circuit, 10 Circuits Flat Blade Appliance 6023104 **Dryer Motor Crimp** Housing, 10 Circuit KK Crimp Terminal, 8300109 Series 1799, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Chain on Reel KK 396 Crimp 8500008 Terminal 8818, 18-22 AWG, Reel, Brass Tin (Sn) KK 156 TERMINAL 8500015 CRIMP 18-24 AWG TIN KK 396 Crimp 8500023 Terminal 8818, 18-22 AWG, Bag, Brass Tin

(Sn)

KK 156 TERM 8500024 CRP 18-20 AWG TRIFURCON TIN 8500030 KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, 2.20mm Insulation Crimp, Reel KK 254 Cat Ear 8500031 Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel KK 254 Cat Ear 8500032 Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag KK 396 Crimp 8500105 Terminal 2478, 18-24 AWG, Reel, Brass Tin (Sn) KK 396 Crimp 8500106 Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn) KK 396 Crimp 8500107 Terminal 2578, 22-26 AWG, Reel, Brass, 2.540µm Tin (Sn) KK 396 Crimp 8500108 Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn) KK Crimp Terminal, 8500109 Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel KK Crimp Terminal, 8500110 Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose KK 396 Crimp <u>8500111</u> Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn) KK 156 TERMINAL 8500112 CRIMP 22-26 AWG TIN KK 254 Crimp 8500113 Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating KK 254 Crimp 8500114 Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating 3.96mm Pitch KK 8500115 Crimp Terminal 2878, 18-20 AWG, Reel, Brass, Tin

(Sn), Bifurcated

3.96mm Pitch KK 8500116 Crimp Terminal 2878, 18-20 AWG, Bag, Brass, Tin (Sn), Bifurcated KK 396 Crimp 8500119 Terminal 2478, 18-24 AWG, Reel, Brass, 3.8µm Tin (Sn) KK 396 Crimp 8500120 Terminal 2478, 18-24 AWG, Bag, Brass, 3.8µm Tin (Sn) KK 396 Crimp <u>8500133</u> Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 2.540µm Tin (Sn) KK 396 Crimp 8500134 Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 2.540µm Tin(Sn) KK 254 Crimp <u>8500135</u> Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel KK 254 Crimp 8500136 Terminal 4809, 22-30 AWG, Tin, Bag KK 254 Crimp 8500159 Terminal, 22-30 AWG, Reel, Tin (Sn) Plating, Nickel (Ni) **Under Plating** KK 254 Crimp <u>8500160</u> Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) **Under Plating** KK Trifurcon Crimp 8500183 Terminal 7258, 22-26 AWG, Reel, Brass Tin (Sn) KK Trifurcon Crimp 8500185 Terminal 7258, 22-26 AWG, Bag, Brass Tin (Sn) KK Trifurcon Crimp 8500187 Terminal 6838, 18-20 AWG, Reel, Brass Tin (Sn) KK Trifurcon Crimp 8500189 Terminal 6838, 18-20 AWG, Bag, Brass Tin (Sn) KK 156 TERM 8500251 CRP 18-20 AWG TRIFURCON TIN KK 396 Crimp 8500281 Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze,

3.87µm Tin (Sn)

KK 156 TERM 8500283 CRP 22-26 AWG TRIFURCON TIN KK 100 Crp Term <u>8510101</u> Std 22-30 Awg Unplt KK 254 Crimp 8510108 Terminal, 22-30 AWG, Reel, Tin (Sn), Nickel (Ni) Under **Plating** KK 156 TERMINAL <u>8510109</u> CRIMP 1820 AWG KK 396 Crimp 8520071 Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, Tin (Sn) KK 396 Crimp 8520072 Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, Tin (Sn) KK 254 Crimp 8520101 Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Tin (Sn) KK Trifurcon Crimp 8520112 Terminal 6838, 18-20 AWG, Reel, Phosphor Bronze Tin(Sn) KK Trifurcon Crimp 8520113 Terminal 6838, 18-20 AWG, Bag, Phosphor Bronze Tin (Sn) KK .100 CRIMP 8520118 **TERMINAL 100MI** MATTE TIN KK 254 Crimp 8520123 Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn) KK Trifurcon Crimp 8520124 Terminal 7258, 22-26 AWG, Reel, **Phosphor Bronze** Tin(Sn) KK Trifurcon Crimp 8520125 Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Tin (Sn) 3.96mm Pitch KK 8520126 Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, Tin (Sn), **Bifurcated** 3.96mm Pitch KK 8520127 Crimp Terminal 2878, 18-20 AWG,

Bag, Phosphor

Bronze, Tin (Sn), **Bifurcated** KK 396 Crimp 8520131 Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Tin (Sn) KK 396 Crimp 8520132 Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn) KK 396 Crimp 8520811 Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 5.0µm Tin (Sn) KK 396 Crimp 8520812 Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 5.0µm Tin (Sn) KK 156 TERMINAL <u>8530811</u> CRIMP 18-24 AWG KK CRIMP TERM 8530812 **UNPLT LSE** PB2478999L KK 156 TERMINAL <u>8530814</u> CRIMP 1820 AWG KK 156 TERM <u>8531101</u> CRP 18-20 AWG **TRIFURCON** KK 254 Crimp <u>8550101</u> Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under **Plating** KK 254 Crimp 8550102 Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) **Under Plating** KK 396 Crimp 8550103 Terminal 2478, 18-24 AWG, Reel, Brass, 0.38µm Selective Gold (Au) KK 396 Crimp 8550104 Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au) KK 396 Crimp <u>8550105</u> Terminal 2578, 22-26 AWG, Reel, Brass, 0.38µm Selective Gold (Au) KK 396 Crimp 8550106 Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au) KK 254 Crimp 8550110

Terminal 4809, 22-30

AWG, Selective Gold (Au), Reel KK 254 Crimp 8550111 Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag KK 254 Cat Ear 8550112 Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel KK 396 Crimp 8550123 Terminal 2578, 22-26 AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash KK High Pressure 8550124 Crimp Terminal 7879, 22-30 AWG, Reel Selective Gold (Au) KK High Pressure <u>8550129</u> Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au) KK 254 Crimp 8550130 Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under **Plating** KK 254 Crimp <u>8550131</u> Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) **Under Plating** KK 396 Crimp 8550133 Terminal 2478, 18-24 AWG, Reel, Brass, 0.76µm Gold (Au) KK 396 Crimp 8550134 Terminal 2478, 18-24 AWG, Bag, Brass, 0.76µm Gold (Au) KK 396 Crimp 8550137 Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash KK 156 TERMINAL <u>8550138</u> CRIMP 1820 AWG **GOLD** KK 396 Crimp <u>8560105</u> Terminal 2478, 18-24 AWG, Reel, Brass, 0.51µm Selective Gold (Au) KK 396 Crimp 8560106 Terminal 2478, 18-24 AWG, Bag, Brass, 0.51µm Selective Gold (Au) 8560107 KK 396 Crimp Terminal 2578, 22-26

AWG, Reel, Brass, 0.51µm Select Gold (Au) over Gold Flash KK 396 Crimp 8560108 Terminal 2578, 22-26 AWG, Bag, Brass, 0.51µm Select Gold (Au) over Gold Flash KK 254 Crimp 8560109 Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) **Under Plating** KK 254 Crimp <u>8560110</u> Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) **Under Plating** KK Crimp Terminal, 8560113 Series 2477, Humpback, with Overall Gold (Au) **Plated Brass** Contact, 18-24 AWG, Reel KK Crimp Terminal, 8560114 Series 2477, Humpback, with Overall Gold (Au) **Plated Brass** Contact, 18-24 AWG, Loose KK 254 Crimp <u>8560115</u> Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag KK 254 Crimp 8560120 Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel KK Trifurcon Crimp 8560123 Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Gold (Au) KK Trifurcon Crimp 8560124 Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Gold(Au) KK 156 TERMINAL <u>8580103</u> CRIMP 18-24 AWG **GOLD** KK 156 TERMINAL <u>8580104</u> CRIMP 18-24 AWG **GOLD** KK 156 TERM 8580105 CRP 18-20 AWG TRIFURCON GOLD KK 156 TERM 8580106 CRP 18-20 AWG TRIFURCON GOLD KK Trifurcon Crimp 8580110 Terminal 6438,

18-20 AWG, Reel,

Phosphor Bronze Selective Gold (Au) KK Trifurcon Crimp 8580111 Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Selective Gold (Au) KK 396 Crimp 8580114 Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.76µm Gold (Au) KK 396 Crimp <u>8580115</u> Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.76µm Gold (Au) KK 156 TERM 8580118 CRP 18-20 AWG TRIFURCON GOLD KK 396 Crimp 8580121 Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au) KK 396 Crimp 8580122 Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au) KK 396 Crimp 8580125 Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au) KK 396 Crimp 8580126 Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au) 3.96mm Pitch KK 8580127 Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au), **Bifurcated** 8580128 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au), **Bifurcated** KK 396 Crimp 8580135 Terminal 8818, 18-22 AWG, Reel, **Phosphor Bronze** Selective Gold (Au) KK 396 Crimp 8580136

Terminal 8818,

18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au) KK Trifurcon Crimp 8580187 Terminal 6438, 18-20 AWG, Reel, Phosphor Bronze Gold (Au) KK Trifurcon Crimp 8580189 Terminal 6438, 18-20 AWG, Bag, **Phosphor Bronze** Gold(Au) KK 396 Crimp 8600003 Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 3.810µm Tin (Sn) KK 396 Crimp 8600004 Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn) KK 254 Crimp <u>8650105</u> Terminal 8088, 22-30 AWG, Gold/Nickel, Reel KK 396 Crimp 8650110 Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash KK 396 Crimp 8650114 Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au) KK 396 Crimp 8650115 Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au) KK 396 Crimp 8650116 Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au) KK 396 Crimp 8650117 Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au) 3.96mm Pitch KK 8650118 Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au), **Bifurcated**

3.96mm Pitch KK 8650119 Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated KK Trifurcon Crimp 8650121 Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Selective Gold (Au) KK Trifurcon Crimp 8650122 Terminal 7258, 22-26 AWG, Bag, **Phosphor Bronze** Selective Gold (Au) KK 396 Crimp 8650128 Terminal 8818, 18-22 AWG, Reel, **Phosphor Bronze** Selective Gold (Au) KK 396 Crimp 8650129 Terminal 8818, 18-22 AWG, Bag, **Phosphor Bronze** Selective Gold (Au) KK 100 Crp Term 8650801 Std 22-30 Awg SGold KK 254 Cat Ear 8650804 Crimp Terminal 41572, Reel Tin (Sn) KK 254 Cat Ear 8650805 Crimp Terminal 41572, Bag Tin (Sn) KK 100 Crp Term 8650811 Std 22-30 Awg **SGold** KK 100 Crp Term 8650812 Std 22-30 Awg **SGold** KK 254 Crimp 8650813 Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au) KK 254 Crimp 8650814 Terminal 6459, 22-30 AWG, Bag, **Phosphor Bronze** Gold (Au) KK 254 Crimp 8650815 Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au) KK 254 Crimp 8650816 Terminal 6459, 22-30 AWG, Bag, **Phosphor Bronze** Selective Gold (Au) KK 100 Crp Term 8650817 Std 22-30 Awg

SGold

4.80mm Pitch Crimp 8700001 Terminal, Female, Reel 4.80mm Pitch Crimp <u>8700002</u> Terminal, Male, Reel 3.96 and 5.08mm 8700012 Pitch KK Cat Ear Crimp Terminal, Female, 18-24 AWG, Reel KK Cat Ear Crimp 8700048 Terminal 5159, 22-28 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating KK Cat Ear Crimp 8700049 Terminal 5159, 22-28 AWG, Bag, Phosphor Bronze, Tin (Sn) Plating SPOX Crimp 8700056 Terminal 5103, 22-28 AWG, Reel, Brass (CuZn), Chain Type SPOX Crimp 8700058 Terminal 5103, 22-28 AWG, Reel, Phosphor Bronze (CuSn), Chain Type KK Cat Ear Crimp 8700064 Terminal 5159, 22-28 AWG, Reel, Brass, Tin (Sn) over Copper **Plating** KK Cat Ear Crimp 8700069 Terminal 5159, 22-28 AWG, Bag, Brass, Tin (Sn) over Copper **Plating** 2.50mm Pitch 8700102 Mini-Latch Crimp Terminal, Male, Brass, Reel 2.50mm Pitch 8700103 Mini-Latch Crimp Terminal, Male, Brass, Bag Board-in Crimp 8700106 Terminal, Series 5298, Male, with Tin Insulation Diameter, Reel Packaged .062DIA CRIMP 8701011 REC. .062DIA CRIMP PIN 8701013 SPOX Crimp 8701030 Terminal, 18-24 AWG, Brass, Bag SPOX Crimp 8701031 Terminal, 18-24 AWG, Brass, Reel 2.50mm Pitch, Mini- 8701039 SPOX Female Crimp Terminal, 22-28

AWG, Reel

2.50mm Pitch 8701040 Mini-SPOX Crimp Terminal, 22-28 AWG, Bag 2.5 Low Profile 8701047 Crimp Rec Chain W/ 3.96mm Pitch KK 9011036 Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits .156 IDT ASSEMBLY9072031 724103L KK 396 PC Board 9481024 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits KK 396 PC Board 9481034 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits KK 396 PC Board 9481044 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board 9481054 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board 9481064 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board 9481074 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board 9481084 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board 9481094 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board 9481104 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board 9481105 Connector, Top Entry, Polyester

Connector, Gold (Au) Selective, 10 Circuits KK 396 PC Board 9481114 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board 9481124 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board 9481134 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits KK 396 PC Board 9481144 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits KK 396 PC Board 9481154 Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits KK 396 PC Board 9483024 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits KK 396 PC Board 9483025 Connector, Right Angle, Polyester Connector, Gold (Au) Selective, 2 Circuits KK 396 PC Board 9483026 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits KK 396 PC Board 9483034 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 3 Circuits KK 396 PC Board 9483035 Connector, Right Angle, Polyester Connector, Gold (Au) Selective, 3 Circuits KK 396 PC Board <u>9483036</u> Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 3 Circuits KK 396 PC Board 9483044 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 4 Circuits KK 396 PC Board 9483045 Connector, Right-

Angle, Polyester

Connector, Gold (Au) Selective, 4 Circuits KK 396 PC Board 9483046 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 4 Circuits KK 396 PC Board 9483054 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 5 Circuits KK 396 PC Board 9483055 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 5 Circuits KK 396 PC Board 9483056 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 5 Circuits KK 396 PC Board 9483064 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 6 Circuits KK 396 PC Board 9483065 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 6 Circuits KK 396 PC Board 9483066 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 6 Circuits KK 396 PC Board 9483074 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 7 Circuits KK 396 PC Board 9483075 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 7 Circuits KK 396 PC Board 9483076 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 7 Circuits KK 396 PC Board 9483084 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 8 Circuits KK 396 PC Board 9483085 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 8 Circuits KK 396 PC Board 9483086 Connector, Top Entry, Polyester

Connector, Gold (Au) Selective, 8 Circuits KK 396 PC Board 9483094 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 9 Circuits KK 396 PC Board 9483095 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 9 Circuits KK 396 PC Board 9483096 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 9 Circuits KK 396 PC Board 9483104 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits KK 396 PC Board <u>9483105</u> Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 10 Circuits KK 396 PC Board 9483106 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits KK 396 PC Board 9483114 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 11 Circuits KK 396 PC Board 9483115 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 11 Circuits KK 396 PC Board <u>9483116</u> Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 11 Circuits KK 396 PC Board 9483124 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 12 Circuits KK 396 PC Board <u>9483125</u> Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 12 Circuits KK 396 PC Board 9483126 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 12 Circuits KK 396 PC Board 9483134 Connector, Bottom Entry, Polyester

Connector, Gold (Au) Selective, 13 Circuits KK 396 PC Board <u>9483135</u> Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 13 Circuits KK 396 PC Board 9483136 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 13 Circuits KK 396 PC Board 9483144 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 14 Circuits KK 396 PC Board 9483145 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 14 Circuits KK 396 PC Board <u>9483146</u> Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 14 Circuits KK 396 PC Board 9483154 Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 15 Circuits KK 396 PC Board 9483155 Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 15 Circuits KK 396 PC Board 9483156 Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 15 Circuits KK 396 PC Board 9484028 Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits KK 396 PC Board 9484029 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits KK 396 PC Board 9484038 Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits KK 396 PC Board 9484039 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits KK 396 PC Board 9484048 Connector, Top

Entry, Polyester

Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm	9484049
Tin (Sn), 4 Circuits KK 396 PC Board Connector, Top Entry, Polyester	9484058
Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester	9484059
Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board Connector, Top Entry, Polyester	9484068
Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester	9484069
Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board Connector, Top Entry, Polyester	9484078
Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester	9484079
Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board Connector, Top Entry, Polyester	9484088
Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester	9484089
Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board Connector, Top Entry, Polyester	9484098
Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester	9484099
Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board Connector, Top Entry, Polyester	9484108
Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board Connector, Bottom Entry, Polyester	9484109

Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board 9484118 Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board 9484119 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board 9484128 Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board 9484129 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits KK 396 PC Board <u>9484138</u> Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits KK 396 PC Board 9484139 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits KK 396 PC Board 9484148 Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits KK 396 PC Board 9484149 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits KK 396 PC Board 9484158 Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits KK 396 PC Board 9484159 Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits KK 156 PC Board <u>9485088</u> Connector, Top Entry, Polyester Connector, Tin (Sn), 8 Circuits 3.96mm Pitch SPOX 9501021 Crimp Housing, Female, with Friction Ramp, 2 Circuits, Natural 3.96mm Pitch SPOX 9501023 Crimp Housing, Female, with Friction

Ramp and Void, 2 Circuits, Natural 3.96mm Pitch SPOX 9501031 Crimp Housing, Female, with Friction Ramp, 3 Circuits, Natural 3.96mm Pitch SPOX 9501033 Crimp Housing, Female, with Friction Ramp and Void, 3 Circuits, Natural 3.96mm Pitch SPOX 9501041 Crimp Housing, Female, with Friction Ramp, 4 Circuits, Natural 3.96mm Pitch SPOX 9501043 Crimp Housing, Female, with Friction Ramp and Void, 4 Circuits, Natural 3.96mm Pitch SPOX 9501051 Crimp Housing, Female, with Friction Ramp, 5 Circuits, Natural 3.96mm Pitch SPOX 9501053 Crimp Housing, Female, with Friction Ramp and Void, 5 Circuits, Natural 3.96mm Pitch SPOX 9501061 Crimp Housing, Female, with Friction Ramp, 6 Circuits, Natural 3.96mm Pitch SPOX 9501063 Crimp Housing, Female, with Friction Ramp and Void, 6 Circuits, Natural 3.96mm Pitch SPOX 9501071 Crimp Housing, Female, with Friction Ramp, 7 Circuits, Natural 3.96mm Pitch SPOX 9501073 Crimp Housing, Female, with Friction Ramp and Void, 7 Circuits, Natural 3.96mm Pitch SPOX 9501081 Crimp Housing, Female, with Friction Ramp, 8 Circuits, Natural 3.96mm Pitch SPOX 9501083 Crimp Housing, Female, with Friction Ramp and Void, 8 Circuits, Natural 3.96mm Pitch SPOX 9501091 Crimp Housing, Female, with Friction

Ramp, 9 Circuits, Natural 3.96mm Pitch SPOX 9501101 Crimp Housing, Female, with Friction Ramp, 10 Circuits, Natural 3.96mm Pitch SPOX 9501103 Crimp Housing, Female, with Friction Ramp and Void, 10 Circuits, Natural 3.96mm Pitch SPOX <u>9501111</u> Crimp Housing, Female, with Friction Ramp, 11 Circuits, Natural 3.96mm Pitch SPOX 9501113 Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural 3.96mm Pitch SPOX <u>9501121</u> Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp 9503021 Terminal Housing, Friction Ramp, 2 Circuits, Natural KK 3.96mm Crimp 9503031 Terminal Housing, Friction Ramp, 3 Circuits, Natural KK 3.96mm Crimp 9503041 Terminal Housing, Friction Ramp, 4 Circuits, Natural KK 3.96mm Crimp 9503051 Terminal Housing, Friction Ramp, 5 Circuits, Natural KK 3.96mm Crimp 9503061 Terminal Housing, Friction Ramp, 6 Circuits, Natural KK 3.96mm Crimp 9503071 Terminal Housing, Friction Ramp, 7 Circuits, Natural KK 3.96mm Crimp 9503081 Terminal Housing, Friction Ramp, 8 Circuits, Natural KK 3.96mm Crimp 9503091 Terminal Housing, Friction Ramp, 9 Circuits, Natural KK 3.96mm Crimp 9503101 Terminal Housing, Friction Ramp, 10 Circuits, Natural KK 3.96mm Crimp 9503111 Terminal Housing,

	Friction Ramp, 11	
	Circuits, Natural KK 3.96mm Crimp	9503121
	Terminal Housing,	
	Friction Ramp, 12 Circuits, Natural	
I	KK 3.96mm Crimp	<u>9503131</u>
	Terminal Housing,	
	Friction Ramp, 13	
I	Circuits, Natural KK 3.96mm Crimp	9503141
	Terminal Housing,	<u> </u>
	Friction Ramp, 14	
	Circuits, Natural KK 3.96mm Crimp	9503151
	Terminal Housing,	<u>9303131</u>
	Friction Ramp, 15	
	Circuits, Natural	0500404
	KK 3.96mm Crimp Terminal Housing,	<u>9503161</u>
	Friction Ramp, 16	
	Circuits, Natural	

This document was generated on 03/10/2020 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

```
576771-1 576788-2 576788-3 010-0041 010-0055 010-0096 604228-1 606718-1 M225202-37 CT150-2-D02 CT150-6-RH07 M322 63484-3701 63800-0140 63800-8355 63811-3275 63811-3376 63811-6375 63811-6475 63811-7875 63811-8875 63819-0475 63819-1177 63819-1875 63819-4475 63823-3475 63823-5175 63823-6375 63823-8375 63827-5375 64001-0975 64001-2175 64001-4175 662903-2 679513-1 690141-6 690142-4 690602-6 D38999/20WA98JB-LC 7-22278-0 7-22280-5 7-240641-1 7-240641-3 762637-1 808714-1 8-1633117-3 91362-1 995-0001-187 999-50-020083
```