

This document was generated on 10/22/2019

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: <u>0765003807</u>

Status: Active

Overview: Impact Backplane Connector and Cable Assembly System

**Description:** Impact 100 Ohm 4 Pair RAM Right-Angle Header, Left Guided, Open Endwall, 8

Columns, 96 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm,

Lead-Free

**Documents:** 

3D ModelApplication Specification AS-76060-994-001 (PDF)Drawing (PDF)Application Specification AS-76060-9999-001 (PDF)

Product Specification PS-76060-999-001 (PDF)

Packaging Specification PK-70873-041-001 (PDF)

Application Specification AS-76060-990-001 (PDF)

RoHS Certificate of Compliance (PDF)

**Agency Certification** 

UL E29179

General

Product Family Backplane Connectors

Series 76500
Application Coplanar
Application Tooling Documents TM-622018799
Component Type PCB Header

Overview <u>Impact Backplane Connector and Cable Assembly</u>

System Impact

Product Name Impact

UPC 883906873653

**Physical** 

Circuits (Loaded) 96 Circuits (maximum) 96 Color - Resin Black Durability (mating cycles max) 200 First Mate / Last Break No Flammability 94V-0 **Guide to Mating Part** Yes Keying to Mating Part None

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight15.478/gNumber of Columns8Number of Pairs4Number of Rows12

Orientation Right Angle 1.20mm PC Tail Length **PCB** Locator No **PCB** Retention Yes PCB Thickness - Recommended 1.00mm Packaging Type Tray Pitch - Mating Interface 1.90mm Pitch - Termination Interface 1.90mm Plating min - Mating 0.762um Polarized to PCB Yes Stackable No

Temperature Range - Operating -55° to +85°C

Termination Interface: Style Through Hole - Compliant Pin



Series image - Reference only

**EU ELV** 

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -ED/71/2019 (16 July 2019)

Halogen-Free Status

Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
ROHS Phthalates Not Contained

Search Parts in this Series

76500 Series

**Mates With** 

76160 Impact 100 Ohm Daughtercard

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

**Description** Product # Press-In Tool for 622018677

Daughter Card

Module

Impact Right-Angle 622024350

Module Removal Tool (RAM) **Electrical** 

 $\begin{array}{ccc} \text{Current - Maximum per Contact} & 0.75\text{A} \\ \text{Data Rate} & 25.0 \text{ Gbps} \\ \text{Impedance} & 100\Omega \\ \text{Shield Type} & \text{N/A} \\ \text{Shielded} & \text{No} \end{array}$ 

Voltage - Maximum 30V AC (RMS)/DC

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Reference - Drawing Numbers** 

Application Specification AS-76060-990-001, AS-76060-994-001,

AS-76060-9999-001

Electrical Model Document EE-76500-002
Packaging Specification PK-70873-041-001
Product Specification PS-76060-999-001
S-Parameter Model SP-76500-002
Sales Drawing SD-76500-002
Symbol/Footprint Data SYM-76500-3807

This document was generated on 10/22/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIN 41612 Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

09231126901 PCN10F-24P-2.54DS(72) 004.767 02221602702 024069 602427301412000 013275 691327-1 74670-0732 74680-0340
75880-0015 76453-0014 86093159ALF 923454 QLC260R 120X10099X 120X10019X 120X10089X 120X10129X 121A10039X
121A10309X 122A10019X 122A10029X 122A10249X 122A10669X 122A11089X 122A13089X 122A10089X 122A10129X
122A10349X 122A13359X 1377391-4 1393583-2 1393726-7 140X10059X 140X10129X 143-1913-000 143-1908-000 1484472-1 173052
2110070-1 2110070-2 CBC20T00-008FDS5-0-1-002VR 983-0SE12-12P6 17041102202 172699-5036 173051 PCN10-96S-2.54DSA(77) 2-1393557-4 2-1437084-2