

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0008550110](#)  
**Status:** **Active**  
**Overview:** [KK Interconnect Solutions](#)  
**Description:** [KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold \(Au\), Reel](#)

**Documents:**

[Drawing \(PDF\)](#) [Packaging Specification 48090001-PK-000 \(PDF\)](#)  
[Product Specification PS-10-07-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Product Specification PS-99020-0088-001 \(PDF\)](#)

**General**

Product Family [Crimp Terminals](#)  
Series [4809](#)  
Application [Signal, Wire-to-Board](#)  
Crimp Quality Equipment [Yes](#)  
Overview [KK Interconnect Solutions](#)  
Packaging Alternative [08550111 \(Loose\)](#)  
Product Name [KK 254](#)  
UPC [800753757059](#)

**Physical**

Gender [Female](#)  
Material - Metal [Brass](#)  
Material - Plating Mating [Gold](#)  
Material - Plating Termination [Nickel](#)  
Net Weight [0.066/g](#)  
Packaging Type [Reel](#)  
Plating min - Mating [0.381µm](#)  
Plating min - Termination [0.762µm](#)  
Termination Interface: Style [Crimp or Compression](#)  
Wire Insulation Diameter [1.57mm max.](#)  
Wire Size AWG [22, 24, 26, 28, 30](#)  
Wire Size mm<sup>2</sup> [N/A](#)

**Solder Process Data**

Lead-freeProcess Capability [N/A](#)

**Material Info**

Engineering Number [4809-\(555\)](#)

**Reference - Drawing Numbers**

Packaging Specification [48090001-PK-000](#)  
Product Specification [PS-10-07-001, PS-99020-0088-001](#)  
Sales Drawing [SD-4809-X-001, SD-4809-X-002](#)



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2021)4569-DC (8  
July 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[4809 Series](#)

**Use With**

[6471 2.54mm Pitch KK Crimp Terminal Housing](#)

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Extraction Tool for KK 2.54mm Terminals, 22-30 AWG	<a href="#">11030022</a>
Terminator Die	<a href="#">11402102</a>
Insertion Tool for KK 2.54mm Terminals, 22-30 AWG	<a href="#">638120000</a>
Mini-Mac Applicator for KK and	<a href="#">638887100</a>

Anti-Fish Hook  
Terminals for 22-30  
AWG Wire with  
Insulation Diameter  
1.12-1.57mm

This document was generated on 09/13/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)  
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)  
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)