

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0008701039](#)
Status: **Active**
Overview: Mini-SPOX Wire-to-Board Connector System
Description: 2.50mm Pitch, Mini-SPOX Female Crimp Terminal, 22-28 AWG, Reel

Documents:

Drawing (PDF)	Product Specification PS-5264-001-001 (PDF)
3D Model	Packaging Specification 52639200-SPK-200 (PDF)
3D Model (PDF)	RoHS Certificate of Compliance (PDF)
Product Specification 52641001-PS-000 (PDF)	

General

Product Family	Crimp Terminals
Series	5263
Application	Signal, Wire-to-Board
Crimp Quality Equipment	Yes
Overview	Mini-SPOX Wire-to-Board Connector System
Packaging Alternative	08701040 (Loose)
Product Name	Mini-SPOX
UPC	800753534902

Physical


Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	43.200/mg
Packaging Type	Reel
Plating min - Mating	0.889µm
Plating min - Termination	0.914µm
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	1.90mm max.
Wire Size AWG	22, 24, 26, 28
Wire Size mm ²	N/A

Material Info

Engineering Number	5263PBT
--------------------	---------

Reference - Drawing Numbers

Crimp Specification	CS-5263-001
Packaging Specification	52639200-SPK-200
Product Specification	52641001-PS-000, PS-5264-001-001
Sales Drawing	52630001-SD-000



EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[5263 Series](#)

Use With

Mini-SPOX Receptacle Housing [5264](#)

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Extraction Tool for SPOX, MX64, Ditto, MX150CE, Milli-Grid Terminals	638131400
Hand Crimp Tool for 2.50mm Pitch SPOX Crimp Terminal, 22-28 AWG	638281900
FineAdjust Applicator for 2.50mm Pitch Crimp Terminal	639023100

FineAdjust Applicator 639026400
for 2.50mm (.098")
Pitch SPOX Crimp
Terminal
T2 Terminator for 639123100
2.50mm Pitch Crimp
Terminal

Japan

Description **Product #**

Applicator for M211A 11260117

Bench Press, 22-28

AWG Wire

S-1 Applicator for 2023523700

SPOX Female

Terminals, 22-28

AWG

This document was generated on 12/22/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)