







BASE CAGE DETAILS

1000171242
SHOWN



P/N AND WEEK/YEAR DATE CODE TO BE PRINTED ON BACK OF COMPLETED CAGE ASSEMBLY APPROXIMATELY AS SHOWN. SEE TABLE BELOW FOR DATE CODE INFORMATION.


WEEK/YEAR DATE CODE TABLE	
WK	WEEK OF THE YEAR 01 THRU 52 (EXAMPLE: 01= FIRST WEEK OF YEAR 52= LAST WEEK OF YEAR)
YR	18, 19, 20 ETC.. (EXAMPLE: YEAR 2018= 18)

- NOTES:
- MATERIAL: CAGE: STAINLESS STEEL
CENTER WALLS: STAINLESS STEEL
SPRING FINGERS: BERYLLIUM COPPER; NICKEL PLATED
HEAT SINKS: NICKEL PLATED ALUMINUM
HEAT SINK CLIP: STAINLESS STEEL
LIGHT PIPES: POLYCARBONATE (UL 94-V-0)
 - DIMENSIONS MARKED ∇ ARE CRITICAL TO FUNCTION OF THE PART AND MUST BE INSPECTED
 - DRAWING APPLIES TO ALL P/N'S SHOWN ON PAGE 3
 - DURING FINAL INSPECTION, CAGE LEG LOCATIONS AND STRAIGHTNESS MUST BE CHECKED USING APPROPRIATE GO - NO GO GAGE
 - DURING FINAL INSPECTION, CAGE MUST BE INSPECTED TO MAKE SURE LEG CONFIGURATIONS AND PART NUMBERS ARE CORRECT, USE SHEETS 3, 4 AND 5
 - PARTS TO BE INSPECTED PER MOLEX COSMETIC SPEC WI-HP-7-2774 (CLASS B UNLESS OTHERWISE SPECIFIED)
 - PRESS-FIT LEGS 2.44 LONG -
1.57 MINIMUM PCB THICKNESS FOR SINGLE SIDED USE.
3.00 MINIMUM PCB THICKNESS FOR BELLY TO BELLY USE.
 - NO RoHS EXEMPTIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: OBSOLETE PART NO		molex	
DIMENSION UNITS	SCALE	EC NO: 625872			
mm	2:1	DRWN: VLOKESHA 2019/08/26		ZQSFP+ 1X4 GANGED CAGE ASSY'S (SPRING FINGER) WITH H/S & L/P OPTIONS	
GENERAL TOLERANCES (UNLESS SPECIFIED)		CHK'D: GB 2019/11/06		PRODUCT CUSTOMER DRAWING	
ANGULAR TOL	± 1.0°	APPR: GGA 2019/11/12		DOCUMENT NUMBER	
4 PLACES	±	INITIAL REVISION:		1000171200	
3 PLACES	±	DRWN: KNAGANNA 2015/06/03		DOC TYPE	DOC PART
2 PLACES	± 0.13	APPR: RCHEN08 2016/01/11		PSD	SD
1 PLACE	± 0.25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		REVISION	K1
0 PLACES	±	THIRD ANGLE PROJECTION	DRAWING	SEE P/N TABLE	
		D-DRAWING	SERIES	GENERAL MARKET	
		D-SIZE	100017	1 OF 9	


PART NUMBER SELECTION

NO HEATSINKS
WITH LIGHT PIPES
CLOSED TOP



MOLEX P/N	LIGHT PIPES	#OF REAR LEGS PER PORT
1000171231	SINGLE	0
1000171232	SINGLE	1
1000171233	DUAL	0
1000171234	DUAL	1
1000171235	QUAD	0
1000171236	QUAD	1


NO HEATSINKS
NO LIGHT PIPES
CLOSED TOP



MOLEX P/N W/ SPRING FINGERS	#OF REAR LEGS PER PORT
1000171242	1


NO HEATSINKS
NO LIGHT PIPES
OPEN TOP

LIGHT PIPE FEATURE



MOLEX P/N W/ SPRING FINGERS	#OF REAR LEGS PER PORT	LIGHT PIPE FEATURE
1000171250	0	YES
1000171252	1	YES

WITH HEATSINKS
NO LIGHT PIPES




MOLEX P/N	HEATSINKS	#OF REAR LEGS PER PORT
1000171340	PCI	0
1000171341	SAN	0
1000171342	NET	0
1000171343	PCI	1
1000171344	SAN	1
1000171345	NET	1


WITH HEATSINKS AND LIGHT PIPES

MOLEX P/N	LIGHTPIPES	HEATSINKS	#OF REAR LEGS PER PORT
1000171440	SINGLE	PCI	0
1000171441	SINGLE	SAN	0
1000171442	SINGLE	NET	0
1000171443	DUAL	PCI	0
1000171444	DUAL	SAN	0
1000171445	DUAL	NET	0
1000171446	QUAD	PCI	0
1000171447	QUAD	SAN	0
1000171540	SINGLE	PCI	1
1000171541	SINGLE	SAN	1
1000171542	SINGLE	NET	1
1000171544	DUAL	SAN	1
1000171545	DUAL	NET	1
1000171546	QUAD	PCI	1
1000171547	QUAD	SAN	1
1000171548	QUAD	NET	1
1000171648	2 ROW QUAD	NET	1
1000171649	2 ROW QUAD	CUSTOM (A=19.0 REF)	1


SINGLE LIGHT PIPE




DUAL LIGHT PIPE



QUAD LIGHT PIPE





2 ROW QUAD LIGHT PIPE



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS mm	SCALE 1.5:1	CURRENT REV DESC: OBSOLETE PART NO			
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 625872			
ANGULAR TOL	± 1.0°	DRWN: VLOKESHA	2019/08/26	PRODUCT CUSTOMER DRAWING	
4 PLACES	±	CHK'D: GB	2019/11/06	DOCUMENT NUMBER	
3 PLACES	±	APPR: GGA	2019/11/12	1000171200	
2 PLACES	± 0.13	INITIAL REVISION:		DOC TYPE	DOC PART
1 PLACE	± 0.25	DRWN: KNAGANNA	2015/06/03	PSD	SD
0 PLACES	±	APPR: RCHEN08	2016/01/11	K1	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	SHEET NUMBER
			D-SIZE	100017	3 OF 9
		SEE P/N TABLE		GENERAL MARKET	

PCB LAYOUT FOR SINGLE SIDED MOUNTING



Ø 1.05 ±0.05 TYP.
 Ø 0.10 (M) A K L

DATUM -A- IS THE TOP SURFACE OF HOST BOARD

AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

CROSS HATCHED AREA DENOTES WHERE SURFACE TRACES ARE PERMITTED

- NOTES:
1. PADS AND VIAS GO TO CHASSIS GROUND. (RECOMMENDED PADS TO BE 2.00mm SQUARE.)
 2. RECOMMENDED THRU HOLE PLATING INCLUDES HASL, OSP, OR IMMERSION (GOLD, SILVER, OR TIN).
 3. CONNECTOR PAD LAYOUT PER SFF-8663 WILL ACCOMODATE MOLEX CONNECTOR SERIES 170432.
 4. NOTED DIMENSIONS ONLY APPLY TO CAGE ASSEMBLIES WITH LIGHT PIPES.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NO	
mm	3.5:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
ANGULAR TOL	± 1.0°	EC NO:	625872
4 PLACES	±	DRWN:	VLOKESHA 2019/08/26
3 PLACES	±	CHK'D:	GB 2019/11/06
2 PLACES	± 0.13	APPR:	GGA 2019/11/12
1 PLACE	± 0.25	INITIAL REVISION:	
0 PLACES	±	DRWN:	KNAGANNA 2015/06/03
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPR:	RCHEN08 2016/01/11
THIRD ANGLE PROJECTION	DRAWING	SERIES	
	D-SIZE	100017	
MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
SEE P/N TABLE		GENERAL MARKET	4 OF 9


molex

ZQSFP+ 1X4 GANGED CAGE ASSY'S (SPRING FINGER) WITH H/S & L/P OPTIONS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: 1000171200
 DOC TYPE: PSD
 DOC PART: SD
 REVISION: K1

PCB LAYOUT FOR BELLY TO BELLY MOUNTING



HATCHED AREA DENOTES COMPONENT AND TRACE KEEP-OUT (EXCEPT CHASSIS GROUND)

-A- DATUM -A- IS THE TOP SURFACE OF HOST BOARD

Ø 1.05 ± 0.05 TYP
 Ø 0.10 (M) A K L

AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

CROSS HATCHED AREA DENOTES WHERE SURFACE TRACES ARE PERMITTED

HOLES FOR OPTIONAL REAR LEGS

FOR CAGE ASSEMBLIES WITH LIGHT PIPES


NOTE:
 SEE SHEET 4 FOR HOST CONNECTOR DETAIL AND SINGLE ROW LED LOCATION DETAIL

SEE SHEET 6 FOR DUAL-QUAD LED LOCATION DETAIL


- NOTES:
- PADS AND VIAS GO TO CHASSIS GROUND. (RECOMMENDED PADS TO BE 2.00mm SQUARE.)
 - RECOMMENDED THRU HOLE PLATING INCLUDES HASL, OSP, OR IMMERSION (GOLD, SILVER, OR TIN).
 - CONNECTOR PAD LAYOUT PER SFF-8663 WILL ACCOMMODATE MOLEX CONNECTOR SERIES 170432.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NO	
mm	4:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 625872	
ANGULAR TOL	± 1.0°	DRWN: VLOKESHA	2019/08/26
4 PLACES	±	CHK'D: GB	2019/11/06
3 PLACES	±	APPR: GGA	2019/11/12
2 PLACES	± 0.13	INITIAL REVISION:	
1 PLACE	± 0.25	DRWN: KNAGANNA	2015/06/03
0 PLACES	±	APPR: RCHEN08	2016/01/11
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING SERIES
			D-SIZE 100017
		MATERIAL NUMBER	CUSTOMER
		SEE P/N TABLE	GENERAL MARKET
		DOCUMENT NUMBER	DOC TYPE DOC PART REVISION
		1000171200	PSD SD K1
		SHEET NUMBER	
		5 OF 9	

LED PLACEMENT FOR 2 ROW QUAD LIGHT PIPE



SEE Detail 1







Detail 1
Scale 8:1

NOTE:
SEE SHEET 4 FOR HOST
CONNECTOR DETAIL

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS mm	SCALE 3:1	CURRENT REV DESC: OBSOLETE PART NO		molex			
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 625872					
ANGULAR TOL	± 1.0°	DRWN: VLOKESHA 2019/08/26		PRODUCT CUSTOMER DRAWING			
4 PLACES	±	CHK'D: GB 2019/11/06		DOCUMENT NUMBER			
3 PLACES	±	APPR: GGA 2019/11/12		1000171200			
2 PLACES	± 0.13	INITIAL REVISION:		DOC TYPE			
1 PLACE	± 0.25	DRWN: KNAGANNA 2015/06/03		PSD			
0 PLACES	±	APPR: RCHEN08 2016/01/11		SD			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
		D-SIZE		100017		REVISION	
				MATERIAL NUMBER		CUSTOMER	
				SEE P/N TABLE		GENERAL MARKET	
						SHEET NUMBER	
						6 OF 9	





BEZEL AND BOARD POSITION DIMENSIONS FOR BELLY TO BELLY MOUNTING



NOTE:
 1. PCB THICKNESS VARIATION MUST BE CONSIDERED WHEN DETERMINING BEZEL OPENING LOCATION.
 2. NOTED DIMENSIONS ONLY APPLY TO CAGE ASSEMBLIES WITH LIGHT PIPES.
 3. THIS DIMENSION IS FOR REFERENCE ONLY. USER CAN MODIFY IT DEPENDS ON APPLICATION. (THIS DIMENSION VARIES BASED ON DISTANCE OF " HOLE OF ADJACENT CAGE" ON PCB LAYOUT.)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NO															
mm	2.5:1	<p>ZQSFP+ 1X4 GANGED CAGE ASSY'S (SPRING FINGER) WITH H/S & L/P OPTIONS</p> <p>PRODUCT CUSTOMER DRAWING</p> <table border="1"> <tr> <td>DOCUMENT NUMBER</td> <td>DOC TYPE</td> <td>DOC PART</td> <td>REVISION</td> </tr> <tr> <td>1000171200</td> <td>PSD</td> <td>SD</td> <td>K1</td> </tr> </table>								DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION	1000171200	PSD	SD	K1
DOCUMENT NUMBER	DOC TYPE									DOC PART	REVISION						
1000171200	PSD									SD	K1						
GENERAL TOLERANCES (UNLESS SPECIFIED)																	
ANGULAR TOL	± 1.0°																
4 PLACES	±																
3 PLACES	±																
2 PLACES	± 0.13																
1 PLACE	± 0.25																
0 PLACES	±																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER										
			D-SIZE	100017	SEE P/N TABLE	GENERAL MARKET	7 OF 9										



BEZEL AND BOARD POSITION DIMENSIONS FOR SINGLE SIDE MOUNTING



NOTE:
 1. PCB THICKNESS VARIATION MUST BE CONSIDERED WHEN DETERMINING BEZEL OPENING LOCATION.
² NOTED DIMENSIONS ONLY APPLY TO CAGE ASSEMBLIES WITH LIGHT PIPES.
³ THIS DIMENSION IS FOR REFERENCE ONLY. USER CAN MODIFY IT DEPENDS ON APPLICATION. (THIS DIMENSION VARIES BASED ON DISTANCE OF " HOLE OF ADIACENT CAGE" ON PCB LAYOUT.)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NO					
mm		1:1		<p>molex</p> <p>ZQSFP+ 1X4 GANGED CAGE ASSY'S (SPRING FINGER) WITH H/S & L/P OPTIONS</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>DOCUMENT NUMBER: 1000171200 DOC TYPE: PSD DOC PART: SD REVISION: K1</p>					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL		± 1.0°							
4 PLACES		±							
3 PLACES		±							
2 PLACES		± 0.13							
1 PLACE		± 0.25		EC NO: 625872		2019/08/26		DRWN: VLOKESHA	
0 PLACES		±		APP: GGA		2019/11/12		CHK'D: GB	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
D-SIZE		100017		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
SEE P/N TABLE		GENERAL MARKET		8 OF 9					

REV	DATE	DESCRIPTION
A	03/29/2013	RELEASE
B	06/26/2013	ADDED DIM 12.77 AT G-9 ON SHEET 4.
C	02/05/2014	SHEET 3: ADDED VIEW AND P/N TABLE FOR CLOSED TOP W/LP. SHEET 4/5: EXPANDED ALLOWABLE AREA WHERE SURFACE TRACES ARE PERMITTED. REMOVED "HOLE PATTERN REPEATS FOR EACH PORT." FROM NOTE 4
D	07/15/2014	SHEET 1: ADDED MATERIAL INFORMATION TO NOTES. SHEET 2: MADE HEATSINK HEIGHT DIMENSIONS REF. CHANGED REAR MOST LEG ON BOTH SIDES OF ALL CAGES FROM 3D PRESSFIT TO EYE-OF-THE-NEEDLE PRESSFIT LEG.
E	10/6/2014	ADDED 2 ROW QUAD LIGHT PIPE OPTION SHEET 2: CHANGED HEATSINK HEIGHT DIMENSIONS TO REF J14: DIM 67.48 CHANGED TO REF SHEET 4: MOVED DATUMS "K" AND "L" TO CONNECTOR HOLES REMOVED BASIC FROM "0.00" POSITIONS SHEET 5: MOVED DATUMS "K" AND "L" TO CONNECTOR HOLES REMOVED BASIC FROM "0.00" POSITIONS H18: MADE HOLE DIAMETER DIMENSION TYP SHEET 7: EDIT NOTE 1, REMOVED "SIZE" REMOVED NOTE 1 FROM ALL "10.15" DIMENSIONS
F	3/12/2015	ADDED 1000171255 & LIGHT PIPE FEATURE IN COLUMN @ M10 ON SHEET3.
G	04/14/2015	SHEET 4: REVISED DIM "WAS" 12.77 "NOW" 12.79 @G9 REVISED FRAMED TEXT NUMBER 4 TRIANGLES TO FRAMED TEXT NUMBER 5 @D5, @E4, @E6, @F4, @F6, AND @H7 SHEET 5: REVISED DIM "WAS" 12.77 "NOW" 12.79 @F7 REMOVED NOTE 4 AND REVISED NOTE 5 TO NOTE 4 REMOVED NOTE 4 @A20 REMOVED SEE NOTE 4 AND ADDED DIMS @K11, K12, K13, AND @K14 SHEET 6: REVISED PORT CL "WAS" (4) "NOW" PORT CL @E7, D17, G17 AND @H7
H	06/16/2015	SHEET 1: C7: CHANGED YR FROM 12,13,14 ETC.(EXAMPLE: YEAR 2012=12) TO 15,16,17 ETC.(EXAMPLE: YEAR 2015=15) SHEET 3: B18: ADDED PN 1000171649 CUSTOM H/S 19mm TO HEATSINK AND LIGHT PIPE TABLE SHEET 6: CHANGED REVISION DESCRIPTION FROM ENTER DESCRIPTION TO SEE REVISION TABLE CHANGED MATERIAL NO. FROM 9999999999 TO SEE DRAWING
J	06/26/2015	REMASTERED FROM SD-100017-1200_REV-H
J1	01/04/2016	UP-REVISIED TO CORRECT THE MODEL
J2	01/07/2016	CHANGED DOCUMENT FROM RSD TO SD
J3	2016/01/15	UPDATE DRAWING FORMAT TO NEW SIZE D SHEET 7 & 8: ADDED NOTE: THIS DIMENSION IS FOR REFERENCE ONLY. USER CAN MODIFY IT DEPENDS ON APPLICATION. (THIS DIMENSION VARIES BASED ON DISTANCE OF " HOLE OF ADIACENT CAGE" ON PCB LAYOUT.)
K	2017/06/07	SHEET 4: ADDED PAD TO HOLES & UPDATED VIEWS TO AVOID CONFUSION SHEET 5: ADDED PAD TO HOLES & UPDATED VIEWS TO AVOID CONFUSION C05: ADDED BASIC DIM 19.52 C10: ADDED BASIC DIM 35.28 & 38.52 C12: ADDED BASIC DIM 54.28 & 57.52 C13: ADDED BASIC DIM 72.78 SHEET 6: ADDED PAD TO HOLES & UPDATED VIEWS TO AVOID CONFUSION SHEET 7: J03: CHANGED DIM FROM 9.78 REF TO 9.75 REF SHEET 8: J03: CHANGED DIM FROM 9.78 REF TO 9.75 REF
K1	2019/08/26	OBSOLETED P/N 1000171240,1000171255,1000171448,1000171543,1000171647.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETED PART NO					
mm		1:1		 <p>ZQSFP+ 1X4 GANGED CAGE ASSY'S (SPRING FINGER) WITH H/S & L/P OPTIONS</p> <p>PRODUCT CUSTOMER DRAWING</p>					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL		± 1.0°							
4 PLACES		±							
3 PLACES		±							
2 PLACES		± 0.13		EC NO: 625872		2019/08/26		2019/11/06	
1 PLACE		± 0.25		DRWN: VLOKESHA		CHK'D: GB		APPR: GGA	
0 PLACES		±		INITIAL REVISION:		DRWN: KNAGANNA		2015/06/03	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						D-SIZE		100017	
DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
1000171200				PSD		SD		K1	
MATERIAL NUMBER				CUSTOMER		SHEET NUMBER			
SEE P/N TABLE				GENERAL MARKET		9 OF 9			

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/12	07:19:44
-----------------	----	--------------	------------	----------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Accessories for Robotics and RC category](#):

Click to view products by [Molex manufacturer](#):

Other Similar products are found below :

[56T705](#) [015-9516-002](#) [01.001.6453.0](#) [641763-8](#) [CW106-01X](#) [CW30101A](#) [CW31701A](#) [D2041839](#) [70.352.0628.0](#) [73.353.4028.1](#) [FB22001A](#)
[FB30601A](#) [9009030000](#) [9501](#) [121587-0026](#) [1218510-1](#) [1218629-4](#) [1218630-4](#) [1261000A00M001](#) [128-26-5](#) [RFI77-14](#) [1367251-2](#) [14](#) [1-](#)
[449604-1](#) [1460g4](#) [1470g4](#) [DV0PM20034](#) [MS27488-16-1](#) [MS3057-12A W/B](#) [MS3057-8A-624](#) [MS600-2-XP-1A](#) [MS-602-GEE-14-07C](#)
[MS603-12-01A](#) [MS90376-14R](#) [MS90376-16RB](#) [MTB1-11PH3](#) [1676610000](#) [1A9224 REV A](#) [210-115](#) [CA20L22](#) [2227383-1](#) [225-0090-000](#)
[225-0098-000](#) [KA-89-82](#) [CB20201X](#) [KC-89-104](#) [CB30601A](#) [CB31201A](#) [236-600](#) [CBC120210-752](#)