

This document was generated on 09/13/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: Status: Overview: Description:	1040860410 Active IllumiMate Connector Syster IllumiMate 1.25mm Pitch Wi	<u>n</u> re-to-Board Header, Single Row, 4 Circuits	
Documents: <u>3D Model</u> Drawing (PDF)	on PS-104086-001-001 (PDF)	Packaging Specification PK-104086-001-001 (PDF RoHS Certificate of Compliance (PDF)	
Agency Certificat	ion	F20170	Series image - Reference only
UL		E29179	EU ELV
General			Not Relevant
Product Family		PCB Headers	Not Kelevalit
Series		104086	EU RoHS China RoHS
3D Viewer		Yes	Compliant
Application		Signal, Wire-to-Board	REACH SVHC
CURRENT-MAX-N	IUMERIC	1.0	Not Contained Per -
Overview		IllumiMate Connector System	ED/71/2019 (16 July
PITCH-MATING-N	UMERIC	1.25	2019)
Product Name		IllumiMate	Halogen-Free
UPC		884982467941	Status
			Low-Halogen
Physical			For more information, please visit <u>Contact</u>
Breakaway		No	i of more information, prodoc view <u>oomaa</u>
Circuits (Loaded)		4	China ROHS Green Image
Circuits (maximum)	4	ELV Not Relevant
Color - Resin		Natural	RoHS Phthalates Not Contained
Durability (mating o	cycles max)	30	,
Flammability		94V-0	
Glow-Wire Capable		No	Search Parts in this Series
Keying to Mating Part		None	104086 Series
Lock to Mating Part		Yes	
Material - Metal		Phosphor Bronze	
Material - Plating M		Tin	Mates With
Material - Plating Termination Material - Resin		Tin	<u>1040850400</u> , <u>1040850410</u> , <u>10108504</u>
		High Temperature Thermoplastic	IllumiMate 1.25mm Pitch Wire-to-Board
Net Weight		0.123/g	Crimp Housing
Number of Rows		1	
Orientation		Right Angle	
Packaging Type		Embossed Tape on Reel	
Pitch - Mating Inter		1.25mm	
Temperature Rang		-25° to +130°C	
Termination Interfa	ace: Style	Surface Mount	
Electrical			
Current - Maximum	n per Contact	1.0A	
Voltage - Maximum	•	200V	
. shago maximun			
Solder Process D			
	rocess Temperature (seconds)	010	
Lead-freeProcess		REFLOW	
	x. Process Temperature	003	
Process Temperate	ure max C	260	

Reference - Drawing Numbers Packaging Specification Product Specification Sales Drawing

PK-104086-001-001 PS-104086-001-001 SD-104086-001, SD-104086-002-001

This document was generated on 09/13/2019 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Lighting Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

293300-7 293660-5 CNX_H03_NTP 30-9767-BU 3605 3-21030-1 ZCH-110-RGB-I 503471-0290 ZCH-110-RGB-J 217-0716-200 1954563-1 1-293657-2 2834036-1 2834037-1 1-2213222-4 2-2213222-4 2213222-4 2834122-3 2834122-5 2834135-2 FLA-R4142-30 FLA-R4162-30 FLA-R2142-30 FLA-R2162-30 FLA-R2161-30 FLA-R0161-30 FLA-R0141-30 FLA-R0142-30 FLA-R0162-30 FLA-C00-00 DGA00010553 CNXV04NTP 104128-0610 503485-0000 (Cut Strip) 503485-0000 (Loose Piece) 503485-0000 (MINI Reel) 1-2834074-2 1-2834074-3 1357-AC PLUG W2C (CHINA) 1357-AC PLUG W2 (USA) 104266-0110 CNXV02NTP 2106212-1 2-2834074-2 104266-0210 293470-1 293651-2 293651-4 1-2834006-2 293651-1