

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0011030043](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** Extraction Tool for Micro-Fit Terminals

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	<a href="#">207121</a>
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	800754211260
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

Engineering Number HT60923A

**Reference - Drawing Numbers**

Application Tooling Documents  
 ATS-011030043-001, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001



**EU ELV**

**Not Relevant**

**EU RoHS**

**Missing Compliance Data**

**REACH SVHC**

Missing Compliance Data

**Halogen-Free Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[207121](#) Series

**Application Tooling**

**Description**

**FAQ**

**Product #**

Micro-Fit High-Current RMF Crimp Terminal, Female, 2.540µm Bright Tin Plating, 18 AWG	<a href="#">2039510001</a>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 26-30 AWG	<a href="#">2064600011</a>
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 26-30 AWG	<a href="#">2064600012</a>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 26-30 AWG	<a href="#">2064600013</a>
Micro-Fit+ Crimp Terminal, Female,	<a href="#">2064600021</a>

Tin (Sn) Plating, 20-24 AWG Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 20-24 AWG	<u>2064600022</u>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 20-24 AWG	<u>2064600023</u>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 18 AWG	<u>2064600031</u>
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 18 AWG	<u>2064600032</u>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 18 AWG	<u>2064600033</u>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 16 AWG	<u>2064600041</u>
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 16 AWG	<u>2064600042</u>
Micro-Fit+ Crimp Terminal, Female, 0.75µm Gold (Au) Plating, 16 AWG	<u>2064600043</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	<u>430300001</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	<u>430300002</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 20-24 AWG, Reel	<u>430300003</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 26-30 AWG, Reel	<u>430300004</u>
Micro-Fit 3.0 Crimp Terminal, Female, with Select Gold (Au) Plated Phosphor Bronze Contact, 26-30 AWG, Reel	<u>430300005</u>

Micro-Fit 3.0 Crimp 430300006  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel

Micro-Fit 3.0 Crimp 430300007  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp 430300008  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Bag

Micro-Fit 3.0 Crimp 430300009  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Bag

Micro-Fit 3.0 Crimp 430300010  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430300011  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Bag

Micro-Fit 3.0 Crimp 430300012  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Bag

Micro-Fit 3.0 Crimp 430300038  
Terminal, Female,  
with Tin (Sn)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430300039  
Crimp Terminal,  
Female, with 0.38 $\mu$ m  
Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430300040  
Crimp Terminal,  
Female, with 0.76 $\mu$ m  
Select Gold (Au)

Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel  
Micro-Fit 3.0 Crimp [430310001](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310002](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310003](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310004](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310005](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310006](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp [430310007](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag  
Micro-Fit 3.0 Crimp [430310008](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag  
Micro-Fit 3.0 Crimp [430310009](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze

Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310010

Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310011

Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310012

Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310021

Terminal, Male,  
with Tin (Sn)  
Plated Phosphor

Bronze Contact,  
18 AWG, .073in /  
1.85mm Max

Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430310022

Crimp Terminal,  
Male, with 0.38µm  
Select Gold (Au)

Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /

1.85mm Max  
Insulation Outside

Diameter, Reel

Micro-Fit 3.0 430310023

Crimp Terminal,  
Male, with 0.76µm  
Select Gold (Au)

Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /

1.85mm Max  
Insulation Outside

Diameter, Reel

Micro-Fit TPA Crimp 430315003

Terminal, Male, with  
Tin (Sn) Pre-plated  
Phosphor Bronze

Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp 430315004

Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated

Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp [430315005](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp [430315006](#)  
Terminal, Male, with  
2.54µm Matte Tin  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Reel

Micro-Fit TPA Crimp [430315007](#)  
Terminal, Male, with  
Tin (Sn) Pre-plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315008](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315009](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315010](#)  
Terminal, Male, with  
2.54µm Matte Tin  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel

Micro-Fit 3.0 Crimp [457730001](#)  
Terminal, Female,  
with Lubricant, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730003](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730006](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730053](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze

Contact, 20-24 AWG,  
Reel

Micro-Fit RMF 462350001

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.38 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, without  
Lubricant

Micro-Fit RMF 462350002

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.76 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, without  
Lubricant

Micro-Fit RMF 462350003

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.38 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, without  
Lubricant

Micro-Fit RMF 462350004

Reduced Mating  
Force, Crimp  
Terminal, Female,  
with .0.76 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, without  
Lubricant

Micro-Fit RMF 462355001

High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.38 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, with  
Lubricant

Micro-Fit RMF 462355002

High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.76 $\mu$ m

Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, with  
Lubricant

Micro-Fit RMF 462355003

High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.38 $\mu$ m

Selective Gold (Au)

over Nickel (Ni), 26-30 AWG, with Lubricant Micro-Fit RMF High Mating Cycle, Reduced Mating Force, Crimp Terminal, Female, with .0.76µm Selective Gold (Au) over Nickel (Ni), 26-30 AWG, with Lubricant	<u>462355004</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Reel	<u>500588000</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Bag	<u>500588100</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	<u>500798000</u>
1.25mm Pitch, PicoBlade Female Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Bag	<u>500798100</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Reel	<u>501258000</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 26-28 AWG, Bag	<u>501258100</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Reel	<u>501338000</u>
1.25mm Pitch, PicoBlade Male Crimp Terminal, Tin (Sn) Plating, 28-32 AWG, Bag	<u>501338100</u>
2.00mm Pitch, Micro- Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Reel	<u>502128000</u>
2.00mm Pitch, Micro- Latch Female Crimp Terminal, Tin (Sn) Plating, 24-30 AWG, Bag	<u>502128100</u>
2.00mm Pitch, Micro- Latch Female Crimp	<u>503728000</u>



Terminal, Tin (Sn)  
Plating, 22-26 AWG,  
Reel  
2.00mm Pitch, Micro-503728100  
Latch Female Crimp  
Terminal, Tin (Sn)  
Plating, 22-26 AWG,  
Bag  
OBD-II Crimp 504208000  
Terminal, Female,  
50420, 4.00mm Pitch  
DuraClik Crimp 5600850101  
Terminal, Female,  
22-26 AWG, Reel

This document was generated on 11/29/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [12180559](#) [1-21048-6](#) [12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15350698](#) [15350707](#) [15430130](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#) [OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#) [FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [CF-008025-000](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [483249-1](#) [5-1579007-2](#) [5-1579007-9](#) [BPR10](#)